

Cordless tools

Straight head, Angle head, Angle wrench head, Ratchet head

Straight head



Angle head



Angle wrench head



Ratchet
For Model:

DTL060, DTL061, DTL062, DTL063, TL064D, TL065D

Description	Type	Part No.
Straight head	NZ	192440-7
	For E-form bit MZ	192486-3
Angle head	-	135183-8
	For C-form bit	135200-4
	For E-form bit	135125-2
Angle wrench head	9.5mm (3/8")SQ	135201-2
Ratchet head	Hex. Size 21mm	192439-2


Ratchet head adapter (Socket, Socket adapter)

use with Ratchet head
Socket



Model No.	Type	Size	Part No.
DTL060, DTL061, DTL062, DTL063, TL064D, TL065D	Hex Socket	17 x 31 (A x L)	134743-3
		19 x 33 (A x L)	134744-1

Socket adapter



Model No.	Type	Size	Part No.
DTL060, DTL061, DTL062, DTL063, TL064D, TL065D	Socket adapter	9.5mm (3/8")	134745-9
		12.7mm (1/2")	134746-7
DWR180, WR100D	Socket adapter	6.35mm (1/4")	191A51-1
		9.5mm (3/8")	191A50-3

Threaded Rod Cutter Blade set (2pcs set)



For Model:
DSC102 SC103D


Thread type	Thread size	Part No.
ISO Metric	M6	199087-8
	M8	199085-2
	M10	199083-6
ISO Inch / BSW (British Standard Whitworth)	1/4"-20 UNC / W1/4	199444-0
	5/16"-18 UNC / W5/16	199443-2
	3/8"-16 UNC / W3/8	199081-0

Shoulder strap



Model No.	Part No.
DSC102 SC103D	199069-0

Cutter Blade set (2pcs set) for steel rod cutter



Model No.	Part No.
DSC162, DSC162R, DSC163	SC09002470
DSC191, DSC191R	SC09002030

Holder set

A: 300ml size Holder



B: 600ml size Holder



C: 800ml size Holder



D: 400mL size Holder



Model No.	Type	Size	Part No.
CG100D, DCG140, DCG180	A	300ml	196351-8
	B	600ml	196352-6
	C	800ml	197195-9
	D	400ml	191P89-6

Cordless tools

For DPP200

Combination of punch and die

- Punching holes through a thin structural metal plate may cause deformation of the plate and burr on the holes.
- If you need precision punching, see the tables below to select an optimum combination of punch and die.

☒ Round punching

☐ Oblong punching


● Round punching


Punch		Die		Cutting material		
				Tensile Mild Steel (65,000 psi)	Channel	Tensile Stainless Steel (89,000 psi)
Hole diameter (mm)	Part No.	Hole diameter (mm)	Part No.	Thickness		
6	SC05340040	SB6	SC00000203	t2-t4		t3-t4
6.5	SC05340050	SB6.5	SC00000205	t2-t6		t3-t4
8	SC05340060	SB8	SC00000207	t2-t6		t3-t4
8.5	SC05340070	SB8.5	SC00000209	t2-t6		t3-t4
10	SC05340080	SB10	SC00000211	t2-t6	t7.5	t3-t4
11	SC05340090	SB11	SC00000213	t2-t8	t7.5	t3-t6
12	SC05340100	SB12	SC00000215	t2-t8	t7.5	t3-t6
13	SC05340110	SB13	SC00000217	t2-t8	t7.5	t3-t6
14	SC05340120	SB14	SC00000219	t2-t8	t7.5	t3-t6
15	SC05340130	SB15	SC00000221	t2-t8	t7.5	t3-t6
16	SC05340140	SB16	SC05332710	t2-t8	t7.5	t3-t6
18	SC05340150	SB18	SC00000223	t2-t8	t7.5	t3-t6
19	SC05340170	SB19	SC05332740	t2-t8	t7.5	t3-t6
20	SC05340160	SB20	SC05352510	t2-t8	t7.5	t3-t6

● Oblong punching

Punch		Die		Cutting material		
				Tensile Mild Steel (65,000 psi)	Channel	Tensile Stainless Steel (89,000 psi)
Hole diameter (mm)	Part No.	Hole diameter (mm)	Part No.	Thickness		
6.5 x 10	SC05340200	6.5 x 10B	SC00000244	t2-t6		t3-t4
6.5 x 13	SC05340210	6.5 x 13B	SC00000246	t2-t6		t3-t4
8.5 x 13	SC05340220	8.5 x 13B	SC00000248	t2-t6		t3-t4
8.5 x 17	SC05340230	8.5 x 17B	SC00000250	t2-t6		t3-t4
9 x 13.5	SC05340240	9 x 13.5B	SC00000252	t2-t6		t3-t4
9 x 18	SC05340250	9 x 18B	SC00000254	t2-t6		t3-t4
10 x 15	SC05340260	10 x 15B	SC00000256	t2-t8	t7.5	t3-t6
10 x 20	SC05340270	10 x 20B	SC00000258	t2-t8	t7.5	t3-t6
11 x 16.5	SC05340280	11 x 16.5B	SC00000260	t2-t8	t7.5	t3-t6
12 x 18	SC05340290	12 x 18B	SC00000262	t2-t8	t7.5	t3-t6
13 x 19.5	SC05340300	13 x 19.5B	SC00000264	t2-t8	t7.5	t3-t6
14 x 21	SC05340310	14 x 21B	SC00000266	t2-t8	t7.5	t3-t6


Work stand

Part No. SC03801080



Slide stopper

Part No. SC03300790



Hydraulic pressure oil for steel rod cutter / pancher

DPP200, DSC121, DSC162, DSC162R, DSC163, DSC192

Part No. SC00000106
35mL



Part No. SC00000142
150mL



Part No. SC00000270
1,000mL



Cordless tools

Nozzle for DGP180

Item	Part No.
Lock on adapter 	191A76-5
Angle Adapter 	191A77-3
Adapter set (3PCS) 	191A78-1

Hose for DGP180



Item	Length	Part No.
Flexible hose 600	0.6m	191A80A4
Flexible hose 1200	1.2m	191A79A9

Barrel for DGP180


Item	Size	Part No.
Barrel assembly A set 	For 400g grease cartridge	191B12-7
Barrel assembly B set 	For 450g grease cartridge	191A81B2
Barrel assembly C set 	For 500g grease cartridge	191F23B6
Cartridge barrel A set 	For 400g grease cartridge	191F24-4
Cartridge barrel B set 	For 450g grease cartridge	191F25-2
Cartridge barrel C set 	For 500g grease cartridge	191F27-8

Shoulder strap for DGP180



Item	Part No.
Shoulder Belt	166094-6

Cordless rivet gun



For DRV150

Items	1	2		3		4	
	Nose piece assy	Jaw (3pcs set)		Jaw pusher assy		Pipe	
Rivet Size	Part No.	Marking on jaw	Part No.	Color Size	Part No.	Color Size	Part No.
ø2.4 mm (3/32")	127230-9	4.8	199731-7	Gray 1.9	127478-3	Silver 2.2	162747-5
ø3.2 mm (1/8")	127229-4			Black 2.5	127477-5	Black 2.6	162746-7
ø4.0 mm (5/32")	127228-6			Gray 3.1	127476-7	Pipe is not necessary for operation.	
ø4.8 mm (3/16")	127225-2			Black 3.6	127475-9		

Accessory set

Size	Part No.	Size	Part No.
for 2.4	199729-4	B set for 4.0	191C04-2
for 3.2	199728-6	B set for 4.8	191C03-4

For DRV250

Items	1	2		3		4	
	Nose piece assy	Jaw (3pcs set)		Jaw pusher assy		Pipe	
Rivet Size	Part No.	Marking on jaw	Part No.	Color Size	Part No.	Color Size	Part No.
ø2.4 mm (3/32")	127230-9	4.8	199731-7	Gray 1.9	127478-3	Silver 2.2	162747-5
ø3.2 mm (1/8")	127229-4			Black 2.5	127477-5	Black 2.6	162746-7
ø4.0 mm (5/32")	127228-6			Gray 3.1	127476-7	Silver 3.4	162745-9
ø4.8 mm (3/16")	127225-2	4.8 / 6.4	199731-7 / 199730-9	Black 3.6	127475-9	Black 4.1	162744-1
ø6.0 mm (7/32")	127224-4	6.4	199730-9	Gray 4.0	127474-1		
ø6.4 mm (1/4")	127223-6	6.4		Black 4.5	127473-3		

Accessory set

Size	Part No.	Size	Part No.
for 2.4	199729-4	B set for 4.8	191C03-4
for 3.2	199728-6	for 6.0	199725-2
A set for 4.0	191F80-4	for 6.4	191C02-6
A set for 4.8	191F79-9		

Jaw grease for maintenance (Grease to jaw case & jaws)



Description	Size	Part No.
Molybdenum disulfide grease	5g	191D57-7

Blade for steel rod cutter



*Spacer P/N: SC09030550 is also necessary.

Model No.	Type	MARKET	Part No.
DSC251	Without Hab	-	SC09003260
	Without Hab	CANADA	SC09003261
DSC250	Without Hab	-	SC09003260*
	Without Hab	CANADA	SC09003261*

Cordless tools

Adjuster set



Model No.	Part No.
DST112, DST111, ST113D, ST313D	197731-1

Cordless Inflator Adapter

For Model:
DMP180, MP100D

Item	Part No.
French valve adapter	TE00000334
	
Swim ring adapter	TE00000333
	
Ball adapter	TE00000335
	
British valve adapter	TE00000346
	

Polishing and Buffing items for Drill

Rubber pad assembly



Collet size	Pad Size	max. rpm	Part No.
6mm	98mm	3,000	123001-2

Wool bonnet



Size	Part No.
100mm	794173-6

Foam polishing pad



Pad Size	Part No.
125mm	794159-0

Shoulder strap for carrying case



Part No.
199486-4

Quick charger

(AC only)




Model No.	Charging time (min.) (approx.)	Charger type
CL104D, CL105D, CL111D	180	DC1001
CL114FD	120	DC1002

For DRC200

Boundary line tape (15m roll)



Side brushes



Power brush



Turn brush cover



Filter



Description	Part No.
Boundary line tape (15m roll)	SH00000231(EU)
	SH00000240 (USA, AU)
Side brushes	SH00000065
Power brush	SH00000063
Turn brush cover	SH00000064
Filter	SH00000213


Tie wire set

Ø0.8mm
50 pcs/ box



Model No.	TYPE	Wire length / bobbin	Part No.
DTR180	Standard	Approx 100m	199137-9
	Galvanized	Approx 100m	191A57-9
	Poly Coated		191J59-9

Nylon brush



Model No.	Part No.
DTR180	162755-6

Extension handle kit for DTR180



Model No.	Markets	Part No.
DTR180		191M27-0
	Canada	191M28-8

Cordless tools

Bulb

(2 pcs. / set)



* For North America

Model No.	Voltage	Part No.
DML145	14.4V	*A-90233
DML185	18V	A-30542
		*A-90261
DML184	14.4V,18V	*A-94502
		B-07303

Light stand (Tripod)

GM00001381



GM00002073

Model No.	Height	Description	Set Screw	Part No.
DML805	992-1,750mm	Up to two DML805's can be mounted.	M8	GM00001381
DML809 DML811	1,300-2,000mm	Up to two lights can be mounted.	M10 bolt & nut	GM00002073

Vise



Model No.	Description	Set Screw	Part No.
DML805	Use for mounting DML805 on a scaffolding pipe, etc.	M8	GM00001396

Anti-glare film



Model No.	Part No.
DML805	A-58154

Strap



Model No.	Part No.
DML812	GM00002239
ML104	GM00001028

Magnet attachment



Model No.	Part No.
ML105 / ML104	GM00001683(EU) GM00001714

Battery protector

For Battery BL1430B, BL1440, BL1450, BL1460B, BL1830B, BL1840B, BL1850B, BL1860B



Model No.	Part No.
DDA340, DDA350, DDA351, DDF343, DDF451, DDF453, DHP343, DHP451, DHP453, DHR202, DTD134, DTD137, DTD146, DTD148, DTD152, DTD153, DTD154, DTD155, DTD170, DTD171, DTL060, DTL061, DTL062, DTL063, DTS130, DTS131, DTS141, DTW250, DTW251, DTW253, DTW450	194649-7

Battery protector

Designed to protect the battery cartridge from dust and dripping water in outdoor applications or harsh environments.



Model No.	For Battery	Part No.
DDF448, DHP448, DTD134	BL1415N, BL1430B, BL1440, BL1450, BL1460B	195797-5
DDF458, DHP458, DTD146	BL1815N, BL1820, BL1830B, BL1840B, BL1850B, BL1860B	195798-3

Tool catcher set (with shoulder belt)



Model No.	Part No.
DTD134, DTD137, DTD138, DTD148, DTD149, DTD152, DTD170, DTS130, DTS131, DTS141, DTW152, DTW190, DTW250, DTW251, DTW253, DTW284, DTW285, DTW300, DTW301	197941-0 197942-8(EU)

Ring set (with shoulder belt)



Model No.	Part No.
DTD157, DTW300, DTW301, TW004G, TW005G	191K57-9

Tool catcher set

Enables to hook the machine quickly on a snap hook of waist belt.



Model No.	Part No.
DTD157, DTW300, DTW301, TW004G, TW005G	191K57-9
DTD134, DTD137, DTD146, DTD148, DTD153, DTD154, DTD155, DTD170, DTS130, DTS131, DTS141, DTW152	197043-2
DDF470, DDF483, DDF484, DDF485, DHP470 DHP483, DHP484, DHP485, DTP131, DTP141, DTW284, DTW285	199428-8
DHR182	199593-3
TW004G, TW005G, DTW300, DTW301	191K57-9

Wide hook set

for temporarily hanging the tool.



Model No.	Part No.
DCS551, DHR171, DHR182, DSD180, HR166D, SD100D	197224-8

Cordless tools

AC adapter



Model No.	Part No.
DF001D	ADP07

Battery adapter & Battery converter

PDC01



BAP182



BCV01




BCV03



Type	Battery type	For Model
PDC01	LXT 18V Battery x4	LXT 18V Models or LXT 18Vx2 Models or Direct connection 36V Models
BAP182	LXT 18V Battery x2	LXT 18Vx2 Model
BCV01		Old 36V Models
BCV03		Old 36V Models
BAP18	LXT 18V Battery	LXT 18V

Harness for BAP182/ BCV01

Harness



Shoulder Belt



Type	Part No.
Harness	196818-6
Shoulder Belt	162523-7

String trimmer harness for PDC01/ PDC1200



Item	Part No.
A	191E43-4
B	197243-4

Battery adapter for PDC01 & LXT 18V Battery models



Item	Part No.
A	191A53-7
B	191A52-9

Battery adapter for PDC01/ PDC1200 & XGT 40VMax Battery models



Item	Part No.
C	191N62-4

Battery adapter for PDC1200 & LXT 18Vx2 Battery models



Item	Part No.
B	191A52-9

Filter set

Attaching a filter to the intake fan unit prevents the dust invasion into jacket at work site with flying dust.

For model:

DFJ206, DFJ207, DFJ210, DFJ211, DFJ212, DFJ213, DFJ214
DFJ304, DFJ305, DFJ310, DFJ311
DFJ405, DFJ407, DFJ410, DFJ411
DFV210




Description	Part No.
Filter set A: Frame 2pcs. Set, B: Filter (non-woven) 20pcs. set	198642-3
B: Filter (non-woven) 20pcs. set	198644-9 198643-1(EU)

Portable Battery Checker

*BTC04 is also necessary

*With SD card for BTC04 software update.



Your PC and your USB



Battery type	Battery Checker
Except XGT, CXT, G battery, BL3622A, BL36120A	BTC04
XGT battery	BTC05*
CXT battery	BTC06

Cordless tools

Battery Timer Setting Adapter

The Battery Timer Setting Adapter provides an anti-theft solution for Makita-brand battery cartridges by utilizing the mobile devices or PCs (with the dedicated app installed) required for timer setup.

Applicable lithium-ion battery

- BL1430B BL1460B
- BL1820B BL1830B BL1840B BL1850B BL1860B



Part No.

BPS01

Coffee Maker accessories

For model:
DCM501

Item	Part No.
Cup cover	KF00000021
	
Cup	KF00000020
	
Filter	KF00000013
	
Spoon	KF00000033
	

Anti kick back head assembly



Model No.	Type	Part No.
BFH040/F, BFH090/F, BFH120F, DFT022F, DFT044F	MZ	195231-5
DFT085F, DFT086F, DFT126F, DFT127F, DFT128F	NZ	195232-3

Anti kick back head set



Model No.	Part No.
DFL061F, DFL082F, DFL122F, DFL201F, DFL202F	195621-2
DFL300F, DFL301F, DFL400F, DFL402F	195620-4
DFL651F	197045-8
DFL083, DFL125, DFL204F	199065-8
DFL302, DFL403F	199066-6

Torque adjust tool



Model No.	Part No.
BFH040/F, BFH090/F, BFH120F, DFL020F, DFL061F, DFL062F, DFL063F, DFL082F, DFL083F, DFL122F, DFL123F, DFL125, DFL201F, DFL201R, DFL202F, DFL204F, DFL300F, DFL301F, DFL301R, DFL302F, DFL400F, DFL402F, DFL402R, DFL403F, DFL651F, DFT022F, DFT023F, DFT024F, DFT025F, DFT041R, DFT043F, DFT044F, DFT045F, DFT046F, DFT060F, DFT082F, DFT082R, DFT083F, DFT084F, DFT085F, DFT086F, DFT124F, DFT124R, DFT125F, DFT126F, DFT127F, DFT128F	765027-4

Hook



Model No.	Part No.
DFL083F, DFL125F, DFL204F, DFL302F, DFL403F, DFL651F, DFT023F, DFT024F, DFT025F, DFT045F, DFT046F, DFT060F, DFT085F, DFT086F, DFT127F, DFT128F, DTDA040, DTDA070, TDA100D, TDA140D, DTWA070, TWA100D, TWA140D, TWA190D	281012-4
DRV150 DRV250	281012-4

Ring 25



Model No.	Color	Part No.
DFT085F, DFT086F, DFT127F, DFT128F	Black	424977-9
	Yellow	424974-5
	Blue	424975-3
	Red	424976-1

Lock nut M28



Model No.	Color	Part No.
DFT023F, DFT024F, DFT025F, DFT045F, DFT046F, DFT060F,	Black	457530-6
	Yellow	457533-0
	Blue	457532-3
	Red	457531-4

Protector




* with Anti kick back head

Model No.	Color	Part No.
BTD125, BTD143, BTW110, BTW130	White	451548-9
	Blue	451549-7
DTDA040, DTDA070, DTWA070	Clear	459408-9
	Yellow	459406-3
	Blue	459405-5
	Red	459404-7
	Green	459407-1
	Green	459997-4
DTDA100, DTDA140, DTWA100, DTWA140, DTWA190	Clear	459413-6
	Yellow	459411-0
	Blue	459410-2
	Red	459409-7
	Green	459412-8
	Green	459998-2
	Clear	450331-1
	Yellow	418423-2
BFH040/F, BFH090/F, BFH120F, DFT022, DFT041F, DFT041R, DFT043F, DFT044F, DFT045F, DFT046F, DFT082F, DFT082R, DFT083F, DFT084F, DFT124F, DFT124R, DFT125F, DFT126F	Blue	418424-0
	Red	418425-8
	Clear	424984-2
DFT023F, DFT024F, DFT025F, DFT045F, DFT046F, DFT060F,	Yellow	424987-6
	Blue	424986-8
	Red	424985-0

Model No.	Color	Part No.
DFT085F, DFT086F, DFT127F, DFT128F	Clear	424969-8
	Yellow	424966-4
	Blue	424967-2
	Red	424968-0
	Green	422379-3
	Clear	*424973-7
	Yellow	*424970-3
	Blue	*424971-1
	Red	*424972-9
DFL020F, DFL063F	Clear	422510-1
	Yellow	422514-3
	Blue	422511-9
	Red	422512-7
	Green	422513-5
DFL020F, DFL063F	Clear	422515-1
	Yellow	422519-3
	Blue	422516-9
	Red	422517-7
	Green	422518-5
DFL083, DFL125, DFL204F	Clear	422282-8
	Yellow	422281-0
	Blue	422280-2
	Red	422279-7
	Clear	422287-8
DFL302, DFL403F	Yellow	422286-0
	Blue	422285-2
	Red	422284-4
	Clear	418066-0
DFL061F, DFL082F, DFL084F, DFL122F, DFL123F, DFL201F, DFL201R, DFL202F	Yellow	418032-7
	Blue	418064-4
	Red	418065-2
	Red	418065-2
For Clutch Case (A)		
BFL300F, BFL301F, BFL301R, BFL302F, BFL400F, BFL402F, BFL402R, DFL300F, DFL301F, DFL301R, DFL302F, DFL400F, DFL402F, DFL402R	Clear	418745-0
	Yellow	418691-7
	Blue	418743-4
	Red	418744-2
For Angle Head (B)		
BFL300F, DFL300F,	Clear	418748-4
	Yellow	418692-5
	Blue	418746-8
	Red	418747-6
For Angle Head (C)		
DFL061F, DFL082F, DFL122F, DFL123F, DFL201F, DFL202F, DFL301F, DFL301R, DFL400F, DFL402F, DFL402R	Clear	418751-5
	Yellow	418693-3
	Blue	418749-2
	Red	418750-7
For Anti kick back head set (D)		
DFL061F, DFL082F, DFL122F, DFL123F, DFL201F, DFL202F, DFL301F, DFL301R, DFL400F, DFL402F, DFL402R	Clear	453094-8
	Yellow	453093-0
	Blue	453091-4
	Red	453092-2
Protector (E)		
DFL083, DFL125, DFL204F, DFL302, DFL403F, DFL651F	Clear	455848-9
	Yellow	455847-1
	Blue	455846-3
	Red	488845-5
	Black	455771-8
Protector (G)		
DFL083, DFL125, DFL204F, DFL302, DFL403F, DFL651F	Clear	455852-8
	Yellow	455851-0
	Blue	455850-2
	Red	455849-7
	Black	455773-4

Model No.	Color	Part No.
Protector (H)		
DFL651F	Clear	455894-2
	Yellow	455893-4
	Blue	455892-6
	Red	455891-8
	Black	455890-0
For Cordless Riveter		
DRV150 DRV250	Clear	422571-1
DRV150 DRV250	Clear	422572-9
Battery protector for BL1430A		
BTD044, BTD064, BTD104, BTD125, BTD143, BTW074, BTW104, BTW110, BTW130	Clear	450599-9
Battery protector for BL1415NA		
w	Clear	454407-6
Battery protector for BL1415N		
LXT 14.4V MODELS	Clear	459711-8
Battery protector for BL1815N BL1820B		
LXT 18V MODELS	Clear	459937-2
Battery protector for BL1830B BL1840B BL1850B BL1860B		
LXT 18V MODELS	Clear	459938-0

USB cable



Models	Description	Part No.
DFL020F, DFL063F, DFL083F, DFL125F, DFL204F, DFL302F, DFL403F, DFL651F, DFT023F, DFT024F, DFT025F, DFT045F, DFT046F, DFT60F, DFT085F, DFT086F, DFT127F, DFT128F	USB cable (TypeA - Micro usb Type B L=1.8m)	661432-2
DTDA040, DTDA070, DTDA100, DTDA140, DTWA070, DTWA100, DTWA140, DTWA190		

Torque tracer accessories



For Model:
BFT041R, BFT082R, BFT124R, BFL201R, BFL301R, BFL402R

Description	Part No.
Receiver RCV02	194444-5
Receiver RCV02 (with CD-ROM set)	A-55924
CD-ROM (software)	800W96-7
CD-ROM (instruction manual)	889920-9
RS-232C cable	638386-8
USB serial adapter set	194089-9

Drilling / Fastening

Adjustable locator set with bit



*with E-form Bit (MZ),
**without Bit

Model No.	Destination	Part No.
-----------	-------------	----------

DC models

DTD134, DTD137, DTD146, DTD148, DTD152, DTD153, DTD154, DTD155, DTD157, DTP140, DTD170, DTD171, DTS130, TD001G, TD111D	-	*194281-7
DTD134, DTD146, DTD152, DTD153, DTD154, DTD155, DTD170, DTD171, DTP140, TD001G, TD111D	-	**194280-9
DTD134, DTD146, DTD152, DTD153, DTD154, DTD155, DTD157, DTP140	for North America	194633-2

AC models

TD0100, TD0101, TD0101F	-	*194281-7
TD0100, TD0101, TD0101F	-	**194280-9
5952	for North America	194633-2

Keyless drill chuck



Model No.	Capacity	Thread size	with Package	Bulk
			Part No.	Part No.
DA331D	0.8-10mm	3/8-24 UNF	196308-9	766007-3
DA333D, DF330D, DF331D	0.8-10mm	3/8-24 UNF	191A86-2	763228-8
DDA351	0.8-10mm	3/8-24 UNF	---	766005-7
DF332D, DF333D, HP332D, HP333D	0.8-10mm	3/8-24 UNF	---	763238-5
DDF343	0.8-10mm	1/2-20 UNF	196309-7	763243-2 766002-3
DHP343, HP330D, HP331D, HP347D	0.8-10mm	1/2-20 UNF	191A87-0	763229-6
DF0300, HP0300	1.0-10mm	1/2-20 UNF	---	766012-0
DF001G, DDF481, DDF486, HP001G	1.5-13mm	1/2-20 UNF	---	763252-1
DHP481, DHP486				
DDF453, DF457D, DF488D, DHP453, HP457D, HP488D	1.5-13mm	1/2-20 UNF	196306-3	766004-9
DDF448, DDF458, DDF481, DHP448, DHP458, DHP481	1.5-13mm	1/2-20 UNF	---	763248-2
DDF451, DHP451	1.5-13mm	1/2-20 UNF	---	763191-5 763196-5
DDF446, DDF453, DDF456, DDF459, DDF470, DDF482, DDF484, DDF485, DF457D, DF488D, DHP446, DHP453, DHP456, DHP459, DHP470, DHP482, DHP484, DHP485, HP457D, HP488D	1.5-13mm	1/2-20 UNF	199154-9	766027-7
DDF487, DF002G, DHP482, DHP487, HP002G	1.5-13mm	1/2-20 UNF	---	763256-3
DDF483, DHP483	1.5-13mm	1/2-20 UNF	---	763241-6

AC Models

Model No.	Capacity	Thread size	with Package	Bulk
			Part No.	Part No.
6501X, DP2011	0.8-6.5mm	3/8-24 UNF	193203-4	763156-7
6408, 6510LVR, DA3010F, DA3011	0.8-10mm	3/8-24 UNF	192016-0 192034-8 (USA)	763132-1
6408	1.5-10mm	3/8-24 UNF	---	763186-8
6413	0.8-10mm	3/8-24 UNF	---	763242-4
6510LVR	1.5-10mm	3/8-24 UNF	192053-4	763107-0
DF0300, HP0300	1.0-10mm	1/2-20 UNF	---	766012-0
DP3003	0.8-10mm	1/2-20 UNF	193226-2 193227-0 (USA)	763144-4
DP4001, DP4003	1.5-13mm	1/2-20 UNF	192956-2 192957-0 (USA)	763140-2

Model No.	Capacity	Thread size	with Package	Bulk
			Part No.	Part No.
DP4011, HP2050, HP2050F, HP2051, HP2051F, HP2070, HP2070F, HP2071, HP2071F	1.5-13mm	1/2-20 UNF	194254-0	763195-7
6300-4, DP4700	1.5-13mm	1/2-20 UNF	192892-2	763130-5
HP1631, HP1641, HP1641F	1.5-13mm	1/2-20 UNF	196193-0	766017-0

Drill chuck



*with Chuck key
**without Chuck key
***without key with hex.socket head bolt M6X25 & nord-lock washer 6 x2
jacobs taper No.3
DC Models

Model No.	Drill chuck			Chuck key	
	Capacity (mm)	Thread size	with Package Part No.	Bulk Part No.	Part No.
DDA350	1.5-10	---	---	763174-5	763415-9
DDA450Z	2.0-13	1/2-20 UNF	*193822-6	763183-4	763259-7 (763430-3)
DA001G, DDA460, DG001G, DG460D	2.0-13	---	---	763250-5	763251-3
UT131D	1.5-13	1/2-20 UNF	*196008-1	766016-2	763448-4

AC Models

Model No.	Drill chuck			Chuck key	
	Capacity (mm)	Thread size	with Package Part No.	Bulk Part No.	Part No.
6501, DD2020, DP2010	6.5	3/8-24 UNF	**192887-5	763077-3	763418-3
	6.5	3/8-24 UNF	**192888-3		
6407, 6510LVR	0.8-10	3/8-24 UNF	---	763136-3	763423-0
HP1230	1.5-10	3/8-24 UNF	---	763067-6	763415-9
6412	1.5-13	3/8-24 UNF	---	763079-9	763418-3
6411 6412	1.5-13	3/8-24 UNF	---	---	763447-6
HP1630	1.5-13	1/2-20 UNF	*195081-8 *195430-9	763161-4	763441-8
HP1630, HP1640, HP1640F	1.5-13	1/2-20 UNF	*196008-1	766016-2	763448-4
DP4000, DS4011, DS4012, HP2050, HP2050F, HP2051, HP2051F, HP2070, HP2070F, HP2071, HP2071F	2.0-13	1/2-20 UNF	*193822-6	763183-4	763430-3 (763259-7)
6300-4, 6300T, 6301, 6305, DP4002, DP4700, DS4010, DS4011, DS4012, 8406, 8406C, 8416, HP1300S, HP2010N, HP2032, HP2050, HP2050F, HP2070, HP2070F	2.0-13	1/2-20 UNF	**192877-8	763047-2	763432-9 798341-3
DA3010, DA3010F	1.5-10	---	---	763174-5	763415-9
6302H, 6303H, DP4000, DP4002	2.0-13	1/2-20 UNF	**193228-8 **193229-6	763145-2	763434-5
DP4010, HP2050, HP2050F, HP2051, HP2051F	2.0-13	1/2-20 UNF	*193067-6	763147-8	763430-3
6300-4, DP4700, DS5000, HP2070, HP2070F	4.5-16	1/2-20 UNF	---	763066-8	763432-9
DS5000	3.0-16	1/2-20 UNF	---	763254-7	763443-4
DA4000LR, DA4031, DS4000, 6304LR	1.5-13	---	*** 193319-5	763160-6	763434-5
6304LR, DA4000LR	2.0-13	---	*** (Press fit) 193318-7	763159-1	763432-9 / 798341-3
6016	16	---	---	763011-3	763429-8

Drilling / Fastening


Drill chuck assembly for Impact Driver



*For North America

Type		Part No.
Connect Bit 6.35-44 MZ	Keyless	*194250-8
Connect Bit 6.35-44 MZ		194251-6
Connect Bit 6.35-48 NZ		192121-3
Connect Bit 6.35-44 MZ	---	191881-4
Connect Bit 6.35-48 NZ		192173-4
Connect Bit 6.35-48 NZ		191880-6

Side Grip for Drills

Model No.	Item		Part No.
DC models			
DDF441, DDF451	Without Thumb screw 	Short	122749-3
		Long	123254-3
DDF448, DDF458	Without Thumb screw 	---	123258-5
DDF481		---	126412-0
DDF484, DF002G		---	191E41-8
DDF486	Without Thumb screw 	---	127702-4
		---	127702-4
DF001G	Without Thumb screw 	Short	127579-7
		Long	127552-7
DDA460		Thread size: M12	126802-7
DA001G, DA002G		Thread size: M12	191R81-4

Angle attachment

(For drilling in close quarters, incorners, between joists and studs.)



Model No.	No load speed	Part No.
DS4010,DS4011, DS4012	High:800rpm Low:350rpm	STEX122177
DA4000LR	High:900rpm Low:400rpm	193316-1

Extension attachment



Model No.	Part No.
DA4000LR	193317-9

Grip assembly

Model No.	Part No.
DS4011 DS4012	152896-4

Stopper pole



Model No.	item	Part No.
6501	1-3 set	191872-5

Type 43 drill stand

For Neck diameter 43mm Models



Part No.
A-36712

Grip assembly

*Japanese pakkage



Model No.	Part No.
6906	122464-9
TW1000	122727-3


Model No.	Part No.
TW001G, DTW1001	*198758A4
TW007G, DTW700	*191G07-0

Extension handle



Model No.	Part No.
DTW700, DTW701, DTW800, DTW1001, DTW1002, TW001G, TW007G, TW008G,	191G67-2

Repair kit for anvil pin



Model No.	Item	Part No.
DTW251, DTW300, DTW301, DTW701, TW005G, TW008G	1-3 set	194485-1

Drilling / Fastening

Shear wrench sleeve

For Model
6922NB DWT310



*Type F (for HEXA TECH (GFD France))
** for Chinese market

Bolt Size	Outer sleeve			Inner sleeve	
	Hex size	L (mm)	Part No.	L (mm)	Part No.
M16	27	35	764362-7	36	764416-0
M16		81	764367-7	36	*764421-7
M16		100	764406-3	82	764356-2
M20	32	100	764400-5	100	764400-5
M20		37	764361-9	38	764417-8
M20		37	**196276-6	38	764417-8
M20		37	764361-9	38	*764422-5
M20		83	764363-5	84	764357-0
M20	36 1-7/16"	100	764408-9	100	764402-1
M22、7/8"		39	153909-6	39	764418-6
M22、7/8"		85	764364-3	39	*764423-3
M22、7/8"		100	764410-2	85	764352-0
M22、7/8"		170	764365-1	100	764404-7
M22、7/8"		200	764411-0	170	764354-6
3/4"	1-1/4"	200	764405-5	200	764405-5
3/4"		37	764361-9	38	764419-4
3/4"		83	764363-5	84	764353-8
3/4"		168	764366-9	169	764355-4

5/8"
For Model
6924N

Bolt Size	Outer sleeve			Inner sleeve	
	Hex size	L (mm)	Part No.	L (mm)	Part No.
M22	36	49	194033-6	48	194310-6
M24	41	49	194034-4	49	194311-4
7/8"	1-7/16"	49	194092-0	48	194310-6
1"	1-5/8"	49	194034-4	49	194312-2

Power supply cord unit set



Model No.		Part No.
FS6300R	10m	194330-0 194906-3

Extension handle



Model No.	Part No.
DFR540, DFR550, DFR750 6840, 6841R, 6842, 6843, 6844	194500-1

Autofeed attachment set

Flat Tape Collated Screws size : 25-55mm



Model No.	Market	Standard Equipment Bit	Part No.
DFS250, DFS452 FS2200, FS2300, FS4000, FS4200, FS4200A, FS4300, FS6200, FS6300, FS6300R	---	Phillips No.2, Square No.2	191G72-9
	---	Phillips No.2 x2	191G73-7
	USA CANADA	Phillips No.2, Square No.2	191G74-5

Bits for Autofeed attachment set

For Attachment set 191G72-9, 191G73-7, 191G74-5



Model No.	Size	Part No.
DFS250, DFS452, FS2200, FS2300, FS4000, FS4200, FS4200A, FS4300, FS6200, FS6300, FS6300R	Phillips No.2 (5pcs)	199155-7
	Square No.2 (5pcs)	199156-5

Magnetic bit holder & Locator

Type MZ

(For 25mm insert bit (C-Form))



Model No.	Locator		Magnetic bit holder	
	Type	Part No.	Size	Part No.
DFS450, DFS451, FS2300, FS4000, FS4200, FS4300, FS6200, FS6300, FS6300R	Short	197025-4	6.35-60	784811-8
	Long	197024-6	6.35-76	784801-1
DFS250, DFS251, DFS452	Short	197025-4	6.35-60	784813-4
	Long	197024-6	6.35-76	784812-6

Phillips bit

N Type


Size	L (mm)	Type	Per pkg.	Part No.
No.2	45	NZ	3	798308-1
No.2	45	NZ-Hard	1	784229-3
No.3	45	NZ	3	798310-4



Socket bit

1 per pkg.
*For self drilling screw
**Magnetic socket bit

Bolt Size	A (mm)	L (mm)	Type	Part No.
M4	7	55	NZ	784402-5
M5	8	55	NZ	784403-3
1/4"	3/8"	55	NZ	*784404-1
3/16"	5/16"	55	NZ	**784808-7
1/4"	3/8"	55	NZ	**784809-5
M6	10	55	NZ	784405-9
M8	13	55	NZ	784408-3
M8	14	55	NZ	784409-1




Front cap	
Size	Part No.
12	322070-2
15.5	322069-7



Magnetic socket bit

DIN, E Form, M Type
*Non-magnetic socket bit

Bolt Size	A (mm)	L (mm)	Type	Part No.
L=50mm bit				
Magnetic bit holder + C Form (L=25mm)				
1/8"	1/4"	65	MZ	784803-7
3/16"	5/16"	65	MZ	784804-5
M5	8mm	65	MZ	*784415-6
1/4"	3/8"	65	MZ	784802-9
M6	10mm	65	MZ	784806-1
1/2"	7/16"	65	MZ	784805-3
1/2"	7/16"	65	MZ	*784414-8



Front cap	
Size	Part No.
-	322120-3
12	322263-1
1/4"	322124-5
5/16"	322125-3
3/8"	322119-8
7/16"	322126-1




FS2700



Magnetic socket bit

1 per pkg.
*Non-magnetic socket bit

Bolt Size	A (mm)	L (mm)	Type	Part No.
1/8"	1/4"	65	MZ	784803-7
3/16"	5/16"	65	MZ	784804-5
M5	8mm	65	MZ	*784415-6
1/4"	3/8"	65	MZ	784802-9
M6	10mm	65	MZ	784806-1
1/2"	7/16"	65	MZ	784805-3
1/2"	7/16"	65	MZ	*784414-8



Locator assembly	
Size	Part No.
1/4"	197028-8
5/16"	197026-2
3/8"	197027-0



FS2500



FS2701



Impact Drilling / Demolition

Dust cup

(Dust collector assembly)
(Protects operator from dust and debris)



Bit Dia. (mm)	Part No.
6-14.5	421342-3
12-16	421664-1

Ground rod adapter

(For grounding rod)



Model No.	Shank size	Part No.
HR3530, HR4030C, HM0810/T	17mm hex	A-47276
HM0810B	19mm Hex	798132-2

Quick change drill chuck set (13mm)



*Keyless Chuck with locking device (Rohm SUPER SK)

	Model No.	Part No.
DC models	DHR243, DHR264	194079-2
	DHR281, DHR283, HR002G, HR004G	199139-5
AC models	HR2320T, HR2470T, HR2470FT, HR2630T, HR2631FT, HR2651T HR2653T, HR2810T, HR2811FT	194079-2
	HR2630T, HR2631FT	*196173-6
	HR3210FCT	194568-7

Tool holder set



	Model No.	Part No.
DC models	DHR243, DHR264	194080-7
	DHR281, DHR283, HR002G, HR004G	199138-7
AC models	HR2320T, HR2470T, HR2470FT, HR2630T, HR2631FT, HR2651T HR2653T, HR2810T, HR2811FT	194080-7
	HR3210FCT	194578-4

Drill chuck assembly (13mm)

(Chuck adapter assembly and Drill chuck)



*Inc. chuck key

Shank	Type	Part No.
SDS-PLUS	with key	122574-2
SDS-PLUS	with key	*194041-7
SDS-PLUS	keyless	122823-7
SDS-MAX	keyless	122829-5

Chuck adapter assembly (1/2"-UNC)

With screw M6 x 22



Part No.
D-14093

Drill chuck & Chuck key

(Use with chuck adapter)



Description	Part No.
Drill chuck (13mm)	192877-8
Chuck key	763432-9

SDS-MAX Drill bit remover set

(Use it with the impact wrench
(1/2 inch drive square) for removing
SDS-MAX Drill bit stuck on rebar in concrete.)



Destination	Part No.
-	195870-1
For Canada, USA (Inc. Pin 4 set)	195871-9

Hammer carrier

For Model:
HM1812, HM1802, HM1810, HM1801



Part No.
D-54972

Waterproof cover for wet type diamond core bit


When using a wet type of diamond core bit,
always install this waterproof cover on the tool
to thoroughly protect the tool from water and dust.



	Model No.	Part No.
DC models	DHR202, DHR263, DHR264	421755-8
AC models	HR2020, HR2022, HR2230, HR2300, HR2320T, HR2460, HR2460F, HR2470, HR2470F, HR2470FT, HR2470T, HR2475, HR2600, HR2601, HR2630, HR2630T, HR2631F, HR2631FT, HR2641	421755-8

Dust cover

(Protects tool holder from dust and debris during overhead operation)



Model No.	Part No.
HK1800, HK1810	423154-0

Impact Drilling / Demolition

Vacuum attachment

Hammering only
ø28mm hose can be directly connected.



*With Sensormatic chip

Model No.		Part No.
DHR400, HM001G, HM002G, HR005G, HR006G, HM0830, HM0870C, HM0871C, HM1101C, HM1111C, HM1201, HM1203C, HM1205C, HM1213C, HM1214C, HR3530, HR3540C, HR3541FC, HR4001C, HR4002, HR4003C, HR4010C, HR4011C, HR4013C, HR4030C, HR4041C, HR4501C, HR4510C, HR4511C, HR5212C, HR5202C	With Vacuum hose set	199144-2 199019-5*
	Without Vacuum hose set	199143-4 199017-9*



*With Sensormatic chip

Model No.		Part No.
HM1304/B, HM1306, HM1307C/CB, HM1317C/CB, HM1400, HM1500/B, HM1801, HM1802, HM1810, HM1812	With Vacuum hose set	197148-8 197172-1*
	Without Vacuum hose set	197168-2 197170-5*




*With Sensormatic chip

Model No.		Part No.
HM1501, HM1502, HM1511, HM1512	With Vacuum hose set	191M20-4 191M22-0*
	Without Vacuum hose set	191M21-2 191M23-8*

Vacuum attachment

SDS-max 40/45mm class vacuum attachment
Drilling mode
Hammering mode



*With Sensormatic chip

Model No.	Part No.
DHR400, HR005G, HR4003C, HR4013C	199142-6 199014-5*
HR006G	191N81-0 191N82-8*
HR4001C, HR4002, HR4010C, HR4011C, HR4501C, HR4510C, HR4511C	196074-8
HR5212C, HR5202C	196858-4

Dust extraction system set

This system is designed to collect dust effectively with on-off operation of the tool's on-off trigger switch interlocked with this system.



Model No.	Dust extraction system set
HR182D	DX05
DHR242	DX06
DHR243	DX07
DHR280, DHR282	DX08
DHR281 DHR283	DX09
HR3011F	DX10
HR3012F	DX11
HR001G, HR003G	DX12
HR002G, HR004G	DX14

Dust case

With filter



Dust extraction system set	Markets	Part No.
DX05	---	199595-9
	USA CANADA	199594-1
DX06, DX07, DX08, DX09, DX12, DX14,	---	199555-1
	USA CANADA	199588-6
DX10, DX11	---	191F49-8
	USA CANADA	191F50A3
HR2652, HR2653, HR2653T, HR2663	---	199586-0
	USA CANADA	199587-8

Filter

HEPA Filter



Dust extraction system set	Part No.
DX06, DX07, DX08, DX09, DX10, DX11, DX12, DX14, HR2652, HR2653, HR2653T, HR2663	199557-7
DX05	199596-7

Sealing cap

For Dust extraction system set



Dust extraction system set	Part No.
DX05, DX06, DX07, DX08, DX09, DX12, DX14, HR2652, HR2653, HR2653T, HR2663	424474-5
DX10, DX11	459206-1

Oil supply & Grease vessel



Model No.	Type	Contents	Part No.
HM1306	VG100	Oil 100 ml	181118-7
Hammers (for bit)		Grease 100ml	194683-7

Impact Drilling / Demolition

Grease for maintenance



Model No.	Type		Contents	Part No.
Hammers	R No.00		Grease 30g	181490-7
18-24mm Hammers	RA No.1		Grease 30g	183477-5
Hammers	No. 2		Grease 30g	197793-9

Side Grip for Hammer Drills

Model No. (Origin)	Item		Part No.
DC models			
DHP441, DHP451	With Thumb screw	Short	122750-8
		Long	123253-5
DHP448, DHP458		---	123257-7
DHP481	With Thumb screw	---	126413-8
DHP486	With Thumb screw	---	127701-6
HP001G	With Thumb screw	---	127551-9
DHP484, HP002G		---	191E41-8

Depth Gauge for Hammer Drills

(Stopper pole)

	Model No.	Part No.
DC models	DHP441, DHP448 DHP451, DHP454, DHP458, DHP481 DHP486, HP001G	122576-8
AC models	HP1630, HP1631, HP1640/F, HP1641/F, HP2050/F, HP2051/F, HP2070/F, HP2071/F	324219-0
	HP2010N	192248-9

Standard type side grip

*Side grip and Stopper pole

Model	Standard type side grip	Stopper pole
	Part No.	Part No.
HR3530	135253-3	321248-4
HR3540C, HR3541FC, HR4001C, HR4002, HR4010C, HR4011C, HR4501C, HR4510C, HR4511C	135265-6 / 135209-6*	321248-4
HR4030C, HR4041C	135252-5	321248-4
DHR400, HR005G, HR4003C, HR4013C	123138-5	331955-1
HR5000	273472-4	
HR006G, HR5202C, HR5212C	135629-4	331955-1

Dustcup set Item



Model	Part No.
DHR165, DHR171, DHR182, HR140D, HR166D, HR1830, HR1840, HR1841F, HR2800, HR2810, HR2811F, HR2230, HR2460, HR2460F, HR2470, HR2475, DHR202, DHR241, DHR263	198362-9
DHR242, HR2650, HR2651, HR2652, HR2653, HR2661, HR2663, DHR281, DHR283, HR002G, HR004G, HR3012FC	195173-3
DHR243, HR2651T, HR2653T, HR2300T, HR2320T, HR2630T, HR2631FT	195179-1

Grip base set Item



Part No.	Item	Part No.
194581-5	Spacer 18 assembly	122810-6
	Grip base 15	450120-4
	Hex. Bolt M8X110	921919-9
194583-1	Spacer 29 assembly	122807-5
	Grip base 20	419975-6
	Hex. Bolt M8X110	921919-9
194582-3	Spacer 20 assembly	122809-1
	Grip base 20	419975-6
	Hex. Bolt M8X110	921919-9

Side Grip

(HAMMER)



Model No.	Part No.
HR4001C, HR4002, HR4010C, HR4011C, HR4501C, HR4510C, HR4511C	134890-0
DHR400, HR005G, HR4013C, HR4003C	123259-3
HR5000	134887-9
HR006G, HR5202C, HR5212C	135283-4
HM001G HM0870C, HM0871C	135332-7
HM001G, HM0870C, HM0871C	136362-1
HM1101C, HM1111C	135413-7 134890-0
HM002G, HM1202C, HM1203C, HM1205C, HM1213C, HM1242C	135269-8
HM1214C	135283-4

Hammer service kit

A: With Slide-Chuck System

B: With Swivel-Chuck System

* ROSSIA

** Do not use carbon brush.

Model No.	Type	Part No.
DC models		
DHR164, DHR165	-	195208-0
HR166D, DHR171, HR140D	-	198564-7 198565-5*
DHR182	-	199544-6 199545-4*
DHR202, DHR241	-	195193-7
DHR242, DHR281, DHR283, HR002G, HR004G	-	195833-7
DHR280, DHR282, HR001G, HR003G	-	199233-3
DHR243	-	195834-5
BHR262, BHR262T, DHR263, DHR264, HR262D, HR262TD	-	195189-8
DHR400	-	**197298-9 **191G90-7*
HM001G	-	191N57-7 191N56-9*
HM002G	-	191N77-1 191N78-9*
HR005G		191N29-2 191N30-7*
HR006G		191N79-7 191N80-2*
AC models		
HK0500	-	193397-5
HK1800, HK1810	-	193394-1
HK1820, HK1820L	-	195194-5
HM0810, HM0810T, HM0810B	-	193242-4

Impact Drilling / Demolition

Model No.	Type	Part No.
HM0830, HM0830T	-	195200-6
HM0860C	-	195204-8 198477-2*
HM0870C, HM0871C	-	195113-1 198470-6*
HM1100, HM1100C	-	193243-2
HM1130, HM1130C	-	193405-2
HM1200, HM1200B, HM1211B	-	193244-0
HM1200K	-	193279-1
HM1202, HM1202C	-	193391-7 198465-9*
HM1203C, HM1205C, HM1213C, HM1214C	-	195114-9 198471-4*
HM1303, HM1303B	-	193393-3
HM1304, HM1304B	-	195201-4 198476-4*
HM1305	-	195203-0
HM1306	-	195212-9
HM1307C, HM1307CB, HM1317C, HM1317CB	-	195103-4 198469-1*
HM1400	-	193399-1 198467-5*
HM1500	-	193403-6
HM1500B	-	195202-2
HM1501, HM1502, HM1511, HM1512		191M24-6 191M25-4*
HM1800	-	193402-8
HM1801, HM1810	-	195205-6 198478-0*
HM1802, HM1812	-	197127-6
HR1830, HR1830F	-	195198-7
HR1840, HR1841F	-	198628-7
HR2010	A	193395-9
HR2010	B	193396-7
HR2300, HR2600, HR2610	-	195105-0 198177-4*
HR2310T, HR2320T, HR2610T, HR2630T	-	195106-8
HR2601, HR2611F	-	195107-6
HR2611FT, HR2631FT, HR2651T, HR2653T	-	195108-4
HR2020, HR2021, HR2022, HR2440, HR2440F, HR2441, HR2442, HR2445, HR2450, HR2450F, HR2450FT, HR2450T, HR2451, HR2452, HR2453, HR2454, HR2455	-	193606-2 198484-5*
HR2800, HR2810, HR2810T, HR2811F, HR2811FT	-	195206-4 198479-8*
HR2400	A	193386-0 198463-3*
HR2400	B	193387-8
HR2410, HR2420, HR2430, HR2431	A	193388-6
HR2410, HR2420	B	193389-4
HR2230, HR2460, HR2460F, HR2470, HR2470F, HR2470FT, HR2470T	-	195263-2 198179-0*
HR2510	-	193404-4
HR2630, HR2650, HR2652	-	196968-7 198181-3*
HR2611FT, HR2631FT, HR2651T, HR2653T	-	195108-4 198178-2*
HR2631FT, HR2653	-	196967-9
HR2630T	-	195106-8
HR2641 HR2663	-	196965-3 196966-1
HR3000C	-	193390-9
HR3001C, HR3011FC	-	191F03-2 191F04-0*
HR3012FC,	-	191F05-8 191F06-6*
HR3200C, HR3210C, HR3210FCT	-	195199-5
HR3520, HR3520T	-	193280-6
HR3530	-	195211-1
HR3540C, HR3541FC	-	195192-9
HR3550C	-	193406-0

Model No.	Type	Part No.
HR3850/B, HR3851	-	193281-4
HR3850K	-	193282-2
HR4000C	-	193283-0
HR4001C, HR4002, HR4010C, HR4011C	-	195195-3
HR4003C, HR4013C	-	197298-9 191G90-7*
HR4030C	-	195207-2
HR4041C	-	195209-8
HR4501C, HR4510C, HR4511C	-	195210-3 198480-3
HR4500C	-	193407-8 198468-3
HR5000	-	193284-8
HR5000K	-	193285-6
HR5001C	-	193392-5 198466-7*
HR5201C, HR5210C, HR5211C	-	195191-1 198472-2*

Model No.	Markets	Serial Number	Part No.
HR5202C	—	35083-	191K75-7 191K76-5*
		-35082	196865-7 198483-7*
	BRAZIL	29548-	191K75-7
		-29548	196865-7
HR5212C	—	51044-	191K75-7 191K76-5*
		-51043	196865-7 198483-7*
	BRAZIL	43179-	191K75-7
		-43179	196865-7

Safety goggles



Part No.
195246-2
192219-6
191686-2

Cutting (New Material / Masonry)

Pipe



Model No.	Part No.
4100NB, 4100NH	164405-9
4101R, 4101RH	153409-6
4107R, 4107RH	164350-8
4140	153555-5

Vinyl tube



Size (mm)	Part No.
5x7x5,000	412010-9
5x9x5,000	412028-0

Rip fence (Guide rule)

*Use with wing bolt M5 x 10 (P/N 924206-5)

**Use with wing bolt M6 x 14 (P/N 265701-9)



Model No.	Part No.
4100KB*, 4100NB*, 4100NH*, 4101R*, 4101RH*, 4105KB*, 4131**, 4157KB, 5057KB	164095-8
CA5000	165447-6

Base set

(To set cutting depth)



Model No.	Part No.
4110C	122263-9
4112H, 4112S, 4112HS	122683-7
4114, 4114S	165431-1

Tilt base set

For model: 4100NH2

Discription	Part No.
Tilt base set A ·With wheel ·With water supply set ·Metric	199494-5
Tilt base set E ·With wheel ·With water supply set ·Inch	199714-7
Tilt base set B ·Without wheel ·With water supply set ·Metric	199495-3
Tilt base set D ·Without wheel ·With water supply set ·Inch	199713-9
Tilt base set C ·With wheel ·Without water supply set ·Metric	199496-1

Portable band saw stand, Cover & Stand chain vise, Cover set

(For accurate square cutting operations)



Model	Description	Part No.
DPB181	Cover	196585-3
DPB182	Cover	197975-3
2107F	Cover	196325-9
2107F	Portable band saw stand	194026-3
2107F	Stand chain vise and Cover set	196326-7

Hook



Model	Description	Part No.
DPB182	HOOK SET	196586-1
DPB183, DPB184	HOOK assembly	191G64-8

Side grip

(Handle)



Model	Thread size	Description	Part No.
DPB183	M8	Rubbierized grip	158237-4

Cutting wax for band saw




Part No.
191897-9

Cutting (New Material / Masonry)

Shear

Model No.	Item No.	Discription	Part No.
DJS130, JS1300	1-7 set	For MILD STEEL : 1.3mm / 18Ga	194695-0
	1	INOX : 1mm / 20Ga	792744-3
	1-8 set	For MILD STEEL : 1.6mm / 16Ga	194694-2
	1	INOX : 1.3mm / 18Ga	194696-8
	2	---	792742-7
DJS131	3	---	792743-5
	1	---	725256-1
	2	---	725257-9
	3	---	725258-7
DJS200	---	HEX. WRENCH 5/32" for No.7	783215-1
	1	---	725255-3
	2	---	725092-5
	3	---	725093-3
	---	HEX. WRENCH 5/32" for No.7	783215-1
DJS800	1	---	725129-8
	2,5	1pc	725130-3
DJS100 , DJS101, JS1000	1	Two pcs set	792536-0
	2	---	792537-8
DJS160, DJS161, JS1601	1	Two pcs set	792533-6
	2	---	792534-4
		Thickness gauge 0.5/1.0/1.5mm	762013-6
JS1602	1-3 set	---	191383-0
JS3201	1,2 set	---	792287-5
		Thickness gauge 1.0/1.5/2.0mm	762007-1
JS8000	1-8 set	---	125354-5
	1-5 set	---	135168-4
	1,4 set	1pc	725130-3
	2	---	725129-8

Nibbler



**To keep clearance of 3.5 to 4.0mm, use a washer(sim) or two under the die when installing a resharpened die.

Model No.	Item no.	Discription	Part No.
DJN160, DJN161, JN1601	1	Die	A-15051
	2	Punch	A-83951
	---	Wrench 32mm	781028-4
JN3201	1	Die	792292-2
	2	Punch	792728-1
	---	Washer (sim)**	341796-7**
	3	Wrench	781019-5

Grinding / Sanding

Inner flange & Lock nut

(For depressed center wheel, diamond wheel and Cutting wheel)

* Ezynut (Toolless Lock nut) 20 pcs. set :195462-6

* Do not use Ezynut with Makita Super Flange or Makita angle grinder with "F" on the end of the model No. Those flanges are so thick that the entire threaded cannot be retained by the spindle.

Applicable models: Makita 180mm/230mm angle grinders, and following models equipped with M14 spindle: GA4540/C/R, GA4541/C/R, GA5040/C/R, GA5041/C/R GA6040/C/R.

Wheel size	Brake	Models	Spindle thread	for Depressed center wheel (Type:27, 28, 29)			for Adrasive cut-off wheel (Type:42)				for diamond cut-off wheel			Lock nut		Ezynut (Toolless Lock nut)	
				Size	Arbor size (mm)	Inner flange Part No.	Size	Arbor size (mm)	Inner flange Part No.	Outer flange Part No.	Size	Arbor size (mm)	Inner flange Part No.	Size	Part No.		
																Part No.	
100mm	Without Brake System	-	M10x1.5	30	16	224314-5	30	16	224314-5	-	30	16/20	224314-5	30	224559-5	-	
		9500N	M10x1.25	30	16	224270-9	30	16	224270-9	-	30	16/20	224270-9	10-30	224578-1	-	
		GA4030, 9553HN, 9556HN, 9556HP, 9556NB, 9556PB	M10x1.25	35	16 (5/8")	224377-1	35	16 (5/8")	224377-1	-	35	16 (5/8")	224377-1	10-35	224573-1	-	
		-	M10x1.5	29	16	224491-3	29	16	224491-3	-	29	16/20	224491-3	10-29	224493-9	-	
		-	M10x1.5	30	15/16	224407-8	30	15/16	224407-8	-	30	15/16	224407-8	30	224559-5	-	
	With Brake System	GA4041C	M10x1.5	30	16	224483-2	30	16	224483-2	-	30	16/20	224483-2	30	224559-5	-	
115mm/ 125mm	Without Brake System	-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45	224485-8 224554-5	*195354-9	
		-	M14x2 (DIN)	45	22.23 (7/8")	224490-5	45	22.23 (7/8")	224490-5	-	45	22.23 (7/8")	224490-5	14-45	224485-8 224554-5	*195354-9	
		Super Flange	M14x2 (DIN)	47	22.23 (7/8")	192227-7	47	22.23 (7/8")	192227-7	-	47	22.23 (7/8")	192227-7	14-45	224485-8 224554-5	-	
		-	5/8"-11 UNC	45	22.23 (7/8")	224399-1	45	22.23 (7/8")	224399-1	-	45	22.23 (7/8")	224399-1	5/8-45	224568-4	-	
		-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45	224485-8 224554-5	*195354-9	
	With Brake System	GA4541/C/R, GA5041/C/R	M14x2 (DIN)	42	22.23 (7/8")	224447-6	42	22.23 (7/8")	224447-6	-	42	22.23 (7/8")	224447-6	14-45	224485-8 224554-5	*195354-9	
		GA4541C/R, GA4543C, GA5041R, GA5043C	5/8"-11 UNC	45B	22.23 (7/8")	224448-4	45	22.23 (7/8")	224448-4	-	45B	22.23 (7/8")	224448-4	5/8-45	224568-4	-	
		-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45	224485-8 224554-5	*195354-9	
150mm	Without Brake System	-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45	224485-8 224554-5	*195354-9	
		Super Flange	M14x2 (DIN)	47	22.23 (7/8")	192227-7	47	22.23 (7/8")	192227-7	-	47	22.23 (7/8")	192227-7	14-45	224554-5	-	
		-	5/8"-11 UNC	82	22.23 (7/8")	224602-0	45	22.23 (7/8")	224399-1	-	45	22.23 (7/8")	224399-1	5/8-45	224568-4	-	
		-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45	224485-8 224554-5	*195354-9	
180mm / 230mm	Without Brake System	-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45-8.5 14-45-8.5 14-45-11	224485-8 224554-5 224543-0	*195354-9	
		-	M14x2 (DIN)	45	22.23 (7/8")	224490-5	45	22.23 (7/8")	224490-5	-	45	22.23 (7/8")	224490-5	14-45-8.5 14-45-8.5 14-45-11	224485-8 224554-5 224543-0	*195354-9	
		Super Flange	M14x2 (DIN)	47	22.23 (7/8")	192227-7	47	22.23 (7/8")	192227-7	-	47	22.23 (7/8")	192227-7	14-45-8.5 14-45-8.5 14-45-11	224485-8 224554-5 224543-0	-	
		-	5/8"-11 UNC	89	22.23 (7/8")	224317-9	5/8-78	22.23 (7/8")	224255-5	224256-3	45	22.23 (7/8")	224399-1	5/8-45	224568-4 224486-6	-	
		-	5/8"-11 UNC	45	22.23 (7/8")	224399-1	45	22.23 (7/8")	224399-1	-	45	22.23 (7/8")	224399-1	5/8-45	224568-4 224486-6	-	
		-	M14x2 (DIN)	42	22.23 (7/8")	224415-9	14-78	22.23 (7/8")	224257-1	224256-3	42	22.23 (7/8")	224415-9	14-45-8.5 14-45-8.5 14-45-11	224485-8 224554-5 224543-0	-	
		-	M16	40	22	224029-4	40	22	224029-4	-	40	22	224029-4	16-40	224521-0	-	
		Super Flange	M16	47	22	122482-7	47	22	122482-7	-	47	22	122482-7	16-45	224487-4 224546-4	-	
		For Dust collection wheel guard type D (Super Flange)	M14x2 (DIN)	-	-	-	-	-	-	-	-	47	22.23 (7/8")	192227-7	14-45-8.5	224485-8 224554-5	-
			5/8"-11 UNC	-	-	-	-	-	-	-	-	47	22.23 (7/8")	126601-7	5/8-45	224568-4 224486-6	-
M16x2	-		-	-	-	-	-	-	-	47	22	122482-7	16-45	224487-4 224546-4	-		

Cordless Models

* Ezynut (Toolless Lock nut) 20 pcs. set :195462-6

* Do not use Ezynut with Makita Super Flange Those flanges are so thick that the entire threaded cannot be retained by the spindle.

Applicable models:

Makita 180mm/230mm angle grinders, and following models equipped with M14 spindle: DGA454, DGA455, DGA456, DGA458, DGA461, DGA462, DGA463, DGA464, DGA467, DGA468, DGA504, DGA505, DGA506, DGA508, DGA511, DGA512, DGA513, DGA514, DGA517, DGA518

Wheel size	Brake	Models	Spindle thread	for Depressed center wheel (Type:27, 28, 29)			for Adrasive cut-off wheel (Type:42)				for diamond cut-off wheel			Lock nut		Ezynut (Toolless Lock nut)
				Size	Arbor size (mm)	Inner flange Part No.	Size	Arbor size (mm)	Inner flange Part No.	Outer flange Part No.	Size	Arbor size (mm)	Inner flange Part No.	Size	Part No.	
																Part No.
100mm	Without Brake System	-	M10 x 1.5	30	16	224314-5	30	16	224314-5	-	30	16/20	224314-5	10-30	224559-5	-
		-		29	16	224491-3	29	16	224491-3	-	29	16/20	224491-3	10-29	224610-1	-
		-		30	15/16	224407-8	30	15/16	224407-8	-	30	15/16	224407-8	10-30	224559-5	-
	With Brake System	-		30	16	224483-2	30	16	224483-2	-	30	16/20	224483-2	10-30	224559-5	-
		-		29B	16	224492-1	29B	16	224492-1	-	29B	16	224492-1	10-29	224610-1	-
		-		30B	15	224452-3	30B	15	224452-3	-	30B	15/20	224452-3	10-30	224559-5	-

Grinding / Sanding

Wheel size	Brake	Models	Spindle thread	for Depressed center wheel (Type:27, 28, 29)			for Adrasive cut-off wheel (Type:42)				for diamond cut-off wheel			Lock nut		Ezynut (Toolless Lock nut)
				Size	Arbor size (mm)	Inner flange Part No.	Size	Arbor size (mm)	Inner flange Part No.	Outer flange Part No.	Size	Arbor size (mm)	Inner flange Part No.	Size	Part No.	
115mm/ 125mm	Without Brake System	-	M14 x 2 (DIN)	42	22.23 (7/8")	224415-9	42	22.23 (7/8")	224415-9	-	42	22.23 (7/8")	224415-9	14-45	224485-8 224554-5	*195354-9
		-		45	22.23 (7/8")	224490-5	45	22.23 (7/8")	224490-5	-	45	22.23 (7/8")	224490-5	14-45	224485-8 224554-5	*195354-9
		-		45	22.23 (7/8")	224490-5	45	22.23 (7/8")	224481-6	-	45	22.23 (7/8")	224481-6	14-45	224485-8 224554-5	*195354-9
		Super Flange		47	22.23 (7/8")	192227-7	47	22.23 (7/8")	192227-7	-	47	22.23 (7/8")	192227-7	14-45	224485-8 224554-5	-
	With Brake System	-		42B	22.23 (7/8")	224447-6	42B	22.23 (7/8")	224447-6	-	42B	22.23 (7/8")	224447-6	14-45	224485-8 224554-5	*195354-9
		-		45B	22.23 (7/8")	224488-2	45B	22.23 (7/8")	224488-2	-	45B	22.23 (7/8")	224488-2	14-45	224485-8 224554-5	*195354-9
	Without Brake System	-	5/8"-11 UNC	45	22.23 (7/8")	224399-1	45	22.23 (7/8")	224399-1	-	45	22.23 (7/8")	224399-1	5/8-45	224568-4 224486-6	-
	With Brake System	-		45B	22.23 (7/8")	224448-4	45	22.23 (7/8")	224448-4	-	45B	22.23 (7/8")	224448-4			
150mm	With Brake System	GA035G, GA036G	M14 x 2 (DIN)	45B	22.23 (7/8")	224488-2	45B	22.23 (7/8")	224488-2	-	45B	22.23 (7/8")	224488-2	14-45	224485-8 224554-5	*195354-9
			5/8"-11 UNC	45B	22.23 (7/8")	224448-4	45B	22.23 (7/8")	224448-4	-	45B	22.23 (7/8")	224448-4	5/8-45	224568-4 224486-6	-
			M14 x 2 (DIN)	45B	22.23 (7/8")	224488-2	45B	22.23 (7/8")	224488-2	-	45B	22.23 (7/8")	224488-2	14-45	224485-8 224554-5	*195354-9
180mm/ 230mm	With Brake System	DGA700, DGA701 DGA900, DGA901 GA037G, GA038G	M14 x 2 (DIN)	42B	22.23 (7/8")	224447-6	42B	22.23 (7/8")	224447-6	-	42B	22.23 (7/8")	224447-6	14-45	224485-8 224554-5	*195354-9
				45B	22.23 (7/8")	224488-2	45B	22.23 (7/8")	224488-2	-	45B	22.23 (7/8")	224488-2	14-45	224485-8 224554-5	*195354-9
			5/8"-11 UNC	89	22.23 (7/8")	224500-8	5/8-78	22.23 (7/8")	224589-6	224256-3	45B	22.23 (7/8")	224448-4	5/8-45	224568-4 224486-6	-
				45B	22.23 (7/8")	224448-4	45B	22.23 (7/8")	224448-4	-	45B	22.23 (7/8")	224448-4	5/8-45	224568-4 224486-6	-
		DGA700, DGA701 DGA900, DGA901 GA037G, GA038G + Dust collection wheel guard type D (Super Flange)	M14 x 2 (DIN)	-	-	-	-	-	-	-	45CC	22.23 (7/8")	EU: 198678-2 198675-8	14-45	224485-8 224554-5	-
			5/8"-11 UNC	-	-	-	-	-	-	-	45CA	22.23 (7/8")	198676-6	5/8-45	224568-4 224486-6	-
			M16 x 2	46B	22	224595-1	46	22	224595-4	-	46	22	224595-4	16-45	224487-4	-

Wheel guard

Bearing box type

A: Triple notches

B: Single notch

C: Twin notches

D: 5 notches

*Toolless type

**Up to 180mm size cup diamond wheel


***Inner flange 45CA/42CB/45CC is also necessary.

****Inner flange 47(P/N:122482-7) is also necessary.

*****Inner flange 47(P/N:126601-7) is also necessary.

*****Wheel Size Down 125mm→115mm

***** L o profile type



Wheel size	Models	Bearing box type	market	for Adrasive cut-off wheel (Type:42)		Attachment for Adrasive cut-off wheel (Type:42)	Dust collection wheel guard for diamond wheel		Dust collection wheel guard for cup diamond wheel
				Type	Part No.		Type	Part No.	
100mm	---	Triple notches	---	Standard 100CK	122909-7	---	A	198414-6	---
	---	Single notch	---	Standard 100	192626-3	---	C	199294-3	
	9500N, 9500NB	Single notch	---	Standard 100	164910-6	---	A	198413-8	
	GA4050, GA4050R	5 notches	---	New Toolless 100C	162555-4*	---	C	199295-1	
115mm	---	Triple notches	---	Standard 115CK	122910-2	199709-0	A	---	195238-1 195239-9(EU)
	---	Single notch	---	Standard 115	122642-1		A	---	195237-3 195250-1
	GA4550, GA4550R, GA4552, GA4552R	5 notches	---	New Toolless 115C	162556-2		---	---	---

Wheel size	Models	Bearing box type	market	for Adrasive cut-off wheel (Type:42)		Attachment for Adrasive cut-off wheel (Type:42)	Dust collection wheel guard for diamond wheel		Dust collection wheel guard for cup diamond wheel
				Type	Part No.		Type	Part No.	Part No.
125mm	GA5010, GA5020C, GA5021C, 9565C, 9565CV, 9565CVR, 9565P	Single notch	---	---	---	199710-5	A	198415-4	195237-3 195250-1
	9005B, 9005BZ	Triple notches	---	Toolless 125CK	122905-5		B	192968-5 192972-4	
				Standard 125CK	122911-0		C	196846-1	
							A	198416-2	195238-1 195239-9(EU)
	GA5050, GA5050R, GA5052, GA5052R	5 notches	---	New Toolless 125C	162557-0		B	192188-1	
				USA	New Toolless 125CL		140N45-1	C	
150mm	GA6010, GA6020, GA6020C, GA6021, GA6021C, GA6040, GA6040C, GA6040R, 9566C 9566CR, 9566CV, 9566CVR, 9566PCV	Triple notches	---	Standard 150CK	122912-8	---	---	---	
	GA6010, GA6020, GA6020C, GA6021, GA6021C, 9566PCV	Single notch	---	Standard 150BC	143190-7	---	---	---	
180mm	GA7010C, GA7011C, GA7012C, GA7020, GA7020R, GA7020S, GA7021, GA7030, GA7030R, GA7030S, GA7031, GA7040, GA7040R, GA7040S, GA7050, GA7050R, GA7060, GA7060R, GA7061, GA7061R, GA7062, GA7062R, GA7063, GA7063R, GA7064	Triple notches	---	Standard 180CK	122914-4	---	D	198514-2	195384-0 195385-8
	GA7010C	Single notch	---	---	---	---	B	194303-3	195387-4 195388-2
230mm	GA9010C, GA9012C, GA9020, GA9020R, A9020S, GA9030, GA9030R, GA9030S, GA9031, GA9040, GA9040R, GA9040S, GA9050, GA9050R, GA9060, GA9060R, GA9061, GA9061R, GA9062, GA9062R, GA9063, GA9063R	Triple notches	---	Standard 230CK	122913-6	---	D	198379-2 198440-5(EU)	195384-0** 195385-8**
	9069	Single notch	---	---	---	---	B	194044-1	---
	GA9020, GA9020, GA9020S, GA9030, GA9030S, GA9040S	Twin notches	---	---	---	---	B	194044-1	195387-4** 195388-2**
	GA9020, GA9031, GA9040S, GA9050, GA9050R, GA9060, GA9060R, GA9061R, GA9062, GA9063R	Triple notches	USA CANADA GUAM PANAMA ECUADOR COLOMBIA	Standard 230CK	122913-6	---	D	198509-5	197584-8**

	GA9020, GA9020R, GA9030, GA9040R GA9040S	Twin notches	MEXICO PANAMA COLOMBIA	---	---	---	D	198511-8	195386-6**
	GA9050R, GA9060R, GA9063R	Triple notches	Korea	---	---	---	D	198510-0	195384-0** 195385-8**
GA9020, GA9020S, GA9040S	Twin notches	Korea	---	---	---	D	198380-7****	195387-4** 195388-2**	

Cordless Models

**UP to 180mm size cup diamond wheel

***Inner flange 45CC (P/N:198678-2(EU) / 198675-8) is also necessary.

****Inner flange 45CA (P/N:198676-6) is also necessary.

*****Inner flange 42CB (P/N:198677-4) is also necessary.

Wheel size	Models	Bearing box type	market	for Adrasive cut-off wheel (Type:42)		Attachment for Adrasive cut-off wheel (Type:42)	Dust collection wheel guard for diamond wheel		Dust collection wheel guard for cup diamond wheel
				Type	Part No.		Type	Part No.	Part No.
100mm	DGA402, DGA404, DGA405, DGA406, DGA408, DGA411, DGA412, DGA413, DGA414, DGA417, DGA418	Triple notches	---	Standard 100CK	122909-7	---	A (CD)	198414-6	---
	DGA402	Single notch	---	Standard 100	192626-3	---	C (K)	199294-3	
							A (C)	198413-8	---
115mm	GA003G, GA006G, GA011G, GA014G, GA021G, GA024G, GA027G, GA030G	5 notches	---	New Toolless 100 C	162555-4	---	C	199295-1	
	DGA450, DGA452, DGA454, DGA455, DGA456, DGA458, DGA461, DGA462, DGA463, DGA464, DGA467, DGA468	Triple notches	---	Standard 115CK	122910-2	199709-0	---	---	195238-1 195239-9(EU) 196575-6(GUAM CANADA MEXICO)
	DGA452	Single notch	Mexico Panama Colombia	Standard 115	122642-1		---	---	195237-3 195250-1 195236-5 (MEXICO)
	GA004G, GA007G, GA012G, GA015G,	5	---	New	162556-2		---	---	---

Grinding / Sanding

Wheel size	Models	Bearing box type	market	for Adrasive cut-off wheel (Type:42)		Attachment for Adrasive cut-off wheel (Type:42)	Dust collection wheel guard for diamond wheel		Dust collection wheel guard for cup diamond wheel
				Type	Part No.		Type	Part No.	Part No.
	GA022G, GA025G, GA028G, GA031G	notches		Toolless 115C					
125mm	DGA504, DGA505, DGA506, DGA508, DGA511, DGA512, DGA513, DGA514, DGA517, DGA518	Triple notches	---	Standard 125CK	122911-0	199710-5	A (CD)	198416-2	195238-1 195239-9(EU) 196575-6(GUAM CANADA MEXICO)
				Toolless 125CK	122905-5		C (K)	196845-3	
	GA005G, GA008G, GA013G, GA016G, GA023G,GA026G,GA029G,GA032G	5 notches	---	New Toolless 125C	162557-0		C	191G06-2	191F81-2
150mm	GA035G, GA036G	5 notches	---	New Toolless 150C	140X62-1	---	---	---	---
180mm		Triple notches	---	Standard 180CK	122914-4	---	D (K)	198514-2***	195384-0
		Triple notches	Canada Mexico Panama Colombia Ecuador	Standard 180CK	122914-4	---	D (K)	198514-2****	197584-8
		Triple notches	Korea	---	---	---	D (K-A)	198509-5	
230mm	DGA900, DGA901	Triple notches	---	Standard 230CK	122913-6	---	D (K-C) (K)	198379-2*** 198440-5(EU)***	195384-0**
		Triple notches	Canada Mexico Panama Colombia Ecuador	Standard 230CK	122913-6	---	D (K-A)	198509-5	197584-8**
		Triple notches	Korea	---	---	---	D (K-B)	198510-0*****	195384-0**

Wheel guard for X-LOCK Models

Wheel size	Models	Bearing box type	market	for Adrasive cut-off wheel (Type:42)		Attachment for Adrasive cut-off wheel (Type:42)	Dust collection wheel guard for diamond wheel		Dust collection wheel guard for cup diamond wheel
				Type	Part No.		Type	Part No.	Type
100mm	DGA419, DGA420	X-LOCK	---	X-LOCK 100C	162706-9		---	---	---
115mm	DGA469	X-LOCK	---	X-LOCK 115C	162707-7	199709-0	---	---	---
125mm	DGA519, DGA521	X-LOCK	---	X-LOCK 125C	162708-5	199710-5	C	191G05-4	---

Wheel guard for wire brush



For Models	Bearing box type	For wire cup brush		For wire bevel brush	
		Cup size	Part No.	Size	Part No.
100mm Angle grinder	Single notch	75mm	192454-6	85mm	192412-2
100mm Angle grinder 9500N 9500NB		75mm	122368-5	85mm	192003-9
115mm Angle grinder		90mm	193066-8	---	---

Side Grip and Loop handle for Angle Grinder



Angle grinder
*with bolt & wrench

Wheel size	Models	Markets	Thread size	Standard	Rubbierized	Anti vibration	Loop handle
100mm	GA4030, GA4030R, GA4031, GA4032, GA4034	---	M8	153504-2	158237-4	194514-0	---
	GA4030, GA4030R, GA4031, GA4034, GA4040, GA4040C, GA4041C, 9553B, 9553HB, 9553HN, 9556HB, 9556HN, 9556HP, 9556NB, 9556PB	---	M8	153489-2	158237-4	194514-0	---
	GA4050, GA4050R, GA4051R	---	M8	---	158237-4	194514-0	---
	9500N	---	M8	152490-4	158237-4	194514-0	---
	GA4030	USA Canada	M8	153504-2	---	---	---
115mm	GA4530, GA4530R, GA4534	---	M8	153504-2	158237-4	194514-0	---
	GA4542C, GA4543C	---	M8	---	158237-4	194514-0	---
	GA4540, GA4540C, GA4540R, GA4541, GA4541C, GA4541R, 9554HN, 9557HN, 9557HNR, 9557HP, 9564CV, 9564CVR, 9564CR, 9564C, 9561CVR, 9561CR, 9564HR, 9564H, 9554HN, 9564P, 9564PC, 9564PCV	---	M8	153489-2	158237-4	194514-0	---
	GA4550, GA4550R, GA4551R, GA4552, GA4552R, GA4553R	---	M8	---	158237-4	194514-0	---
	GA4530, GA4534	USA Canada	M8	153504-2	---	---	---
	9564P		M8	153489-2	---	---	---
	9564PC, 9564PCV		M8	153489-2	158237-4	---	---

Grinding / Sanding

Wheel size	Models	Markets	Thread size	Standard	Rubberized	Anti vibration	Loop handle
125mm	GA5010, GA5020, GA5020C, GA5021, GA5021C	---	M8	153504-2	158237-4	194514-0	*194483-5
	GA5030, GA5030R, GA5034, GA5040, GA5040C, GA5040R, GA5041C, GA5041R, GA5042C, GA5043C, 9555B, 9555HN, 9558HN, 9558HNR, 9558HP, 9558NB, 9558NBR, 9565P, 9558PB, 9565CV, 9565P, 9565PC, 9565PCV	---	M8	153489-2	158237-4	194514-0	---
	GA5050, GA5050R, GA5051R, GA5052, GA5052R, GA5053R	---	M8	---	158237-4	194514-0	---
	9565C, 9565CV, 9565H	---	M8	152490-4	158237-4	194514-0	---
	9005B, 9005BZ, 9005N, 9015B	---	M12	152492-0	---	---	---
	GA5010	USA Canada	M8	153504-2	---	---	---
	GA5020		M8	153504-2	158237-4	---	---
	GA5020C		M8	---	158237-4	194514-0	*194483-5
	GA5030		M8	153504-2	---	---	---
150mm	9565PC, 9565PCV		M8	153489-2	158237-4	---	---
	GA6010, GA6011, GA6020, GA6020C, GA6021, GA6021C	---	M8	153504-2	158237-4	194514-0	*194483-5
	GA6040, GA6040C, 9566CV, 9566PC	---	M8	153489-2	158237-4	194514-0	---
	GA6042C	---	M8	---	158237-4	194514-0	---
	9006N	---	M12	152492-0	---	---	---
	GA6010	USA Canada	M8	153504-2	---	---	---
	GA6020		M8	153504-2	158237-4	---	---
	GA6020C		M8	---	158237-4	194514-0	*194483-5
	GA6042C		M8	---	158237-4	---	---
	9566PC		M8	153489-2	158237-4	---	---



*with bolt, without grip

Wheel size	Models	Markets	Thread size	Standard	Rubberized	Anti vibration	Grip base for cutting operation
180mm	GA7911	---	M12	152492-0	---	---	---
	GA7010C, GA7011C, GA7012C, GA7012C, GA7050, GA7050R, 9067, 9617	---	M14	152539-0	---	194543-3	---
	GA7020, GA7020R, GA7020S	---	M14	152539-0	---	194543-3	*194684-5
	GA7030, GA7030R, GA7030S, GA7031, GA7040, GA7040R, GA7040S	---	M14	---	---	194543-3	*194684-5
	GA7060, GA7060R, GA7061, GA7061R, GA7062, GA7062R, GA7063, GA7063R, GA7064	---	M14	143486-6	---	194543-3	---
	GA7020, GA7021	USA Canada	M14	152539-0	---	---	*194684-5
	GA7050, GA7010C		M14	152539-0	---	---	---
	GA7060, GA7061, GA7064		M14	143486-6	---	---	---
230mm	GA9010C, GA9012C, GA9050, GA9050R, 9069 9069S	---	M14	152539-0	---	194543-3	---
	GA9020, GA9020R, GA9020S	---	M14	152539-0	---	194543-3	*194684-5
	GA9030, GA9030R, GA9030S, GA9031, GA9040, GA9040R, GA9040S	---	M14	---	---	194543-3	*194684-5
	GA9060, GA9060R, GA9061, GA9061R, GA9062, GA9062R, GA9063, GA9063R	---	M14	143486-6	---	194543-3	---
	GA9020	USA Canada	M14	152539-0	---	---	*194684-5
	GA9060		M14	143486-6	---	---	---

Side Grip and Loop handle for Cordless Angle Grinder

*Applicable models: DGA402

**Applicable models: DGA452

Wheel size	Models	Markets	Thread size	Standard	Rubberized	Anti vibration
100mm	DGA402	---	M8	*153489-2	158237-4	194514-0
	DGA404, DGA405, DGA406, DGA408, DGA411, DGA412, DGA413, DGA414, DGA417, DGA418, DGA419, GA003G, GA006G, GA011G, GA014G, GA021G, GA024G, GA027G, GA030G	---	M8	---	158237-4	194514-0
115mm	DGA450, DGA452, DGA454, DGA455, DGA458	---	M8	**153489-2	158237-4	194514-0
	DGA456, DGA461, DGA462, DGA463, DGA464, DGA467, DGA468, DGA469, GA004G, GA007G, GA012G, GA015G, GA022G, GA025G, GA028G, GA031G	---	M8	---	158237-4	194514-0
	DGA504, DGA505, DGA508	Canada	M8	---	158237-4	---
150mm	GA035G, GA036G		M8	---	158237-4	194514-0
180mm	DGA700, DGA701, GA037G	---	M14	143486-6	---	194543-3
230mm	DGA900, DGA901, GA038G	---	M14	143486-6	---	194543-3



Grinding / Sanding

Grip, Loop handle



Polisher / Sander / Concrete planer / Random orbit sander / Belt sander

	Models	Thread size	without handgurd For polishing	standard	Rubbierized	Anti vibration	Loop handle	Front grip
Angle sander	SA4540C, SA5040C	M8	---	153489-2	---	194514-0	---	---
	SA7000, SA7000C	M14	---	152539-0	---	194543-3	---	---
	PK5001C	M8	---	152490-4	---	---	---	418507-6
	PK5011C	M14	---	152539-0	---	---	---	---
Disc sander	GV5010, GV6010, GV7000, GV7000C	M10	---	152491-2	---	---	---	---
	9218SB	M12	---	152492-0	---	---	---	---
Polisher	9237C	M8	---	153489-2	---	---	455292-0	---
	9237CB	M8	273514-4	152490-4	---	---	455293-8	---
Polisher	PV7001C	M10	273499-4	152491-2	---	---	---	---
	PV7000C	M10	273649-1	---	---	---	---	---
	9218PB, 9218PBL	M12	---	152492-0	---	---	---	---
Stone polisher	PW5000C, PW5001C	M8	---	152490-4	---	---	---	418507-6
Concrete planer	PC5000C	M8	---	---	---	---	194483-5 *with bolt & wrench	---
	PC5001C	M8	---	---	---	---	---	273529-1
Random orbit sander	BO6040	M8	---	152490-4	---	---	---	---
	BO6050	M8	---	143328-4	---	---	---	---
	PO5000C, PO6000C	M8			198043-5 198044-3 198045-1			
Belt sander	9031	M8	---	152490-4	---	---	---	---

Cordless

	Models	Thread size	standard	Rubbierized	Anti vibration	Loop handle
Sander Polisher	PV301D	M8	140X75-2	---	---	---
Random orbit sander	DPO500, DPO600	M8	---	198043-5, 198044-3, 198045-1	---	---

Lock nut and Rubber pad for Angle grinder



Angle grinder & Cordless Angle grinder

Wheel size	Markets	Spindle thread	Rubber pad			Sanding lock nut		Lock nut wrench	
			Pad Size (mm)	Max. rpm	Parts No.	Size (mm)	Parts No.	Size	Part No.
100mm	---	M10 x 1.5	76	13,700	743009-6	30	224502-4	20	782401-1 / 782420-7
100mm (9500N)	Guam, Hong Kong, Indonesia , Vietnam, Philippines. Thailand, Kuwait, Saudi Arabia	M10 x 1.25	76	13,700	743009-6	30	224501-6	20	782401-1
115mm	---	M14 x 2 (DIN)	100	12,000	743036-3	48	224515-5	28/35	782412-6 / 782407-9 782424-9 / 782423-1
	USA, Canada, Guam, Mexico, Dominica, Panama, Colombia, Ecuador	5/8"-11 UNC	100	12,000	743036-3	48	224517-1	28	782412-6 / 782424-9
125mm	---	M14 x 2 (DIN)	115	12,000	743015-1	48	224515-5	28/35	782412-6 / 782407-9 782424-9 / 782423-1
	USA, Canada, Guam, Mexico, Dominica, Panama, Colombia, Ecuador	5/8"-11 UNC	115	12,000	743015-1	48	234517-1	28	782412-6 / 782424-9
150mm	---	M14 x 2 (DIN)	125	10,950	743016-9	48	224515-5	28/35	782412-6 / 782407-9 782424-9 / 782423-1
	USA, Canada, Guam, Mexico, Dominica, Panama, Colombia, Ecuador	5/8"-11 UNC	125	10,950	743016-9	48	234517-1	28	782412-6 / 782424-9
180mm - 230mm	---	M14 x 2 (DIN)	170	8,500	743012-7	48	224515-5	28/35	782412-6 / 782407-9
	USA, Canada, Guam, Mexico, Dominica, Panama, Colombia, Ecuador	5/8"-11 UNC	170	8,500	743012-7	48	234517-1	28	782412-6
	Korea	M16	170	8,500	743012-7	48	224523-6	28/35	782412-6 / 782407-9

Grinding / Sanding

Lock nut, Rubber pad and Hook & loop Pad for Sanding or Polishing




Models		Markets	Spindle thread	Rubber pad						Hook & loop Pad				
				pad			Sanding lock nut		Lock nut wrench		Pad type	Pad Size (mm)	Max. rpm	Parts No.
				Pad Size (mm)	Max. rpm	Parts No.	Size (mm)	Parts No.	Size	Part No.				
Angle sander with water supply device	PK5011C	—	M14 x 2 (DIN)	115	12,000	743015-1	48	224515-5	28 / 35	782412-6 / 782407-9	—	—	—	—
		Canada Mexico, Panama, Colombia	5/8"-11 UNC	115	12,000	743015-1	48	224517-1	28	782412-6	—	—	—	—
	PK5001C	—	M14 x 2 (DIN)	115	12,000	743015-1	48	224515-5	28 / 35	782412-6 / 782407-9	—	—	—	—
Angle sander / Disc sander / Sander-polisher / Polisher	SA4540C	Mexico, Panama, Colombia	5/8"-11 UNC	100	12,000	743036-3	48	224517-1	28	782412-6 / 782424-9	Hook & loop	105	8,000	743062-2
	SA5040C	—	M14 x 2 (DIN)	115	12,000	743015-1	48	224515-5	28 / 35	782412-6 / 782407-9 / 782424-9 / 782423-1	Hook & loop	115	8,000	743061-4 / 743060-6(EU)
	SA7000	—	M14 x 2 (DIN)	170	8,500	743012-7	48	224515-5	28 / 35	782412-6 / 782407-9	—	—	—	—
	SA7000C		M14 x 2 (DIN)	170	8,500	743012-7	48	224515-5	28 / 35	782412-6 / 782407-9	—	—	—	—
	GV7000	USA, Guam, Mexico, Panama, Colombia	5/8"-11 UNC	170	8,500	743012-7	48	224517-1	28	782412-6	—	—	—	—
	GV7000C		5/8"-11 UNC	170	8,500	743012-7	48	224517-1	28	782412-6	—	—	—	—
	9218SB	Indonesia Philippines Thailand, Vietnam, China Hong Kong , Taiwan Vietnam	M16	170	8,500	743012-7	48	224523-6	28 / 35	782412-6 / 782407-9	—	—	—	—
	9207SPB													
	9218PB													
	9218PBL	—	M14 x 2 (DIN)	170	8,500	743012-7	48	224515-5	28 / 35	782412-6 / 782407-9	Hook & loop	165	4,000	743053-3
9237C	9237CB	USA, Guam, Mexico Panama, Colombia	5/8"-11 UNC	170	8,500	743012-7	48	224517-1	28	782412-6	Hook & loop	165	4,000	743052-5
			Indonesia, Philippines, Thailand, Vietnam, China, Hong Kong, Korea, Taiwan	M16	170	8,500	743012-7	48	224523-6	28 / 35	782412-6 / 782407-9	Hook & loop	165	4,000
		Stone polisher	PW5000C PW5001C	—	M14 x 2 (DIN)	—	—	—	—	—	—	—	Hook & loop	96

Plastic pad / Sponge pad for Disc sander GV6010 and GV5010




Models		Plastic pad							Sponge pad for PSA (Pressure Sensitive Adhesive)		
		Pad			Clamp screw		Countersunk washer		Pad Size (mm)	Screw thread	Parts No.
		Pad Size (mm)	Max. rpm	Parts No.	Size	Parts No.	Size (mm)	Parts No.			
Disc sander	GV5010	120	5,000	743025-8	M8x20	265812-0	35	253951-8	---	---	---
	GV6010	120	5,000	743025-8	M8x20	265812-0	35	253951-8	147	M8	743033-9

Sanding pad for Twist-on/twist-off system



Models		1. Adapter for Rubber pad				2. Rubber pad				
		Thread size	Thread size	Wrench Size	Parts No.	Pad type	Thread size	Pad Size (mm)	Max. rpm	Parts No.
DPV300, PV301D		5/8"-24 UNF	1/4"-20 UNC	13	743126-2	For Twist-on/twist-off system	1/4"-20 UNC	50	16,000	743124-6

Polishing pad for models DPV300 & PV301D



Models		1. Hook & loop Pad					2. Polishing Pad		
		Pad type	Thread size	Pad Size (mm)	Max. rpm	Parts No.	Pad type	Size (mm)	Part No.
DPV300, PV301D		Hook & loop	5/8"-24 UNF	75	16,000	743125-4	Sponge pad for applying wax Color : White	80	191N91-7
							Sponge pad for polishing Color : Yellow	80	191N90-9
							Wool pad (For high gloss polishing)	80	191N92-5

Grinding / Sanding

Lock nut wrench, Lock nut release socket

Lock nut wrench



Lock nut release socket
(Square drive :1/2"(12.7mm))

Type	For Model	Size	Part No.
Lock nut wrench	All 100mm	20	782401-1
	All 100mm	20	782420-7
	115 / 125mm	35	782423-1
	115 / 125mm Models for North America	28	782424-9
	DIN&Old type	28	782412-6
	180 / 230mm	35	782407-9
	180 / 230mm	35	782034-2 191G10-1
Lock nut release socket	Models for North America	28	194306-7
	180 / 230mm	35	194305-9


Dust cover set / Dust collect cover / Protector

Model/ Item	Description		Part No.
PW5000C	Dust cover set		194233-8
PW5000C, PW5001C	Dust cover brush for PW5001C / Dust cover set P/N:194233-8		443121-9
PK5001C	1-3 set	Dust collect wheel cover set for offset dia wheel	195775-5
	2	Repair brush short	743333-7
	3	Repair brush long	743332-9
PK5011C	Dust cover set		195773-9
PK5011C	1-3 set	Dust collect wheel cover set for offset dia wheel	195774-7
	2	Repair brush short	743333-7
	3	Repair brush long	743332-9
PK5011C	Protector set		196028-5

Repair brush for Drywall sander or Concrete planer or Dust collect cover

Item	Description		
125mm(5")	For models PC5000C & PC5001C	1+2	194921-7
		1	443144-7
		2	443145-5
125mm(5") set	For model PC5010C For dust collect cover 125mm(5") set P/N:195236-5, 195237-3, 195238-1, 195239-9, 195250-1, 196575-6, 195774-7, 195775-5, 196587-9 and 191F81-2	1+2	196880-1
		1	743332-9
		2	743333-7
180mm(7")	For dust collect cover 180mm(7") set P/N:195384-0, 195385-8, 197584-8, 195386-6, 195387-4 and 195388-2	1	743334-5
		2	743335-3
For model DSL800		1	140J85-5
		2	140J86-3

Extension Handle, Holder, Belt set for DSL800 & DSL801



Description	Part No.
Extension Handle, Holder & Belt 3pcs set	199937-7

Tool Bag for DSL800 & DSL801



Part No.
195638-5

Insulated transformer

INPUT 220-240V OUTPUT 110-120V



Model No.	Part No.
PW5000C	P-46660

Lock nut for Concrete planer

Models	Markets	Spindle thread	Arbor size (mm)	Inner flange		Lock nut		Lock nut wrench	
				size	Parts No.	Size	Parts No.	Size	Part No.
PC5000C , PC5001C	---	M14 x 2 (DIN)	22.23	---	---	45	224554-5	35	782407-9
	USA CANADA GUAM MEXICO PANAMA	5/8"-11 UNC	22.23	---	---	45	224568-4	28	782412-6
PC5010C	---	M14 x 2 (DIN)	22.23	42	224415-9	45	224554-5	35	782407-9
	USA CANADA	5/8"-11 UNC	22.23	45	224399-1	45	224568-4	28	782412-6

Grinding / Sanding

Dust cover attachment set



Model No.		Part No.
DPV300, PV301D	1pc (2pcs will be used)	422613-1
DGA404, DGA406, DGA408, DGA411, DGA413, DGA414, DGA417, DGA518, DGA419, DGA454, DGA458, DGA461, DGA462, DGA463, DGA464, DGA467, DGA468, DGA469, DGA504, DGA505, DGA506, DGA508, DGA511, DGA512, DGA513, DGA514, DGA517, DGA518, DGA519, DSC251	Dust cover L	455449-3
DGA700, DGA701, DGA900, DGA901	Dust cover R	455450-8
GA003G, GA004G, GA005G, GA006G, GA007G, GA008G, GA011G, GA012G, GA013G, GA014G, GA015G, GA016G, GA035G, GA036G	1pc (2pcs will be used)	457620-5
GA021G, GA022G, GA023G, GA024G, GA025G, GA026G, GA027G, GA028G, GA029G, GA030G, GA031G		422563-0
GA037G, GA038G		422610-7
GA4040/C, GA4041C, GA4540/C/R, GA4541/C/R, GA4542C, GA4543C, GA5040/C/R, GA5041/C/R, GA5042C, GA5043C, GA6040/C/R, GA6042C, PC5010C, SA4540C, SA5040C	4pcs. set	422656-3
GA4050, GA4050R, GA4051R, GA4550, GA4550R, GA4551R, GA4552, GA4552R, GA4553R, GA5050, GA5050R, GA5051R, GA5052, GA5052R, GA5053R	3pcs. set	198719-4
9562CH/CVH, 9564HR, 9565C/CR/CV/ CVL/CVR/HR, 9566CV GD0800, GD0800C, GD0810C	3pcs. set	199514-5
9564PCV, 9565PCV, 9566PCV, GD0801C, GD0811C	3pcs. set	193903-6
GA5010, GA5020/C, GA6010, GA6020/C	3pcs. set	195446-4
GA5021, GA5021C, GA6021, GA6021C, GA7010C, GA7012C, GA9010C, GA9012C, PC5000C, PC5001C, SA7000, SA7000C	2pcs. set	194482-7
GA7020/R/S, GA7021, GA7030/R/S, GA7031, GA7040R/S, GA9020/R/S, GA9030/R/S, GA9031, GA9040R/S	2pcs. set	193956-5
GA7050/R, GA9050/R, GS5000, GS6000	2pcs. set	194289-1
GA7060, GA7060R, GA7061, GA7061R, GA7062, GA7062R, GA7063, GA7063R, GA7064, GA9060, GA9060R, GA9061, GA9061R, GA9062, GA9062R, GA9063, GA9063R	2pcs. set	195059-1
		197476-1

Hook & loop pad

Use with pre-punched abrasive disc.



Model No.	Size	Type	Part No.
DPO500, DPO600, PO5000C, PO6000C	100mm	Hook & loop pad	197925-8
	125mm	Hook & loop pad	197922-4
	150mm	Hook & loop pad	197928-2
DBO140, DBO180, BO5030, BO5031, BO5040, BO5041	123mm	Hook & loop pad	197468-0
BO6050	130mm	Hard	For polishing
	150mm	Hard	For coarse sanding
	150mm	Soft	For general sanding
	150mm	Super Soft	For fine sanding



Model No.	Size	Type	Part No.
DSL800, DSL801	220mm	Soft	black
	210mm	Medium	gray
	210mm	Hard	gray
			hook & loop pad (1+2 set)
			hook & loop pad (1+2 set)
			hook & loop pad (1+2 set)

Felt pad

(For removing wax)

(Use with hook & loop type Backing pad)



Model No.	Disc dia. (mm)	Part No.
DPO500, DPO600 PO5000C, PO6000C	100	197916-9
DBO140, DBO180, DPO500, DPO600, BO5031, BO5041, PO5000C, PO6000C	125	196152-4
DPO500, DPO600 BO6030, BO6050, PO5000C, PO6000C	150	193288-0

Sponge pad

(Use with hook & loop type Backing pad)



Model No.	Size (mm)	Part No.
DPO500, DPO600 PO5000C, PO6000C	100	197912-7
DBO140, DBO180, DPO500, DPO600, BO5031, BO5041, PO5000C, PO6000C	125	794558-6
DPO500, DPO600, BO6050, PO5000C, PO6000C	150	197914-3
PV7001C, PV7000C	190	193470-1

Wool pad

(For high gloss polishing)

(Use with hook & loop type Backing pad)



** (Use with Backing pad and Sleeve18)


Model No.	Disc dia. (mm)	Part No.
DPO500, DPO600, PO5000C, PO6000C	100	197918-5
DPO500, DPO600, PO5000C, PO6000C	125	197920-8
BO5031, BO5041	140	794560-9
BO6030, BO6050, DPO500, DPO600, PO5000C, PO6000C	150	199424-6
9237C/CB, PV7001C, PV7000C	180	192629-7**

Sleeve 18

(For centering pads)

For Model:

9237C/CB, 9227C/B, PV7001/C, PV7000C, SA7000C



Part No.

262542-4

Wool bonnet



Model No.	Size (mm)	Part No.
PV7000C, PV7001C, 9207SPB, 9218PB/L, 9227C/CB, 9237C/CB	180	794176-0

Grinding / Sanding

Head cover



Model No.	Part No.
9564CVL, 9565CVL, 9565CLR, PW5000C, PW5001C, PK5001C	417322-5
9237C/CB	455291-2
9227C/CB	417671-0
SA7000/C, PK5011C	418529-6
SA4540, SA4542C, SA5040C	453378-4

Collet cone , Collet nut and Wrench size



Model No.	Size	Collet cone	Collet nut	Wrench size
		Part No.	Part No.	

DC models

DGD800, DGD801	3mm	763669-8	763668-0	13mm 19mm
	6mm	763670-3		
	8mm	763671-1		
	1/8"	763672-9		
	1/4"	763673-7		

AC models

906, 906H	3mm	763627-4	763240-8	10mm 17mm
	6mm	763620-8		
	1/8"	763626-6		
	1/4"	763625-8		
GD0600, GD0601	3mm	763627-4	763664-8	13mm x2
	6mm	763620-8		
	1/8"	763626-6		
	1/4"	763625-8		
GD0603	3mm	763627-4	763236-9	10mm x2
	6mm	763620-8		
	1/8"	763626-6		
	1/4"	763625-8		
GD0602	3mm	763669-8	763668-0	13mm x2
	6mm	763670-3		
	8mm	763671-1		
	1/8"	763672-9		
	1/4"	763673-7		
GD0800, GD0800C, GD0810C, GD0801C, GD0811C	3mm	763647-8	763645-2	13mm 19mm
	6mm	763646-0		
	8mm	763649-4		
	1/8"	763651-7		
	1/4"	763650-9		

Collet cone & nut set

GD0800, GD0800C, GD0810C, GD0801C, GD0811C	3mm	193011-3	13mm 19mm
	6mm	193012-1	
	8mm	192988-9	
	1/8"	193144-4	
	1/4"	193143-6	

Side handle set



Model No.	Part No.
DGD800, DGD801, GD0600, GD0601, GD0602, GD0800/C, GD0801C, GD0810C, GD0811C	192985-5

Vise holder set



Model No.	Part No.
GD0800/C, GD0801C, GD0810C, GD0811C	193141-0

Dressing stone



Model	Part No.
	741809-8

Belt sander plate




Model No.	Steel plate	Cork rubber plate	Carbon plate
	*Include cork rubber plate	For use with Carbon plate or Steel plate.	
	Part No.	Part No.	Part No.
9401, 9402	342328-3	421093-8	423029-3
9403	*150980-1	421093-8	424057-1
9404	*151751-9	193202-6	193201-8
9924DB	341705-6	423035-8	423036-6
9902, 9903	*151749-6	193199-9	193197-3
9910, 9911	344586-7	---	---
9920	*151750-1	193200-0	193198-1

Side Grip



Model No.	Item	Thread size		Part No.
DBS180	1		Grip Base Complete	140W02-3
	2	M8	Grip 36 Complete	144163-3

Arm



Model No.	Belt size	Item	Part No.
DBS180, 9032	6 x 533	Arm 6 Assembly	125157-7
	9 x 533	Arm 9 Assembly	125158-5
	13 x 533	Arm 13 Assembly	125159-3

Stand set



Model No.	Part No.
DBS180, 9032	193618-5

Dust collection



Model No.	Item		Part No.
DBS180, 9032	1	Dust Cover Set	191N60-8
	2	Dust nozzle assembly	122652-8
	3	Hose with cuffs 24	---


Grinding / Sanding

Step



Model No.	Part No.
9401, 9402	342332-2

Belt sander stand



Model No.	Part No.
9404, 9902, 9903, 9920	193055-3
9924DB	STEX122299

Sanding shoe assembly



Model No.	Part No.
9404	193072-3
9902, 9903	193070-7

Clamp complete



Model No.	Part No.
9910, 9911	192694-6

Punch plate

For conventional type of abrasive paper without pre-punched holes



1. Punch plate 2. Abrasive paper without prepunched holes

Model No.	Material	Part No.
BO3710	METAL	192989-7
BO3710, BO3711	PLASTIC	194947-9
BO4900, BO4900V, BO4901, 9046	METAL	192523-3
BO4555, BO4556, BO4557, BO4558	PLASTIC	450066-4

Pad complete



Model No.	Description	Part No.
BO3700, BO3710, BO3711	For use with Abrasive paper or clamping type paper	194929-1
	For use with Hook & loop type paper	194930-6
BO4900, BO4900V, BO4901	For use with Abrasive paper or clamping type paper	193523-6
	For use with Hook & loop type paper	193521-0
9046	For use with Hook & loop type paper or clamping type paper	197469-8

Dust box assembly, Paper dust bag and Filter set Dust Bag



Model No.	Part No.
9046	152456-4
BO3710, BO3711	140115-2
DBO140, DBO180 BO4555, BO4556, BO4557, BO4558, BO4565, BO4566, BO5030, BO5031, BO5040, BO5041	135222-4
BO4900, BO4900V, BO6030	151517-7

Dust box assembly, Paper dust bag and Filter set

*w/o mark of origin



Model No.	Item	Part No.
DBO140, DBO180, BO4555, BO4556, BO4557, BO4558, BO4565, BO4566, BO5030, BO5031, BO5040, BO5041	Dust box assembly (with paper dust bag 1pc)	135246-0
	Paper dust bag (5pcs./set)	194746-9
DBO140, DBO180, BO3710, BO3711, BO4555, BO4556, BO4557, BO4558, BO4565, BO4566, BO5030, BO5031, BO5040, BO5041	Dust box assembly (with Filter set (Non-woven fabric))	135327-0
	Filter set (5pcs./set) (Non-woven fabric)	*195133-5 195134-3

Paper dust bag holder & Paper dust bag



Model No.	Item	Part No.
9046, BO4900, BO4900V, BO6030	Paper dust bag holder (With paper dust bag 1pc)	193525-2 193294-5(EU)
	Paper dust bag (5pcs./set)	193526-0 193293-7(EU)

Sawing

Ring

(For 5/8" = 15.88 mm spindle)
*With milled edge.



Outer Dia. (mm)	Hole Dia. (mm)	Thickness (mm)	Per pkg.	Part No.
20	15.88	1.2	1	*B-20987
20	15.88	1.6	1	257019-2
20	15.88	1.8	1	*B-20993
25	15.88	4	1	257022-3
25.4	15.88	4	1	257060-5
30	15.88	1.2	1	*B-21004
30	15.88	1.8	1	*B-21010
30	15.88	3	10	A-87270
30	20	1.2	1	*B-21026
30	20	1.4	1	*B-21032
30	20	1.8	1	*B-21048
30	25	1.6	1	*B-21054
30	25.4	1.4	1	*B-21060
30	25.4	2.2	1	*B-21076

Holder

Model No.	item	Part No.
DLS110, DLS111, DLS112, LS1019/L		1 326978-2
		2 265786-5
		3 961015-1
DLS600, LS1030N, LH1040/F		1 x2 192621-3
		2 x2 set
		1 322312-4
DLS713, DLS714, LS0714/F/FL /L		2 265708-5
		1 322312-4
LS0815FL		2 251887-5
		1 JM23000127
LS1017L, LS1018L		2 JM23100013
		1 JM23100500
		2 JM23100013
		1 JM23100500
LS1040, LS1040F, LH1040/F		2 JM00000038
		1 123101-8
LS1045		2 911333-7
		1 x2 192714-6
		2 x2 set
LS1219, LS1219L		2 251887-5
		1 327095-1
		2 265786-5
LS1221		3 961015-1
		1 x2 192673-4
		2 x2 set
LS1440		1 323726-0
		2 251887-5
		1 x1 2 x1 191239-7
		3 x2 4 x2 set
		1 251804-5
LH1201FL		2 312511-6
		3 322027-3
		4 924216-2

Vertical vise assembly & Horizontal vise assembly

Vertical vise assembly



Horizontal vise assembly



Model No.	Part No.
Vertical vise assembly	
DLS110, DLS111, DLS112, LS1019, LS1019L, LS1219, LS1219L	126617-2
DLS713, DLS714, LS0714, LS0714F, LS0714FL, LS0714L	122571-8
DLS600	122940-3
LS0815FL	JM23510009
LS1017L, LS1018L, LH1201FL	JM23100502
LS1030N, LS1221	192672-6
LS1040, LS1040F, LS1045, LH1040, LH1040F	192625-5
LS1040, LS1040F, LH1040, LH1040F	122536-0
LS1440	196041-3

Horizontal vise assembly


DLS110, DLS111, DLS112, LS1019, LS1019L, LS1219, LS1219L, LS1221, LH1201FL	122470-4
DLS713, DLS714, LS0714, LS0714F, LS0714FL, LS0714L	122567-9
LS1017L, LS1018L	122930-6
LS1030N, LS1040, LS1040F, LS1045, LS1440, LH1040, LH1040F	122563-7

Crown molding stopper set



Model No.	Part No.
DLS110, DLS111, DLS112, LS1019, LS1019L, LS1219, LS1219L	192628-9
LS1030N, LS1040, LS1040F, LS1045, LH1040, LH1040F	192622-1
LS1221	192669-5


Sub plate



Model No.	Part No.
LS1040/ F	193471-9
LH1040/ F	122716-8

Set plate

(For uniform cutting width)




Model No.	Part No.
DLS600, DLS713, DLS714, LS0714, LS0714F, LS0714FL, LS1030N, LS1040, LS1040F, LS1045, LH1040, LH1040F	122472-0
LS1221	122551-4

Model No.	Item	Part No.
LS1440	1 Set plate	312511-6
	2 Thumb screw M6X13	251804-5

Sawing

Rod 12 (Item No.1) / Holder assembly (Item No.2)



Model No.	Item		Part No.
DLS713, DLS714, LS0714/F/FL, LS0714L, LS1030N, LS1040/F, LS1045, LS1221	1	Rod 12 (L=2.1m1pc)	256812-1
LS0714, LS0714F, LS0714FL, LS0714L	2	1 set	192713-8
DLS713, DLS714	2	1 set	196123-1
LS1030N, LS1040/F, LS1045, LH104/F	2	1 set	122446-1
LS1221	2	1 set	192671-8

Guide rule

(Rip fence)



Model No.	Part No.
DCS550, DCS551, DCS553, DHS630, DHS660, DHS661, DHS680, DHS710, DHS711, DHS782, DHS783, DSS500, DSS501, DSS610, DSS611, 4191D, 5093D, 5094D, HS300D, 5005BA, 5007F, 5007FA, 5007MG, 5007MGA, 5007N, 5007NB, 5007NF, 5008MG, 5008MGA, 5606B, 5704R, 5740NB, 5800NB, 5806B, HS6100, HS6101, HS6600, HS6601, HS7000, HS7010, HS7010, HS7100, HS7101, HS7600, HS7601, HS7610, HS7611	164095-8
DRS780, 5377MG, 5477NB	165153-3
DSP600, DSP601, SP6000	165447-6
HS300D, HS301D	195333-7
5017RKB, 5705R	165108-8
HS0600, NS900B, 5902B,	164367-1
5103R, 5104, 5104S, 5903R	165084-6
5103N, 5201N, 5201NA, 5402, 5402NA, 5430A, 5431A	164019-4
DRS780, 5377MG, 5477NB	165153-3

Rip fence assembly



Model No.	Part No.
2703	122556-4
2704, 2705	122740-1
2704, 2704N	122739-6
LF1000	122729-9
LH1040/F	122707-9
LH1201FL	JM23300008

Angle rule assembly (Miter gauge)

*Sliding guide



Model No.	Part No.
2703	122555-6
2704	122735-4
2705	122838-4
2704, 2704N, 2705	199376-1
2712	JM27110005
LF1000	122730-4

Stand: A



Model No.	Part No.
2703, 2704, 2704N, 2705	194093-8

Stand: B



Model No.	Part No.
MLT100, MLT100N, 2702, 2703	JM27000300

Stand: C

WST06



For Model	Part No.
All Slide Compound saw, Miter saw and Table Top Miter Saw	WST07
All Slide Compound saw, Miter saw and Table Top Miter Saw	WST06
Bracket set (for WST06)	JM23610050 (EU)
Bracket set (for WST06)	JM23610051

Stand: D



For Model	Part No.
All Slide Compound saw, Miter saw and Table Top Miter Saw	WST05

Rear extension table & Left extension table



Model No.	Item	Description	Part No.
2704, 2704N, 2705	A	Rear Extension Table	194087-3
	B	Left Extension Table	194086-5

Guide rail




Overall length (m)	Part No.
1.0	199140-0
1.4	194368-5
1.5	199141-8
1.9	194925-9
3	194367-7

Repair parts guide rail	Part No.
Seat 10m set (For upper plastic tape repair)	194416-0
Rubber Seat 10m set (For lower rubber tape repair)	194417-8

Bevel guide set

Adjustable angle of Guide Rail



Part No.

196664-7

Clamp set

(Use with Guide rail)



Type	Part No.
A: Standard	194385-5
B: Quick	199826-6

Guide rail Joint connector 2pcs set



Part No.

198884-9

198885-7 (EU)

Guide Rail Adaptor

Items	A	B	C	D	E	F (N)	G	H	I	J	K	L	M	N (F)		O	P	Q	R
	Circular saw													Jig saw				Router Trimmer	Cutter
Models	HS7100 HS7101	DHS630 HS6100 HS6101	HS7601 HS7610 HS7611	DHS680	HS6600 HS6601	HS6100 HS6101 HS7100 HS7101	DHS630 HS0600	5705R	DHS660 DHS661	HS002G	HS006G	5903R	5103R	DJV141, DJV142, DJV180, DJV181, DJV182	4350CT 4350FCT 4350FT 4350T 4351CT 4351FCT 4351T	DJV141 DJV142 DJV180 DJV181 DJV182	JV102D JV103D	*DRT50 3612BR RP0900 RP0910 RP1110C RP1800 RP1800F RP1801 RP1801F RP2300FC RP2301F	DCC500 DCC501 4100KB, 4100NH2
Part No.	195837-9	195838-7	197005-0	196953-0	197462-2	197252-3	198566-3 198570-2 (EU)	192505-5	199232-5	199401-8	191L92-3	192506-3	192507-1	197252-3	193517-1	198704-7	194579-2	198673-2	
Convartion	Items B/C/D/E + Part No. 195840-0	Items A/C/D/E + 195841-8	Items A/B/D/E/F(N) + 196994-6	Items A/B/C/E/F(N) + 196954-8	Items A/B/C/D/F(N) + 197463-0	Items C/D/E + 195840-0 + 195841-8				Items J/K + 126971-4	Items I/K + 127086-0	Items I/J + 127662-0			Items A,B,C,D,E + 347393-7	Item P + Bolt M5X10 922207-7	Item O + Bolt M4X8 922107-1		

* Use with Plunge base assembly (P/N:195563-0 EU:196094-2)



A,B,C,D,E,F,N

H

I,J,K

L, M

O, P

Q

R

Sawing

Dust nozzle

(Vacuum head)
Please see Suction system chart.



Model No.	Part No.
DJV180, 4350T/CT/FCT, 4351T/CT/FCT	417853-4
DJV181, DJV182	126331-0

Dust cover & Dust nozzle

Dust cover



Dust nozzle



Model No.	Item	Part No.
JV102D, JV103D	Dust cover	458191-5
	Dust nozzle	457801-1

Anti-splintering device

(For cleaner cuts)




Model No.	Part No.
DJV180, DJV181, DJV182, JV100D, JV101D, JV102D, JV103D, JV143D, JV183D, 4304, 4326, 4327, 4329, 4350T/CT/FT/FCT, 4351T/CT/FCT, JV0600	192557-6
4326, 4327, 4328	416477-3

Cover plate



Model No.	Part No.
DJV180, DJV181, DJV182, JV100D, JV101D, JV143D, JV183D	417852-6
JV102D, JV103D	457867-1

Guide rule set



Model No.	Part No.
DJV180, DJV181, DJV182, 4350T/CT/FCT, 4351T/CT/FCT	193516-3
JV100D, JV101D, JV102D, JV103D, JV143D, JV183D, 4326/M, 4327/M, 4328, 4329, JV0600	192732-4

Rip fence



Model No.	Part No.
4300BA, 4300BV	164113-2

Circular guide assembly



Model No.	Part No.
4300BA, 4300BV, 4301SB	123030-5

Blade clamp assembly

(For use of 6.35mm universal shank blades)



Model No.	Part No.
4300BA, 4300BV	132276-260

Blade clamp conversion kit

Toolless blade clamp ⇒ Bolted blade clamp

Model No.	Part No.
JR3060T, JR3070CT	195413-9

Extension table set



Model No.	Part No.
LB1200F	JM21000300

Circular cutting attachment set



Model No.	Part No.
LB1200F	JM21000320

Belt sanding attachment set

Use a sanding belt that is 2,240 mm long and 20 mm wide or less.



Model No.	Part No.
LB1200F	JM21000330

Planing / Routing

Blade gauge assembly

*With Poly bag & header



Model No.	Part No.
DKP180, DKP181, KP0800, KP0810/C, N1900B, N1923B, 1002BA, 1100, 1902, 1911B, 1912B	*191C19-9 123062-2 122695-0
1804N, 1805N	123009-6
2012NB	762016-0

Socket wrench 9



Model No.	Part No.
DKP180, DKP181, KP312, KP0800, KP0810/C, N1900B, N1923B, 1002BA, 1100, 1804N, 1805N, 1806B, 1902, 1911B, 1912B	782209-3
2012NB	782203-5

Set plate

*2 per pkg.



Model No.	Part No.
DKP180, DKP181, KP0800, KP0810/C, N1900B, N1923B, 1100, 1902	*193540-6 A-86175

Sharpening holder assembly & Dressing stone

Sharpening holder assembly



Model No.	Part No.
DKP180, DKP181, KP0800, KP0810/C, N1900B, N1923B, 1100, 1902	191C17-3 123004-6
1600	123007-0
1804N, 1805N, 1806B	123006-2
1002BA, 1911B 1912B	123055-9

Dressing stone

For HSS planer blade



Size(mm)	Grit	Part No.
150	WA1200	794061-7
150	GC1200	D-17756
180	WA1200	794060-9
150	1200	741802-2

Edge fence (Guide rule)

*with screw




Model No.	Part No.
1100	161046-2
1100N	*193617-7
1804N, 1805N	*191454-3
N1900B, N1923B, 1911B	*191455-1
N1900B, N1923B, KP0800, DKP180	*195055-9
1911B, 1923H	165259-7
DKP181	191C23-8
KP0810/C	*122785-9
1600	123032-1
1806B	*123053-3
N1900B, N1923B, KP0800, DKP180, DKP140	*123060-6

Extension guide set



Model No.	Part No.
DKP180, DKP140, 1911B, N1900B, N1923B, KP0800	191725-8

Chamfering rule assembly



Model No.	Part No.
KP0810/C	122791-4
DKP181	191C22-0

Depth guide



Model No.	Part No.
DKP181, KP0810/C, N1923B	342390-8

Nozzle assembly

(Non-clogging chip deflection in desired direction)



Model No.	item	Part No.
DKP180, KP0810/C, KP0800	Nozzle	451329-1
	Elbow (use with Nozzle)	191C20-4 416368-8
DKP181	Elbow	191C20-4 416368-8
1804N	Nozzle	STEX122198
1805N	Nozzle	JPA122197
N1900B, N1923B	Nozzle	JPA122194
KP312/S	Nozzle	193733-5

Triangular rule



Model No.	Part No.
1600, 1806B, 1923H, KP312/S	762001-3

Hood set

Outer dia. 76 mm



Model No.	Part No.
2012NB	193036-7

Magnetic holder



Model No.	Part No.
2012NB	762014-4

Planing / Routing

Shoe plate



Model No.	Item	Part No.
DCO180, DCO181	Shoe plate	346796-2
	Thumb screw M4X8	266898-7

Dust cover



Model No.	Part No.
DCO180, DCO181, 3706	193449-2

Circular guide set



Model No.	Part No.
3706	193448-4

Collet cone & Collet nut

*With Poly bag & header



Model No.	Wrench size	Collet cone		Collet nut
		Size	Part No.	Part No.
DCO180, DCO181	17mm	3mm	763679-5	763258-9
		6mm	763678-7	
		1/8"	763677-9	
		1/4"	763676-1	
		1/4"	*197038-5	



Model No.	Wrench size	Collet cone		Collet nut
		Size	Part No.	Part No.
3706	17mm	6mm	763607-0	763606-2
		1/8"	763660-6	
		1/4"	763608-8	

Collet corn / Collet nut

Trimmer



* For Brazil, Argentina & Chile

Model No.	Wrench size	Collet cone		Collet nut
		Size	Part No.	Part No.
3700B, 3701, 3703, 3707/F/FC, 3708/F/FC, 3709*, 3710*	10mm 17mm	6mm	763607-0	763606-2
		1/4"	763608-8	
3703, 3709, 3710	10mm 17mm	6mm	763662-2	763661-4
		1/4"	763663-0	
DRT50, RT0700C	13mm 22mm	6mm	763636-3	763615-1
		8mm	763618-5	
		1/4"	763637-1	
		3/8"	763619-3	

Router



*with header & poly bag

Model No.	Wrench size	Collet cone		Collet nut
		Size	Part No.	Part No.
3600H, 3612 , 3612BR, 3612C	13mm 24mm	12mm	763628-2	763629-0
		1/2"	763622-4	
RP0900	13mm 22mm	6mm	763636-3	763615-1
		8mm	763618-5	
		1/4"	763637-1	
		3/8"	763619-3	
RP0910, RP1110C	17mm	6mm	*193180-0	763652-5
		8mm	*193178-7	
		1/4"	*193179-5	
RD1101, RF1100, RF1101, RP1101	27mm x2	1/4"	*193214-9	
		1/2"	*193215-7	
RP1800, P1800F, RP1801, P1801F, RP230FC, RP231FC	24mm	12mm	763628-2	763674-5
		1/2"	763622-4	

Sash router



Model No.	Wrench size	Collet cone		Collet nut
		Size	Part No.	Part No.
4403	10mm 17mm	6mm	763662-2	763661-4
		1/4"	763663-0	

Collet sleeve



Model No.	Collet size	Bit size	Part No.
RP1800, RP1800F, RP1801, RP1801F, RP230FC, RP231FC, 3600H, 3601B, 3612, 3612BR, 3612C	1/2"	1/4"	763803-0
	1/2"	3/8"	763805-6
	1/2"	10mm	763806-4
	12mm	6mm	763801-4
	12mm	8mm	763804-8
	12mm	10mm	763807-2
	12mm	1/4"	763808-0

Templet guide (Metric size)

*for fast production of complicated shapes by using templet

**DRT50, RT0700C : Use with Plunge base assembly

Model No.		A (mm)	B (mm)	C (mm)	Part No.
DRT50, 3707/F/FC, 3708/F/FC, 3709, 3710, N3701, RT0700C,		8	10	9.5	*343577-5
		7.7	9.5	11.5	164379-4
DRT50**, 3612BR, RP0900, RP1800/F, RP1801/F, RP2300FC, RP2301FC, RT0700C**		9	11	13	164775-6
		10	12	9	164388-3
		11	12.7	13	164776-4
		14	17	20	165366-6
		14.5	16	13	344364-5
		18	20	13	164393-0
		22	24	13	165364-0
		24	27	13	164470-8
		25	29	15	163080-8
		27	30	13	164471-6
		37	40	13	165046-4
		37	40	13	164472-4

Planing / Routering

Model No.		A (mm)	B (mm)	C (mm)	Part No.
RP0910, RP1110C		7.7	9.5	11.5	193330-7
		9	11	11.5	193331-5
		10.5	12	14	193332-3
		11	12.7	11.5	193333-1
		14	17	20	165365-8
		14.5	16	11.5	193334-9
		18	20	13	193335-7
		22	24	13	193340-4
		24	27	13	193336-5
		25	29	13	193337-3
		27	30	13	193338-1
		37	40	13	193339-9

Templet guide (Metric size)


Model No.		A (mm)	B (mm)	C (mm)	Part No.
3600H, 3601B		7.7	9.5	8	323448-2
		9	11	5	323023-4
		11.1	12.7	14.3	321472-9
		10.9	12.7	8	323449-0
		14	16	8	323018-7
		14	16	14.5	321308-2

Templet guide (Inch size)

Model No.		A	B	C	Part No.
RF1100, RF1101, RD1100, RD1101, RP1100, RP1101		57/64"	1"	7/16"	193235-1
		21/32"	3/4"	9/16"	193261-0
		11/32"	7/16"	5/32"	193262-8
		13/32"	1/2"	5/16"	193263-6
		9/32"	3/8"	5/16"	193264-4
		5/8"	54/64"	9/16"	193265-2
		17/32"	5/8"	9/16"	193266-0
		1/4"	5/16"	5/32"	193267-8

Templet guide adapter 30

(For B & D, Porter-Cable two-piece templet guide)



Nut M30
Part No. 252627-4

Templet guide adapter 30
Type A or TypeB

Templet guide 25
Part No. 321812-1

Plunge base assembly (P/N:195563-0 (EU:196094-2)) is also necessary.

Model No.	Type	Part No.
DRT50**, 3612BR, RP0900, RP1800/F, RP1801/F, RP2300FC, RP2301FC, RT0700C**	A	321492-3
3600H, 3601B	B	321493-1

Base for DRT50 & RT0700C

Able to meet a wide range of needs with the Motor unit and the following various attachments

item.	Per pkg.	xzPart No.
	1	196612-6 EU:196613-4
	12	196614-2 EU:196615-0

item.	Per pkg.	xzPart No.
Trimmer base plate 	1	454842-8
Grip attachment set 	1	196924-7
Trimmer base assembly clear 	1	199092-5 EU:199089-4
	4	199090-9 EU:199091-7
Plunge base assembly Optional Fine adjusting straight guide can be used 	1	195563-0 EU:196094-2
	4	195815-9 EU:196098-4
Plunge base plate 	1	450819-1
Tilt base assembly Tilting capacity: -30° to 45° 	1	195561-4 EU:196092-6
	12	195813-3 EU:196096-8
Tilt base plate 	1	413150-6
Offset base assembly 	1	196922-1 EU:195562-2
	4	196921-3 EU:195814-1
Offset base plate 	1	413148-3
Grip attachment 	1	318685-1
Offset base plate (P/N:413148-3) and countersunk hed screw M4x10 are also necessary.		

Trimmer base assembly

A: Transparent base


B: For chamfering

Model No.	Type	Part No.
3700B, N3701, 3703, 3704, 4403	-	122202-9
	A: Transparent base	122238-8
3703, 4403	B: For chamfering	STEX122390
	B: For chamfering C: Fine depth adjustment	STEX122418
3707/F/FC, 3708/F/FC	A: Transparent base	122655-2
	B: For chamfering	193904-4
3709, 3710	A: Transparent base C: Fine depth adjustment	194267-1
	A: Transparent base	194268-9
	B: For chamfering C: Fine depth adjustment	194269-7
	B: For chamfering	194270-2

Planing / Routing

Trimmer shoe


(Enables accurate chamfering and other edge works)



Model No.	Part No.
3707/F/FC, 3708/F/FC, N3701, 4403	155263-4

Trimmer guide assembly

* Use with Plunge base assembly



Model No.	Part No.
3707/F/FC, 3708/F/FC, 3709, 3710, N3701, RT0700C	122703-7
3600H, 3601B	122343-1
3612BR, RP1800/F, RP1801/F, RP2300FC, RP2301FC	123022-4
*DRT50, RP0900, *RT0700C	STEX122385

Straight guide assembly

(Straight guide)

A: Straight guide with micro adjustment



* Use with Plunge base assembly (P/N:195563-0 EU:196094-2)

Model No.	Type	Material	Part No.
3707/F/FC, 3708/F/FC, N3701, 4403, RT0700C, DRT50	-		122391-0 122413-6
3709, 3710	-		122704-5
3600H, 3601B	-		123029-0
3705	-		341947-2
3612BR, RP1800/F, RP1801/F, RP2300FC, RP2301FC	-		342428-9
RP0900, RP0910, RP1110C, *RT0700C	-		164834-6
RF1100, RF1101, RD1100, RD1101, RP1100, RP1101	-		193073-1
3612BR, RP0900, RP0910, RP1110C, RF1100, RF1101, RD1100, RD1101, RP1100, RP1101, RP1800/F, RP1801/F, RP2300FC, RP2301FC, *RT0700C	A	Steel	193312-9
*DRT50, RP1800/F, RP181/F, RP2300FC, RP2301FC, RP0900, RP0910, RP1110C, *RT0700C	A	Alumi w/o mark of origin	195136-9

Guide holder assembly



Model No.	Part No.
3612BR	122256-6
RP1800/F, RP1801/F, RP2300FC, RP2301FC	122700-3

Sash router base assembly



Model No.	Part No.
N3701, 4402, 4403	JPA122201

Oil supply 100 mL (Chain oil for model 7104L)



Model No.	Part No.
7104L	182229-1

Knob 55 complete



Model No.	Part No.
3612BR, RP1800/F, RP1801/F, RP2300FC, RP2301FC	158980-5

Base protector complete

Model No.	Part No.
3707/F/FC, 3708/F/FC	153586-4

Angle guide for plate joiner



Model No.	Part No.
DPJ180, PJ7000	123149-0

Set plate for plate joiner

To center joiner blade on 12mm stock while using pivoting fence



Model No.	Part No.
DPJ180, PJ7000	415579-2

Biscuit for plate joiner (100 pcs. in set)

- Premium quality
- Select cut size
- High strength
- Finely ground edges
- Compressed beachwood



Model No.	Type	LxW(mm)	Part No.
DPJ180, PJ7000	#0	47 x 15	A-16922
	#10	53 x 19.5	A-16938
	#20	60 x 23.5	A-16944

Lock nut wrench for plate joiner




Model No.	Part No.
DPJ180, PJ7000	782401-1


Vacuum Cleaner System charts


For Dust Collecting

*for Model DVC261, DVC265, DVC660, DVC665 only




Front cuffs, Joint & Hose Connection



A  W/ Ø28mm Hose Model VC3211H VC3211M VC2211M VC3210L W/ Front cuffs  38 24 22	B  W/ Ø28mm Hose Model VC2510L DVC155L VC1310L DVC156L DVC861L DVC865L DVC866L W/ Front cuffs  38 24 22	C  W/ Ø28mm Hose Model DVC350 W/ Front cuffs  38 24 22	D  W/ Ø38mm Hose Model DVC860L DVC150L DVC861L DVC151L DVC864L DVC157L DVC750L W/ Joint 22-38 	E  W/ Ø28mm Hose Model DVC261 DVC265 DVC660 DVC665 W/ Front cuffs  38 24 22	F  W/ Ø32mm Hose Model VC2012L VC2512L VC3011L W/ Tool adapter 24  Adapter 38 (option) P-70421	G  W/ Ø32mm Hose Model VC3012L VC4010L VC3012M VC4010M W/ Tool adapter 24  38  P-70378 W107418688
--	---	--	--	--	--	---

Demolition hammer & Rotary hammer



Model		Operation mode	Vacuum attachment set		Cuffs size
			Type	Parts No.	
Electric breaker	HM1501, HM1502, HM1511, HM1512	---	W/o Hose	191M21-2 191M23-8**	Hose 28 without cuffs
		---	W/ Hose	191M20-4 191M22-0**	Cuffs 24 or cuffs 38
	HM1304/B, HM1306, HM1303C/CB, HM1307C/CB, HM1317C/CB, HM1400, HM1500/B, HM1801, HM1802, HM1810, HM1812	---	W/o Hose	197168-2 197170-5**	Hose 28 without cuffs
		---	W/ Hose	197148-8 197172-1**	Cuffs 24 or cuffs 38
Demolition hammer	HM001G, HM002G, HM0830, HM0870C, HM0871C, HM1101C, HM1111C, HM1201, HM1203C, HM1205C, HM1213C, HM1214C	---	W/o Hose	199143-4 199017-9**	Hose 28 without cuffs
		---	W/ Hose	199142-6 199014-5**	Cuffs 24 or cuffs 38
Rotary hammer	DHR400, HR005G, HR4013C, HR4003C	Drilling / Hammer	-	197148-8 197172-1**	Cuffs 22
	HR5212C, HR5202C	Drilling / Hammer	-	196858-4	Cuffs 22
	HR006G	Drilling / Hammer	-	191N81-0 191N82-8**	Cuffs 22
	HR4001C, HR4002, HR4010C, HR4501C, HR4510C, HR4511C,	Drilling / Hammer	-	196074-8	Cuffs 22
	HR5212C, HR5202C, HR4001C, HR4002, HR4010C, HR4501C, HR4510C, HR4511C, HR4041C, HR4030C, HR4013C, HR4003C, HR3541C, DHR400, HR005G, HR006G	Hammer	W/ Hose	199144-2 199019-5**	Cuffs 24 or Cuffs 38
			W/o Hose	199143-4 199017-9**	Hose 28 without cuffs



Model	Operation mode	Dust collector and Dust cup		Cuffs size
		Type	Parts No.	



*grip base for dust cup is also necessary

Rotary hammer	HR140D, HR166D, DHR164, DHR165, DHR171, DHR182, DHR202, DHR262, DHR263, DHR264, HR1840, HR2020, HR2022, HR2230, HR2460, HR2460F, HR2470, HR2470F, HR2470FT, HR2470T, HR2475, HR2800, HR2810, HR2810T, HR2811F, HR2811FT,	Drilling	Dust collector set	193472-7	Cuffs 22
	*DHR164, *DHR165, *DHR171, *DHR182, *DHR202, *DHR241, *DHR262, DHR263, *HR1840, *HR1841F, *HR2230, HR2460, *HR2460F, HR2470, HR2470F, HR2475, HR2800, HR2810, HR2811F	All	Dust cup set	198362-9	Cuffs 22
	DHR242, DHR280, DHR282, HR001G, HR003G, HR2300, HR2600, HR2601, HR2601F, HR2630, HR2631F, HR2641, HR2651, HR2652, HR2653, HR2663, HR3001C, HR3011F	All	Dust cup set	195173-3	Cuffs 22
	DHR243, DHR281, DHR283, HR002G, HR004G, HR2320T, HR2630T, HR2631FT, HR2653T, HR3012F	All	Dust cup set	195179-1	Cuffs 22

System charts

Circular saw and Plunge Cut Circular Saw


*Inner flange is also necessary.
**with shortlever



* not needed
Front cuffs 24

Model	Dust nozzle set and Joint set		Cuffs
	Description	Parts No.	
DHS630	Dust nozzle set	194314-8	Cuffs 22
DHS631	Dust nozzle set	196995-4	Cuffs 22
DHS660, DHS661	Dust nozzle set	199230-9	Cuffs 24
DHS680	Dust nozzle set	196961-1	Cuffs 24
DHS710	Dust nozzle set	196520-1	Cuffs 24
DHS711	Dust nozzle set	196843-7	Cuffs 24
DHS780, DHS781, DHS782, DHS783	Dust nozzle set	196520-1	Cuffs 24
DHS900, DHS901, DSP600, DSP601	---	---	Cuffs 24
DSS501	Dust nozzle set	194415-2	Cuffs 22
DSS611	Dust nozzle set	199460-2	Cuffs 22
RS001G	---	---	Cuffs 24
RS002G, 5017RKB	---	---	Cuffs 38
5007F, 5007FA, 5007NB	Dust nozzle set	199711-3	Cuffs 24
5007MGA, 5007MG	Dust nozzle set	199716-3	Cuffs 24
5007N, 5007NF	Dust nozzle set	199712-1	Cuffs 24
5008MG, 5008MGA	Dust nozzle set	194489-3	Cuffs 38
5103R	Joint(W/O screw)/ Joint set (W / screw x2)	415426-7/ 192419-8	Cuffs 38
5104, 5104S	Joint set	199427-0	Cuffs 38
5143R	Joint	192490-2	Cuffs 38
N5900B, 5902B	Joint set	193068-4/ 193823-4	Cuffs 38
5903R	Joint set	192419-8	Cuffs 38
HS003G/HS004G	Dust nozzle set	196520-1	Cuffs 24
HS301D	Dust nozzle set	195334-5	Cuffs 22
HS0600	Dust nozzle set	198263-1/ 198265-7	Cuffs 24
HS6100, HS6101	Dust nozzle set	195801-0	Cuffs 24
HS6600	Dust nozzle set	196843-7 / 196520-1	Cuffs 24
HS6601	Dust nozzle set	196520-1	Cuffs 24
HS7000	Dust nozzle set	197221-4 / 196520-1	Cuffs 24
HS7010	Dust nozzle set	196520-1	Cuffs 24
HS7100, HS7101	Dust nozzle set	195801-0	Cuffs 24
HS7600	Dust nozzle set	197221-4 / 196520-1	Cuffs 24
HS7010, HS7610, HS7611	Dust nozzle set	198933-2	Cuffs 24
HS7601, HS7610, HS7611	Dust nozzle set	196520-1	Cuffs 24
SP6000	---	---	Cuffs 24

Angle grinder to diamond wheel



Model	Dust collection wheel guard for diamond wheel		Cuffs
	Wheel guard type	Parts No.	
100mm Triple notches bearing box models	A	198414-6	Cuffs 22
	C	199294-3	Cuffs 38
100mm Single notch bearing box models	A	198413-8	Cuffs 22
	C	199295-1	Cuffs 38
9500NB N9500N	C + Rubber sleeve	192212-0 + 192202-3	Cuffs 22
125mm Triple notches bearing box models	A	198416-2	Cuffs 22
	C	196845-3	Cuffs 38
125mm Single notch bearing box models	A	198415-4	Cuffs 38
	B	192968-5 192972-4	Cuffs 38
	C	196846-1	Cuffs 38
125mm X-Lock models	C	191G05-4	Cuffs 38
125mm Toolless wheel cover (Slide lever style) models	C	191G06-2	Cuffs 38
180mm Triple notches bearing box without brake models	D	198514-2(M14 spindle) 198514-2* (5/8"spindle) 198514-2* (M16 spindle)	Cuffs 38
180mm Twin notches bearing box models & Single notch bearing box models	B	194303-3	Cuffs 38
230mm Triple notches bearing box without brake models	D	198379-2(M14 spindle) 198440-5(EU) 198509-5 (5/8"spindle) 198510-0 (M16 spindle)	Cuffs 38
230mm Twin notches bearing box models & Single notch bearing box models	B	194044-1	Cuffs 38
230mm Single notch bearing box models	D	198380-7 (M14 spindle) 198511-8 (5/8"spindle) 198380-7* (M16 spindle)	Cuffs 38
	B	194044-1	Cuffs 38

Angle grinder to cup diamond wheel



Model	Dust collection wheel guard for cup diamond wheel		Cuffs
	Wheel saiz	Parts No.	
125mm Toolless wheel cover (Slide lever style) models	125mm	191F81-2	Cuffs 38
125mm Triple notches bearing box models	125mm	195238-1 195239-9(EU) 196575-6	Cuffs 38
125mm Single notch bearing box models	125mm	195236-5 195237-3 195250-1	Cuffs 38
230mm Triple notches bearing box models	180mm	195384-0 195385-8 197584-8	Cuffs 38
230mm twin notches bearing box models	180mm	195386-6 195387-4 195388-2	Cuffs 38

For Model	Suction Systems and Part No.	
Belt Sander 9032 DB5180	Dust nozzle assembly 122652-8	A front cuffs 22
Belt Sander 9031		B front cuffs 22
Finishing Sander 9046, BO3700, BO3710, BO3711, BO4900/V, BO4901 BO4555, BO4556, BO4565, BO4566, BO4557, BO4558		C front cuffs 22
Random Orbit Sander BO5012, BO5030, BO5031, BO5040, BO5041, BO6030, BO6040, DBO180		D front cuffs 22
Multi Tool DTM50, DTM40 TM3000C TM3010C DTM51, DTM41	Dust attachment set 199621-4 199618-3 199624-8 199627-2	E front cuffs 22
Belt Sander 9404, 9902, 9903, 9910, 9911, 9920,		F Tool adapter 24* or Tool adapter 24 + Joint 25-50 192349-3
Random Orbit Sander BO6050	Front cuffs24 195546-0	G Tool adapter 24* or Tool adapter 38 + Joint 22-38 195548-6
Cordless Drywall Sander DSL800, DSL801	Front cuffs24 195546-0	

* not needed Front cuffs 24

For Model	Suction Systems and Part No.	
Jig Saw JV100D, JV143D JV183D 4326, 4327, 4328, 4329 JV0600		A front cuffs 22
Jig Saw DJV180 4350T/CT/FCT, 4351T/CT/FCT	Dust Nozzle 417853-4	B front cuffs 22
		C front cuffs 22
Cordless Jig Saw DJV181, DJV182 **JV102D, JV103D	Dust nozzle assembly 126331-0 457801-1	D front cuffs 22
	Front cuffs 24 195546-0	E front cuffs 22
Cordless Cutter DCS553	Dust cap complete	F Tool adapter 24* or Tool adapter 24 + Joint 25-50 192349-3
		G Tool adapter 24* or Tool adapter 38 + Joint 22-38 195548-6

* not needed Front cuffs 24




Items of standard equipment and specifications may vary by country or area.



Dust Extraction

System charts

For Model	Suction Systems and Part No.
Angle Cutter 4112H 4112HS 4114 4114S	Elbow joint 32 192613-2
Dustless Cutter 4100KB	
Cutter With Dust Collection 4157KB	
Wall Chaser SG1251, SG1250	
Concrete Planer PC5000C, PC5001C PC5010C	
Belt Sander 9924DB	Joint 32 192518-6
Belt Sander 9403, 9921	Joint 32 192349-3
Wheel Sander 9741	Joint 410899-9

- A****Front cuffs 38**
- B****Front cuffs 38**
- C****Front cuffs 38**
- D****Front cuffs 38**
- E****Front cuffs 38**
- F****Adapter 38**
- G****Tool adapter 38**

For Model	Suction Systems and Part No.
Cordless Slide Compound Miter Saw DLS713 DLS714	Front cuffs 38
Slide Compound Saw LS0714/F/FL/L LS0815F/FL LS1016L LS1017L LS1018/L LS1216/L	Front cuffs 38
Miter Saw LS1030N, LS1440	Front cuffs 38
Compound Miter Saw LS1040/F, LS1045, LS1221	Front cuffs 38
Cordless Compound Miter Saw DLS600	Front cuffs 38
Flip Over Saw LF1000	Adapter 38
Table Top Miter Saw LH1040/F LH1201FL	Tool adapter 38
Slide Compound Saw LS1019/L, LS1219/L	Front cuffs 24 195546-0
Cordless Slide Compound Miter Saw DLS110, DLS111, DLS112 DLS211, DLS212	



Items of standard equipment and specifications may vary by country or area.

For Model	Suction Systems and Part No.
Table Saw 2704N, 2705	Joint 419093-0
Table Saw 2703	Joint 55 192799-2
Table Saw MLT100N	Dust port JM27000090
Table Saw 2712	
Band Saw LB1200F	Joint 419093-0
Scroll saw SJ401	Rubber sleeve 36-38 A-30617
Planer 2012NB	Hood set 193036-7 Outer dia. 76 mm

A




Front cuffs 38

B



Front cuffs 38

C



Front cuffs 38

D



Front cuffs 38

E



Front cuffs 38

F



Adapter 38

G



Tool adapter 38

For inner dia. 76 mm
Hose Vacuum Cleaner



Items of standard equipment and specifications may vary by country or area.

For Model	Suction Systems and Part No.
Power Planer DKP181 KP0810/C	
Power Planer DKP180, KP0800	Nozzle 451329-1
1805N	JPA122277
Power Planer 1100	Chip cover 415452-6
Power Planer 1911B	Nozzle for vacuum cleaner 192082-7
Power Planer N1900B, N1923B, KP0800, 1804N 1805N, 1806B, KP312/S	

A




Front cuffs 38

B




Front cuffs 38

C*



Front cuffs 38

D




Front cuffs 38

E



Front cuffs 38

F



Adapter 38

G



Tool adapter 38

***C: DVC350**
Cannot be used with
Planer models

Nozzle assembly



Joint




Model No.	Part No.
N1900B	191569-6
N1923B	152464-5
KP0800, DKP180, DKP140	451329-1
1804N	JPA122278 (122278-6)
1805N	JPA122277 (122277-8)
1806B	414499-7
KP312/S	193733-5

Model No.	Part No.
N1900B, N1923B	192799-2 JPA122275
DKP180, DKP181, KP0810/ C, KP0800	*191C20-4
1804N, 1805N, 1806B, KP312/S	181575-9

System charts

For Model	Suction Systems and Part No.
Plate Joiner PJ7000 DPJ180	A  front cuffs 22
	B  front cuffs 22
Cut-out Tool 3706	C *  front cuffs 22
Dust collection cover 193449-2	
Cordless Cut-out Tool DCO180 DCO181	D  Joint 22-38 195548-6
Cordless Drywall saw DSD180, SD100D	E  front cuffs 22
Router RP0910, RP1110C	F  Tool adapter 24 + Joint 25-50 192349-3
	G  Tool adapter 38 + Joint 22-38 195548-6

*C: DVC350 Cannot be used with Router models

For Model	Suction Systems and Part No.
Router RP1801/ F RP1800/ F RP2301FC RP2300FC	A  front cuffs 38
3612BR	B  front cuffs 38
Router RD1101, RF1101, RP1101	C  front cuffs 38
	D  front cuffs 38
Router RP0900, ***RT0700C, DRT50	E  front cuffs 38
Cordless Router DRT50	F  Adapter 38
*** Use with Plunge base assembly	
Trimmer RT0700C	G  Tool adapter 38
Cordless Trimmer DRT50	G  Tool adapter 38

Makita recommend to use 38mm hose when you use Router

Dust Extraction



Items of standard equipment and specifications may vary by country or area.

Dust Extraction

wiper nozzle set (for blowing away)



Model No.	Part No.
DUB185, DUB186, UB100D, UB101D, UB1102, UB1103	191M32-7

Brush nozzle set



Model No.	Part No.
DUB185, DUB186, UB100D, UB101D, UB1102, UB1103	191M30-1

For DCL501



	Type	Part No.
Hose	-	SH00000034
Straight pipe	Adjustable length	SH00000060
Nozzle assembly	Flooring & carpet	SH00000058
Crevice nozzle	-	SH00000042

Dust box assembly



Model No.	Part No.
LS0714, LS0714F, LS0714FL, LS0814FL, LS1216, LS1216FL, LS1216L	194175-6

Dust Bag



For AC models

	Model	Part No.
Blower	UB1100, UB1101	122321-1
	UB1102, UB1103	123241-2
Cutter	4100KB	126738-0
Belt sander	9924DB	122296-4
	9404, 9902, 9903, 9920	122591-2
	9921, 9403	122562-9
	9910, 9911	122548-3
Plunge cut saw	SP6000	122562-9
Slide compound saw, Miter saw, Table top miter saw	LF1000, LH1040/F, LS0714/F/FL/L, LS1019/L, LS1030N, LS1040/F, LS1045, LS1216/F/FL/L, LS1219/L, LS1221	122852-0
	LH1201FL, LS1017L, LS1018L	JM23100501
	LS0815F/FL	JM23510010
	LS1510	122321-1
Power Planer	1100/N	STEX122312
	1911B	122402-1
	1923H	192268-3
	N1900B, N1923B	122230-4
Concrete planer	KP0810/C, KP0800	122793-0
	PC5000C, PC5001C	122853-8
Plate jointer	PJ7000	123150-5
Orbital Sander	9046	152456-4
Finishing Sander/ Random Orbit Sander	BO4900, BO4900V, BO6030	151517-7
	BO3710, BO3711	140115-2
	BO4555, BO4556, BO4557, BO4558, BO4565, BO4566, BO5030, BO5031, BO5040, BO5041	135222-4

for DC models

Vacuum cleaner	DVC350	122918-6
Blower	DUB182	122814-8
	UB100D, UB101D, DUB185, DUB186	123241-2
Slide compound saw, miter saw	DLS600	122884-7
	DLS110, DLS111, DLS112, DLS211, DLS212, DLS713, DLS714	122852-0
	LS002G	127512-9
Plunge cut saw	DSP600, DSP601	126599-8
Planer	DKP180	122793-0
Planer	DKP181	191C21-2
Plate jointer	DPJ180	123150-5
Finishing Sander	DBO140, DBO180	135222-4

Pneumatic Tools

GN series Accessory



Description	for Europe	for Australia	for North America
	Part No.	Part No.	Part No.

For Model

GN900

Fuel Cell Twin Pack	194844-9	194845-7	195088-4
Cleaner	242075-5	242076-3	242081-0
Lubricating Oil	242077-1	242078-9	242082-8

For Model

GN900, GN420C, GF600

Cleaning Kit	194852-0	194853-8	195140-8
--------------	----------	----------	----------

For Model

GN900, GN420C

Service Kit	196234-2	-	-
-------------	----------	---	---

Air Leak Repair set

Includes O-rings, etc.

Model No.	Part No.
AN450H, AN610H, AN620H, AN630H	194735-4
AF530H, AN510H, AT450H, AT450HA	194736-2
AN250HC, AN711H, AN911H	194737-0
AN923, AN943	194522-1
AR410HR	194738-8

O-rings set

Model No.		Part No.
AN635H	for duster	196269-3 197789-0
	for exhaust hole	197984-2 198036-2
	for trigger	199389-2 199429-6

Inlet filter



Model No.	Part No.
AN451	413054-2
AN621, AN611, AN901	415784-1
AN922, AN942	416890-5
AG900, AG125	416902-4
AN923, AN943	419356-4

Oil supply 30mL



Part No.
181434-7

Safety goggles



Part No.
195246-2
192219-6

Others

Heat gun accessories

For Model: HG6031V, HG6030, HG5030, HG6530V, HG6531C



Shape		Part No.
Glass protection nozzle		PR00000028
Wide-slot nozzle		PR00000029
Reflector nozzle		PR00000030
Reduction nozzle 20		PR00000031
Overlap welding nozzle		PR00000032
Solder sleeves reflector		PR00000033
Welding nozzle		PR00000034
Pressure roller		PR00000035
Welding rods	ABS	PR00000036
	HDPE	PR00000037
	PP	PR00000038
Speed welding nozzle		PR00000039
Scraper		PR00000040
Scraper set		PR00000041
Scraper		PR00000042

Flexible set for DC concrete vibrator



Model No.	L (mm)	Part No.
DVR340, DVR350	800	126207-1
DVR440, DVR450	1200	126206-3
DVR850	2400	126208-9

Rechargeable Green Multi Line Laser accessories

For Model

SK312GD / SK209GD

*Thread size: W5/8

Shape		Part No.
Mini tripod *Thread size: W5/8		TK0LM2000F
Tripod 1800 *Thread size: W5/8		TK0LM4001F
Tripod 2900 *Thread size: W5/8		TK0LM5030F
Power supply cable		199006-4
Hand strap set		199007-2
Mount		TK000ET03F
Laser Receiver LDG-3		TK0LDG301F