







STARLOCK

Compatibility with models	STARLOCK		
			
OIS Compatible Tools			
STARLOCK MAX			

Especially suitable for Wood and Metal



Segment saw blade 85

TMA045



Feature : Suitable for Flush cutting
Another material : Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
85	BiM, Wood&Metal	1	B-64799

Segment saw blade 100

TMA046



Feature : Suitable for Deep cutting
Another material : Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
100	BiM, Wood&Metal	1	B-64808

Bow Shape plunge cut saw blade 32

TMA047



Feature : Suitable for Precisely plunge cut
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 50	BiM, Wood&Metal	1	B-64814
32 x 50	BiM, Wood&Metal	5	B-64814-5
32 x 50	BiM, Wood&Metal	20	B-64814-20

Bow Shape plunge cut saw blade 65

TMA048



Feature : Suitable for Precisely plunge cut
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
65 x 40	BiM, Wood&Metal	1	B-64820
65 x 40	BiM, Wood&Metal	5	B-64820-5

Plunge cut saw blade 10

TMA057



Feature : Suitable for Flush cutting in nails or Plasterboard
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
10 x 30	BiM, Wood&Metal	1	B-64917

Plunge cut saw blade 20

TMA058



Feature : Suitable for Flush cutting in nails or copper pipe
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
20 x 30	BiM, Wood&Metal	1	B-64923
20 x 30	BiM, Wood&Metal	5	B-64923-5

Especially suitable for Wood



Segment saw blade 85

TMA049



Feature : Suitable for Flush cutting
Another material : Epoxy

Diameter (mm)	Type	Per pkg.	Part No.
85	HCS, Wood	1	B-64836

Plunge cut saw blade 24

TMA050



Feature : Suitable for Plunge cut
Another material : Epoxy

Size (mm)	Type	Per pkg.	Part No.
24 x 50	HCS, Wood	1	B-64842

Bow Shape plunge cut saw blade 32

TMA051



Feature : Suitable for Precisely plunge cut
Another material : None

Size (mm)	Type	Per pkg.	Part No.
32 x 50	HCS, Wood	1	B-64858
32 x 50	HCS, Wood	5	B-64858-5
32 x 50	HCS, Wood	20	B-64858-20

Bow Shape plunge cut saw blade 65

TMA052



Feature : Suitable for Precisely plunge cut
Another material : Epoxy

Size (mm)	Type	Per pkg.	Part No.
65 x 40	HCS, Wood	1	B-64864
65 x 40	HCS, Wood	5	B-64864-5

Bow Shape plunge cut saw blade 32

TMA053



Feature : Suitable for Precisely plunge cut
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 50	BiM, Wood	1	B-64870
32 x 50	BiM, Wood	20	B-64870-20

Bow Shape plunge cut saw blade 32

TMA054



Feature : Suitable for Precisely plunge cut
Another material : None

Size (mm)	Type	Per pkg.	Part No.
32 x 50	HCS, Wood	1	B-64886
32 x 50	HCS, Wood	5	B-64886-5

Bow Shape plunge cut saw blade 65

TMA055



Feature : Suitable for Precisely plunge cut
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
65 x 40	BiM, Wood	1	B-64892
65 x 40	BiM, Wood	5	B-64892-5

Bow Shape plunge cut saw blade 65


TMA056



Feature : Suitable for Precisely plunge cut
Another material : None

Size (mm)	Type	Per pkg.	Part No.
65 x 40	HCS, Wood	1	B-64901
65 x 40	HCS, Wood	5	B-64901-5

Especially suitable for Metal



Plunge cut saw blade 32

TMA059



Feature : Suitable for Flush cutting in nails or copper pipe
Another material : Wooden material, Plasterboard, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 50	BiM, Metal	1	B-64939
32 x 50	BiM, Metal	5	B-64939-5

TC Bar plunge cut saw blade 20

TMA060



Feature : Suitable for Flush cutting in hardend screws and nails
Another material : Wooden material, Plasterboard, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
20 x 40	TC/HM, Metal	1	B-64945
20 x 40	TC/HM, Metal	5	B-64945-5

TC Bar plunge cut saw blade 32

TMA061



Feature : Suitable for Flush cutting in hardend screws and nails
Another material : Wooden material, Plasterboard, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 40	TC/HM, Metal	1	B-64951
32 x 40	TC/HM, Metal	5	B-64951-5

TC Bar plunge cut saw blade 45

TMA079



Feature : Suitable for Flush cutting in hardend screws and nails
Another material : Wooden material, Plasterboard, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
45 x 40	TC/HM, Metal	1	B-69755

Especially suitable for Multi material



Serrated Seg Blade 100

TMA063




Feature : Suitable for Insulation material
Another material : None

Diameter (mm)	Type	Per pkg.	Part No.
100	BiM, Multi Material	1	B-64967

Segment saw blade 85

TMA064



Feature: Suitable for Plunge cut in plasterboard
 Another material : Wooden material, Nonferrous metal, Sheet metal, softnails

Diameter (mm)	Type	Per pkg.	Part No.
85	BiM-TiN, Multi Material	1	B-64973

Scraper 52 Rigid

TMA065



Feature : Suitable for Removing mortar or tile adhesive
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
52 x 26	HCS, Multi Material	1	B-64989

Scraper 52 Flexible

TMA066



Feature: Suitable for Removing soft carpet adhesive residues or silicone joints
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
52 x 40	HCS, Multi Material	1	B-64995

General Joint Cutter

TMA067



Feature : Suitable for Soft joint material cut
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
28 x 40	HCS, Multi Material	1	B-65006
28 x 40	HCS, Multi Material	5	B-65006-5

Universal purpose knife

TMA068



Feature: Suitable for insulation materials cut
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
11 x 24	HCS, Multi Material	1	B-65012

TC Bar Bow Shape plunge cut saw blade 32

TMA080



Feature : Suitable for Precisely plunge cut
 Another material : Wooden material, Nonferrous metal, Sheet metal, Stainless, Softnail

Size (mm)	Type	Per pkg.	Part No.
32 x 40	TC/HM, Multi Material	1	B-69761

Bow Shape plunge cut saw blade 53

TMA081



Feature : Suitable for Precisely and fast plunge cut in plasterboard
 Another material : Wood, Chipboard
 1 Blade does the job of 2 (plunge & cut on)

Size (mm)	Type	Per pkg.	Part No.
53 x 40	BiM, Multi Material	1	B-69777

Universal purpose knife

TMA082



Feature : Suitable for Cutting in taeksealant, caulking material
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
12 x 29	Stainless, Multi Material	1	B-69783

Especially suitable for Grout Abrasive**TC Seg Saw Blade 85**

TMA069



Feature : Suitable for Routing joints on wall and floor tiles
 Another material : Epoxy, Fiberglass, Plasterboard

Diameter (mm)	Type	Per pkg.	Part No.
85	TC/HM grit #30	1	B-65028

Diamond Seg Saw blade 85

TMA070



Feature : Suitable for Cut out of wall tiles
 Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
85	Diamond grit #40	1	B-65034

TC Seg Saw Blade 70

TMA071




Feature: Suitable for Routing thin joints on wall tiles
 Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
70	TC/HM grit #50	1	B-65040

TC Seg Saw Blade 85

TMA072



Feature : Suitable for Routing joints on wall tiles
 Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
85	TC/HM grit #40	1	B-65056

TC Sanding Plate 78

TMA073



Feature : Suitable for Routing mortar or tile adhesive
Another material : Wood, Epoxy

Size (mm)	Type	Per pkg.	Part No.
78	TC/HM grit #20	1	B-65062

TC Remover

TMA074



Feature : Suitable for Routing joints on wall and floor tiles
Another material : Plasterboard, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
70	TC/HM grit #40	1	B-65078

TC Plunge Blade 32

TMA075



Feature : Suitable for Removing grouts in narrow corner or tide spaces
Another material : Wood, Plasterboard, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 30	TC/HM grit #50	1	B-65084

TC Sanding Pointer 32

TMA076



Feature : Suitable for Sanding paint in tight gap
Another material : Wood

Size (mm)	Type	Per pkg.	Part No.
32 x 50	TC/HM grit #40	1	B-65090

TC Sanding Pointer 32

TMA077



Feature : Suitable for Sanding paint in tight gap
Another material : Wood

Diameter (mm)	Type	Per pkg.	Part No.
32 x 50	TC/HM grit #100	1	B-65109

Sanding pad

TMA078



Size (mm)	Type	Per pkg.	Part No.
93	hook & loop	1	B-65115

TC Sanding Plate 90

TMA083



Feature : Suitable for Routing mortar, tile adhesive, paint on fiberglass
Another material : Wooden material, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
90	TC/HM grit #20	1	B-69799

TC Sanding Plate 90

TMA084



Feature : Suitable for Sanding in wood with paint, paint of fiberglass
Another material : Wooden material, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
90	TC/HM grit #40	1	B-69808

TC Sanding Plate 90

TMA085



Feature : Suitable for Sanding Wood
Another material : Wood

Size (mm)	Type	Per pkg.	Part No.
90	TC/HM grit #60	1	B-69814

TC Sanding Plate 90

TMA086



Feature : Suitable for Sanding Wood
Another material : Wood

Size (mm)	Type	Per pkg.	Part No.
90	TC/HM grit #100	1	B-69820

Multi tool Starlock blade sets (with Tool box)

The components of each set are packed in tool box complete.
Tool box can insert to the plastic case of TM3010C, DTM51 and DTM41.



Set contents	Part No.
TMA045, TMA047, TMA053, TMA058, TMA078	199542-0

Multi tool Starlock blade sets

Tile Set

TMA058 Plunge cut saw blade 20
TMA065 Scraper 52 rigid
TMA069 HM Seg saw blade 85
TMA073 HM Sanding plate 78



Part No.
B-67496

Floor Set

TMA045 Segment saw blade 85
TMA048 Plunge cut saw blade 65
TMA051 Plunge cut saw blade 32
TMA066 Scraper 52 Flexible



Part No.
B-67505

Plunge Cut Set

TMA045 Segment saw blade 85
TMA047 Plunge cut saw blade 32
TMA053 Bow plunge cut saw blade 32
TMA058 Plunge cut saw blade 20



Part No.
B-67480

Carpentry Set

TMA045 Segment saw blade 85
TMA047 Plunge cut saw blade 32
TMA053 Bow plunge cut saw blade 32
Sanding Pad x 2pcs



Part No.
B-67511

Abrasive delta paper

Use with Sanding pad (B-65115)
(hook & loop type)

Wood / long-life



Suitable for sanding wood, hard wood, chipboard, construction boards and metal

Paper Size (mm)	Grit	per pkg.	Part No.
94	60	10	B-21565
94	80	10	B-21571
94	100	10	B-21587
94	120	10	B-21593
94	180	10	B-21602
94	240	10	B-22931
94	60,80,100, 120,180	10 (2pcs/each)	B-21559

Wood



Suitable for sanding wood and wooden materials

Paper Size (mm)	Grit	per pkg.	Part No.
94	60	10	B-21624
94	80	10	B-21630
94	100	10	B-22947
94	120	10	B-21646
94	150	10	B-22953
94	180	10	B-21652
94	240	10	B-21668
94	60,80,120, 180,240	10 (2pcs/each)	B-21618

Wood/ economy type



Suitable for sanding wood, wooden materials and metal

Paper Size (mm)	Grit	per pkg.	Part No.
94	40	10	D-58578
94	60	10	D-58584
94	80	10	D-58590
94	100	10	D-58609
94	120	10	D-58615
94	150	10	D-58621
94	180	10	D-58637
94	240	10	D-58643
94	320	10	D-58659

Paint



Suitable for sanding paint, varnish or roughcast

Paper Size (mm)	Grit	per pkg.	Part No.
94	60	10	B-21680
94	80	10	B-21696
94	100	10	B-21705
94	120	10	B-22969
94	240	10	B-21711
94	320	10	B-21727
94	60,80,100, 240,320	10 (2pcs/each)	B-21674

Stone



Suitable for coarse to gloss sanding of extremely hard materials such as stone or glass

Paper Size (mm)	Grit	per pkg.	Part No.
94	120	10	B-21749
94	240	10	B-21755
94	400	10	B-21761
94	600	10	B-21777
94	1200	10	B-21783
94	120,240,400, 600,1200	10 (2pcs/each)	B-21733

Polishing fleece



Suitable for removing the rust of metal and the dirt of wood

Paper Size (mm)	Grit	per pkg.	Part No.
94	Coarse / 100	1	B-21808
94	Medium / 280	1	B-21799
94	without grit	1	B-21814

Polishing felt



Paper Size (mm)	Grit	per pkg.	Part No.
94	Hard	1	B-21820

Multi tool papers applications

Rating Suitability for application:
 AA = Especially Suitable
 A = Suitable
 n.r = No Rating



Product Application and Rating On Each Material		Grit	Paint	Varnish	Filler	Roughcast	Wood /Wooden materials	soft wood	hard wood	Plywood	Chipboard/MDF	Metal	Steel (mild steel / carbon steel)	Stone	Marble	Granite	Glass	Perspex	Corian®	Glass fiber reinforced		
Wood / long-life	Coarse	60	n.r	n.r	n.r	n.r	AA	AA	AA	AA	AA	AA	A	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	
		80																				
	Medium	100																				
		120																				
	Fine	180																				
	240																					
Wood	Coarse	60	n.r	n.r	n.r	n.r	AA	A	AA	AA	AA	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r
		80																				
	Medium	100																				
		120																				
	Fine	180																				
	240																					
Paint	Coarse	60	AA	AA	AA	AA	n.r	n.r	A	n.r	n.r	A	A	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r
		80																				
	Medium	100																				
		120																				
	Fine	240																				
	320																					
Stone	Medium	120	A	AA	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	A	A	A	A	A	A	A	A	A
		240																				
	Fine	400																				
		600																				
	Very fine	1200																				

Economy type


Wood	Coarse	40	A	A	n.r	n.r	AA	AA	AA	AA	A	A	A	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	n.r	
																							60
																							80
	Medium																						100
																							120
																							150
																							180
	Fine																						240
																							320



STARLOCK PLUS

Compatibility with models		Blade Shank		
		STARLOCK	STARLOCK PLUS	STARLOCK MAX
Tool Shank	OIS Compatible Tools	✓	-	-
	STARLOCK MAX	✓	✓	✓

Especially suitable for Wood and Metal



Bow Shape plunge cut saw blade 32

MAP001



Feature : Suitable for Precisely plunge cut , Deep cutting
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 60	BiM, Wood&Metal	1	B-66329

Bow Shape plunge cut saw blade 65

MAP002



Feature : Suitable for Precisely plunge cut , Deep and wide cutting
Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
65 x 50	BiM, Wood&Metal	1	B-66335

Especially suitable for Wood



Bow Shape plunge cut saw blade 32


MAP003



Feature : Suitable for Precisely plunge cut , Deep cutting
Another material : Epoxy

Size (mm)	Type	Per pkg.	Part No.
32 x 60	HCS, Wood	1	B-66341

Especially suitable for Metal



TC Bar plunge cut saw blade 32

MAP004



Feature : Suitable for Plunge cut , Deep cutting
Another material : Wooden material, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 50	TC/HM, Metal	1	B-66357

TC Bar plunge cut saw blade 45

MAP005



Feature : Suitable for Plunge cut , Deep cutting
Another material : Wooden material, Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
45 x 50	TC/HM, Metal	1	B-66363

Especially suitable for Multi Material



TC Bar Bow Shape plunge cut saw blade 32

MAP006



Feature : Suitable for Precisely plunge cut , Deep cutting
Another material : Wooden material, Plasterboard, Nonferrous metal, Sheet metal, Stainless, Soft nail

Size (mm)	Type	Per pkg.	Part No.
32 x 50	TC/HM, Multi Material	1	B-66379

TC Bar Bow Shape plunge cut saw blade 52

MAP007



Feature : Suitable for Precisely plunge cut , Deep and wide cutting
Another material : Wooden material, Plasterboard, Nonferrous metal, Sheet metal, Stainless, Soft nail

Size (mm)	Type	Per pkg.	Part No.
52 x 50	TC/HM, Multi Material	1	B-66385

Especially suitable for Grout Abrasive



Bow Shape plunge cut saw blade 53

MAM008



Feature : Suitable for precisely and fast plunge cut
 Another material : Wood, Chipboard, Plasterboard, Nonferrous metal, Soft nail, Epoxy
 1 Blade does the job of 2 (plunge & cut on)

Size (mm)	Type	Per pkg.	Part No.
53 x 40	TC/HM grit #40	1	B-66391

Especially suitable for Wood



Bow Shape plunge cut saw blade 32

MAM004



Feature : Suitable for Precisely plunge cut , Deep and fast cutting
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
32 x 80	HCS, Wood	1	B-66438

Especially suitable for Metal



TC Bar plunge cut saw blade 32

MAM005



Feature : Suitable for Plunge cut , Deep and fast cutting
 Another material : Epoxy, Fiberglass, Porous Concrete, Wooden material

Size (mm)	Type	Per pkg.	Part No.
32 x 70	TC/HM, Metal	1	B-66444

STARLOCK MAX

Compatibility with models

Compatibility with models	STARLOCK MAX		
	STARLOCK	STARLOCK PLUS	STARLOCK MAX
OIS Compatible Tools	✓	✓	✓
STARLOCK MAX	✓	✓	✓

Especially suitable for Wood and Metal



Bow Shape plunge cut saw blade 32


MAM001



Feature : Suitable for Precisely plunge cut , Deep and fast cutting
 Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
32 x 80	BiM, Wood&Metal	1	B-66400

Especially suitable for Multi Material



TC Bar Bow Shape plunge cut saw blade 32

MAM006



Feature : Suitable for Precisely plunge cut , Deep and fast cutting
 Another material : Wooden material , Epoxy, Fiberglass, Porous Concrete

Size (mm)	Type	Per pkg.	Part No.
32 x 70	TC/HM, Multi Material	1	B-66450

Bow Shape plunge cut saw blade 52

MAM002



Feature : Suitable for Precisely plunge cut , Deep and wide cutting
 Another material : Epoxy, Fiberglass

Size (mm)	Type	Per pkg.	Part No.
52 x 70	BiM, Wood&Metal	1	B-66416

General Joint Cutter

MAM007



Feature : Suitable for Soft joint material cut , Deep and fast cutting
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
32 x 70	HCS, Multi Material	1	B-66466

Segment saw blade 100

MAM003




Feature : Suitable for straight long cuts, Deep and wide cutting
 Another material : Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
100	BiM, Wood&Metal	1	B-66422

General Joint Cutter

MAM008



Feature : Suitable for Soft joint material cut , Deep and wide cutting
 Another material : None

Size (mm)	Type	Per pkg.	Part No.
32 x 55	HCS, Multi Material	1	B-66472

Especially suitable for Grout Abrasive



TC Seg Saw Blade 68

MAM009




Feature : Suitable for Routing thin joints on wall tile
Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
68	TC/HM grit #50	1	B-66494

TC Seg Saw Blade 68

MAM010



Feature : Suitable for Routing joints on wall tile
Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
68	TC/HM grit #30	1	B-66503

Diamond Seg Saw blade 68

MAM011




Feature : Suitable for Cutout of soft wall tile
Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
68	Diamond grit #40	1	B-66519

Diamond Seg Saw blade 68

MAM012




Feature : Suitable for Cutout of soft wall tile
Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
68	Diamond grit #40	1	B-66525

TC Seg Saw Blade 68

MAM013




Feature : Suitable for Routing joints on wall tile
Another material : Plasterboard, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
68	TC/HM grit #40	1	B-66531

TC Seg Saw Blade 100

MAM014



Feature: Suitable for Routing joints on wall tile
Another material : Wooden material, Epoxy, Fiberglass

Diameter (mm)	Type	Per pkg.	Part No.
100	TC/HM grit #40	1	B-66547

TC Sanding Plate 116

MAM015



Feature : Suitable for Routing joints on wall tile
Another material : Wooden material ,Fiberglass

Size (mm)	Type	Per pkg.	Part No.
116	TC/HM grit #20	1	B-66553

TC Sanding Plate 116

MAM016



Feature : Suitable for Routing joints on wall tile
Another material : Wooden material ,Fiberglass

Size (mm)	Type	Per pkg.	Part No.
116	TC/HM grit #40	1	B-66569

TC Sanding Plate 116

MAM017



Feature : Suitable for Sanding Wood
Another material : Wooden material

Size (mm)	Type	Per pkg.	Part No.
116	TC/HM grit #60	1	B-66575

TC Sanding Plate 116

MAM018



Feature : Suitable for Sanding Wood
Another material : Wooden material

Size (mm)	Type	Per pkg.	Part No.
116	TC/HM grit #100	1	B-66581