

Drilling / Fastening



Fastening P.57




Drilling (Wood/Metal) P.10




Coated Abrasive P.117



Brushing P.101



Drilling (Masonry) P.35




Diamond P.145




Fastening P.57




Drilling (Wood/Metal) P.10



Drilling (Masonry) P.35



Fastening P.57



Fastening P.57




Miscellaneous P.196




Impact Drilling / Demolition




Drilling (Wood/Metal) P.10



Diamond P.145



Drilling (Masonry) P.35



Cutting (New Material, Masonry, Metal)



Diamond P.145



Bonded Abrasive P.105



Cutting P.73




Jigsaw / Reciprosawing P.88




EFFICUT


Feature




Sharp top angle




Enable you to make a fine cut surface with only little effort.




Curved body



Allows the excellent chip chute performance.



Slimmed bottom



Realizes long life battery by saving cutting resistance.



More cuts per charge



Fast cutting



Longer life

The amount of cutting per 1 charge



The test results depend to a great extent on the hardness of wood materials, etc.



This movie was filmed in Japan. Models and specs may vary by country.

★★★★★

for Wood
Ideal for Cordless Circular Saw



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
165	★★★★★	Wood	25	1.4	1.0	23	ATAFR	20	-	-	1	B-63018
		Wood/MDF	56	1.45	1.0	23	ATAFR	20	-	-	1	B-57364
185	★★★★★	Wood	24	1.45	1.0	23	ATAFR	20	-	-	1	B-62022
		Wood	45	1.45	1.0	23	ATAFR	20	-	-	1	B-68616
190	★★★★★	Wood	24	1.45	1.0	23	ATAFR	20	-	-	1	B-64200
		Wood	45	1.45	1.0	23	ATAFR	20	-	-	1	B-68644
235	★★★★★	Wood	24	2.2	1.5	20	ATBR	25	-	-	1	E-01959
260	★★★★★	Wood	24	2.15	1.5	23	ATAFR	25	-	-	1	E-07733

Ideal for Cordless Plunge Saw



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
165	★★★★★	Wood/MDF	56	1.45	1	23	ATAFR	20	-	for Plunge Cut Circular Saw	1	B-57364

Ideal for Cordless Metal Cutter



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
150	*****	Wood	25	1.4	1.0	23	ATAFR	20	-	for Metal Cutter	1	E-06937

Ideal for Cordless Slide Compound Saw



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
165	*****	Wood	60	1.85	1.4	10	ATBR	20	-	-	1	B-69892
216	*****	Wood	45	2	1.5	10	ATBR	25.4	-	-	1	E-07010
		Wood	60	2	1.5	10	ATBR	25.4	-	-	1	E-08969
		Wood	80	2	1.5	10	ATBR	25.4	-	-	1	E-08975
260	*****	Wood	45	2.15	1.7	10	ATBR	25.4	-	-	1	B-64668
		Wood	60	2.15	1.7	10	ATBR	25.4	-	-	1	B-67430
		Wood	80	2.15	1.7	10	ATBR	25.4	-	-	1	B-67446
305	*****	Wood	60	2.15	1.7	10	ATBR	25.4	-	-	1	B-67452
		Wood	80	2.15	1.7	10	ATBR	25.4	-	-	1	B-67468
		Wood	100	2.15	1.7	10	ATBR	25.4	-	-	1	B-67474

Cutting



Feature

Curved body



Allows the excellent chip chute performance.

Slimmed bottom



Realizes long life battery by saving cutting resistance.

The amount of cutting per 1 charge



Model: DHS780 (BL1860B)
Material : Composite decking
(WxH = 137mm x 23mm)

Following the tooth design of Efficut for wood with

- Tip hardness was improved
- Having obtuse tip angle then realized longer life and more cuts per charge.



Life




Model: DHS780 (BL1860B)
Material : Composite decking
(WxH = 139mm x 22mm)



for Composite deck

Ideal for Cordless Circular Saw



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
185	*****	Composite deck	40	1.5	1.0	15	ATAFR	20	15.88	-	1	E-07250*

*MAU design package

Ideal for Cordless Slide Compound Saw



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
260	★★★★★	Composite deck	75	2.15	1.7	8	ATAFR	30	25.4	-	1	E-07266*

*MAU design package



Feature

Strong and least chipping
Special blade tip design greatly improves efficiency and durability.


Release swarf smoothly

Superior in straight cutting
The load on blade tips can be distributed efficiently to suppress wobbling of saw blade, providing steady straight cutting and increased durability against tip breakage.

More cuts per charge

Fast cutting

Longer life



This movie was filmed in Japan. Models and specs may vary by country.

★★★★★

for Metal


Ideal for Cordless Metal Cutter





Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
136	★★★★★	Metal	30	1.1	1.0	0	SMTCG	20	-	-	1	B-69428
		Metal & SUS	45	1.1	1.0	0	SMTCG	20	-	-	1	B-69434
150	★★★★★	Metal	33	1.1	1.0	0	SMTCG	20	-	-	1	B-69440
		Metal & SUS	48	1.1	1.0	0	SMTCG	20	-	-	1	B-69456


NEW **EFFICUT**
Aluminum

Feature

Strong and least chipping

 Special blade tip design greatly improves efficiency and durability.

Superior in straight cutting

 The load on blade tips can be distributed efficiently to suppress wobbling of saw blade, providing steady straight cutting and increased durability against tip breakage.

Reduce cutting resistance

 Realizes high durability and reduce cut resistance.

Allows the excellent chip ejection.

 Realizes long life battery by saving cutting resistance.

More cuts per charge



Fast cutting




Longer life



Clean cutting



The amount of cutting per 1 charge



Model: DL5110(BL1860B x2)
 Material : Aluminum frame (WxD=45x45mm, t=2mm)



This movie was filmed in Japan.
 Models and specs may vary by country.


★★★★★

for Aluminum
Ideal for Cordless Slide Compound Saw



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
260	★★★★★	Aluminum	81	1.85	1.5	-3	SMTCG	25.4	-	-	1	E-06345

for Wood



(Circular Saw) & (Plunge Cut Circular Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
85	★★★★	Wood	20	1.00	0.70	10	ATB	15	-	for Coradless Saw	1	B-14607
110	★★★★	Wood	12	1.85	1.25	20	ATB	20	-	-	1	A-81723
		Wood	24	1.60	1.00	10	ATAF	20	-	Economy	1	B-16944
		Wood	24	1.80	1.20	10	ATAF	20	-	-	1	A-88864
		Wood	30	1.60	1.00	10	ATAF	20	-	-	1	B-16950
		Wood	30	1.80	1.20	10	ATB	20	-	-	1	A-81365
	★★	Wood	12	1.70	1.10	15	ATB	20	-	-	1	D-15562
		Wood	24	1.70	1.10	10	ATB	20	-	-	1	D-15578
136	★★★★	Wood	30	1.60	1.00	10	SMTCCG	20	-	-	1	B-39475
		Wood	16	1.50	1.00	20	ATAF	20	-	for Coradless Saw	1	B-09949
		Wood	16	1.50	1.00	20	ATAF	20	-	-	1	B-53659
160	★★★★	Wood	36	1.50	1.00	18	ATAF	20	-	-	1	B-46800
		Wood	24	1.80	1.20	25	ATAF	20	-	Economy	1	B-16966
		Wood	24	2.20	1.40	25	ATAF	20	-	-	1	A-81371
		Wood	30	1.80	1.20	20	ATB	20	-	-	1	B-16972
		Wood	30	2.20	1.40	20	ATAF	20	-	-	1	A-81876
		Wood	32	2.20	1.40	20	ATAF	20	-	-	1	A-81387
		Wood	36	1.80	1.20	20	ATAF	20	-	Economy	1	B-16988
		Wood	36	2.20	1.40	20	ATAF	20	-	-	1	A-81882
		Wood	40	1.60	1.00	18	ATB	20	-	-	1	A-80612
		Wood	40	1.80	1.20	20	ATAF	20	-	Economy	1	B-16994
		Wood	40	2.20	1.40	20	ATAF	20	-	-	1	A-81898
		Wood	48	1.80	1.20	20	ATAF	20	-	Economy	1	B-17005
		Wood	48	2.20	1.40	20	ATAF	20	-	-	1	A-81907
		Wood	60	1.80	1.20	15	ATAF	20	-	Economy	1	B-17011
	★★	Wood	60	2.00	1.40	15	ATAF	20	-	-	1	A-82688
		Wood	60	2.20	1.40	15	ATB	20	-	-	1	A-81393
		Wood	16	2.00	1.30	20	ATB	20	16	-	1	D-16433
165	★★★★★	Wood	24	2.00	1.30	20	ATB	20	16	-	1	D-34257
		Wood	40	2.00	1.30	18	ATB	20	16	-	1	D-34263
		Wood	25	1.40	1.00	23	ATAFR	20	-	EFFICUT	1	B-63018
	★★★★	Wood	10	2.00	1.40	20	FTG	20	-	-	1	B-02917
		Wood	16	2.00	1.20	15	M-FORCE	20	-	-	1	A-89698
		Wood	24	1.50	1.00	20	ATAF	20	-	for Coradless Saw	1	A-85101
		Wood	28	2.00	1.40	23	ATB	20	-	Fast cut for Plunge Cut Circular Saw	1	B-56649
		Wood	28	2.20	1.60	15	ATB	20	-	for Plunge Cut Circular Saw	1	B-07434
		Wood	40	1.60	1.00	18	ATAF	20	-	Economy	1	B-17027
		Wood	40	1.60	1.00	18	ATAF	20	-	-	1	A-82454
		Wood	40	1.60	1.00	18	ATAF	20	-	for Coradless Saw	1	A-85226
		Wood	44	1.45	1.00	23	ATAFR	20	-	-	1	B-53285
		Wood	48	1.85	1.25	8	ATB	20	-	Fast cut for Plunge Cut Circular Saw	1	B-56166
		Wood	48	2.20	1.60	8	ATB	20	-	for Plunge Cut Circular Saw	1	B-07353
		Wood	52	1.60	1.00	20	ATAF	20	-	for Coradless Saw	1	A-85189
Wood	60	1.60	1.00	18	ATAF	20	-	-	1	A-82460		
Wood	64	1.90	1.40	10	ATAF	20	-	-	1	B-56487		
Wood/NAIL	16	2.00	1.25	23	ATB	20	-	-	1	A-86022		
Wood/NAIL	24	2.00	1.25	23	ATB	20	-	-	1	A-86038		
Wood/NAIL	40	2.00	1.25	18	ATB	20	-	-	1	A-86044		

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.	
165	★★	Wood	10	2.00	1.30	20	ATB	20	-	-	1	D-03327	
		Wood	16	1.50	1.00	20	ATB	20	-	-	1	D-51079	
		Wood	16	2.00	1.30	20	ATB	20	-	-	1	D-09628	
		Wood	24	2.00	1.30	20	ATB	20	-	-	1	D-03333	
		Wood	40	2.00	1.30	18	ATB	20	-	-	1	D-03349	
		Wood	16/24/40	2.00	1.30	20/20/18	ATB	20	-	-	3	D-44753	
	★	Wood	16	2.00	1.20	12	ATB	20	-	-	1	D-50485	
		Wood	24	2.00	1.20	12	ATB	20	-	-	1	D-50491	
		Wood	40	2.00	1.20	12	ATB	20	-	-	1	D-50500	
	180	★★★★	Wood	24	1.80	1.20	25	ATAF	20	-	Economy	1	B-17033
			Wood	24	2.20	1.40	25	ATAF	20	-	-	1	A-81402
			Wood	30	1.80	1.20	20	ATB	20	-	Economy	1	B-17049
Wood			30	2.20	1.40	20	ATAF	20	-	-	1	A-81913	
Wood			36	1.80	1.20	20	ATAF	20	-	Economy	1	B-17055	
Wood			36	2.20	1.40	20	ATAF	20	-	-	1	A-81929	
Wood			40	1.80	1.20	20	ATAF	20	-	Economy	1	B-17061	
Wood			40	2.20	1.40	20	ATAF	20	-	-	1	A-81418	
Wood			48	1.80	1.20	20	ATAF	20	-	Economy	1	B-17077	
Wood			48	2.20	1.40	20	ATAF	20	-	-	1	A-81935	
Wood			60	2.00	1.40	15	ATAF	20	-	Fast cut	1	A-82694	
Wood			60	2.20	1.40	15	ATAF	20	-	-	1	A-81424	
185			★★★★★	Wood	24	1.45	1.00	23	ATAFR	20	-	EFFICUT	1
	Wood	45		1.45	1.00	23	ATAFR	20	-	EFFICUT	1	B-68616	
	★★★★	Wood	40	1.60	1.00	18	ATAF	20	-	Economy	1	B-17083	
		Wood	40	1.60	1.00	18	ATAF	20	-	-	1	A-82476	
		Wood	40	2.00	1.40	18	ATAF	20	-	-	1	A-85999	
		Wood	60	1.60	1.00	18	ATAF	20	-	-	1	A-82482	
		Wood/NAIL	20	1.85	1.25	25	ATB	20	-	-	1	A-83814	
		Wood/NAIL	40	2.00	1.25	25	ATB	30	20	-	1	A-86072	
	★★	Wood	16	2.00	1.30	20	ATB	30	20/16	-	1	D-03903	
		Wood	20	2.00	1.30	20	ATB	30	20/16	-	1	D-09634	
		Wood	24	1.80	1.20	20	ATB	20	-	-	1	D-19037	
		Wood	24	1.80	1.20	20	ATB	20	-	-	1	D-51275	
		Wood	24	2.00	1.30	20	ATB	20	-	-	1	D-03355	
		Wood	40	2.00	1.30	18	ATB	20	-	-	1	D-03361	
		Wood	40	2.00	1.30	18	ATB	30	20/16	-	1	D-03919	
		Wood	16, 20	2.00	1.30	20	ATB	30	16, 20	-	2	D-20052	
		Wood	16/24/40	2.00	1.30	20/20/18	ATB	30	-	-	3	D-44769	
		Wood	16/24/40	1.8/1.8/2.0	1.2/1.2/1.3	20/20/18	ATB	20	-	-	3	D-34285	
Wood		24/24	1.8/1.8	1.2/1.2	20	ATB	20	-	-	2	D-34279		
Wood		24/40	1.8/2.0	1.2/1.3	20/18	ATB	20	-	-	2	D-19043		
Wood	24/40	1.8/2.0	1.2/1.3	20/18	ATB	20	-	-	2	D-21412			
Wood	24/40	1.8/2.2	1.2/1.5	20/5	ATB	20	-	-	2	D-21397			
Wood	24/60	1.8/2.4	1.2/1.6	20/12	ATB	20	-	-	2	D-21406			
★	Wood	16	2.20	1.40	18	ATB	25.4	20	-	1	D-50516		
	Wood	20	2.20	1.40	15	ATB	25.4	20	-	1	D-59112		
	Wood	24	2.20	1.40	15	ATB	25.4	20	-	1	D-50522		
	Wood	24	2.20	1.40	15	ATB	25.4	20	-	10	D-50522-10		
	Wood	40	2.20	1.40	14	ATB	25.4	20	-	1	D-50538		
190	★★★★★	Wood	24	1.45	1.00	23	ATAFR	20	-	EFFICUT	1	B-64200	
		Wood	45	1.45	1.00	23	ATAFR	20	-	EFFICUT	1	B-68644	
	★★★★	Wood	24	2.00	1.40	20	ATAF	20	-	-	1	A-87507	
		Wood	44	1.45	1.00	23	ATAFR	20	-	-	1	B-54514	
210	★★	Wood	24	2.00	1.30	20	ATB	25	-	-	1	D-34291	
		Wood	24	2.00	1.30	20	ATB	25	-	-	1	D-29066	
		Wood	40	2.00	1.30	18	ATB	25	-	-	1	D-34300	
	★	Wood	24	2.50	1.60	15	ATB	25	-	-	1	D-72344	
		Wood	40	2.50	1.60	15	ATB	25	-	-	1	D-72350	

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.	
235	★★★★★	Wood	24	2.20	1.50	20	ATBR	25	-	EFFICUT	1	E-01959	
	★★★★	Wood	20	2.30	1.60	25	ATAF	20	-	-	1	A-80678	
		Wood	20	2.30	1.60	20	ATB	25	-	-	1	A-89947	
		Wood	20	2.30	1.60	15	M-FORCE	20	-	-	1	B-04092	
		Wood	24	2.40	1.60	25	ATAF	25.4	25	Economy	1	B-17164	
		Wood	24	2.60	1.80	25	ATB	25.4	-	-	1	A-81985	
		Wood	30	2.40	1.60	25	ATB	25.4	25	Economy	1	B-17170	
		Wood	30	2.60	1.80	25	ATB	25.4	25	-	1	A-81991	
		Wood	36	2.40	1.60	25	ATB	25.4	25	Economy	1	B-17186	
		Wood	36	2.60	1.80	25	ATB	25.4	25	-	1	A-82002	
		Wood	40	2.30	1.60	15	M-FORCE	20	-	-	1	B-04101	
		Wood	40	2.40	1.60	25	ATB	25.4	25	Economy	1	B-17192	
		Wood	40	2.60	1.80	25	ATAF	25.4	25	-	1	A-81468	
		Wood	48	2.40	1.60	20	ATB	25.4	25	Economy	1	B-17201	
		Wood	48	2.60	1.80	20	ATAF	25.4	25	-	1	A-82018	
		Wood	60	2.40	1.60	20	ATAF	25.4	25	Economy	1	B-17217	
		Wood	60	2.40	1.60	20	ATAF	25.4	25	-	1	A-82719	
		Wood	60	2.60	1.80	20	ATAF	25.4	25	-	1	A-81474	
		Wood	80	2.40	1.60	15	ATAF	25.4	25	Economy	1	B-17223	
		Wood	80	2.40	1.60	15	ATAF	25.4	-	-	1	B-45602	
	Wood	80	2.60	1.60	15	ATB	25.4	25	-	1	A-81480		
	Wood	100	2.40	1.60	10	ATAF	25.4	-	-	1	B-45618		
	★★★	Wood	20	2.40	1.60	20	ATB	30	25.4/25	-	1	D-03925	
		Wood	20	2.40	1.60	20	ATB	25	-	-	1	D-15811	
		Wood	40	2.40	1.60	18	ATB	25.4	25	-	1	D-03377	
		Wood	40	2.40	1.60	18	ATB	25	-	-	1	D-16570	
		Wood	48	2.40	1.60	18	ATB	30	25	-	1	D-03931	
		Wood	60	2.40	1.60	15	ATB	30	25	-	1	D-09640	
		Wood	60	2.40	1.60	15	ATB	25	-	-	1	D-34322	
		Wood	80	2.80	1.80	12	TCG	30	25	-	1	D-17918	
		Wood	20/48	2.40	1.60	18/20	ATB	30	25, 25.4	-	2	D-20068	
		Wood	20/48	2.40	1.60	20/18	ATB	30	25, 25.4	-	2	D-21602	
		Wood	20/48/60	2.40	1.60	20/18/15	ATB	30	-	-	3	D-44775	
		Wood	24/24	2.4/2.4	1.6/1.6	20	ATB	25	-	-	2	D-34316	
		Wood	24/40	2.40	1.60	20/18	ATB	25	-	-	2	D-21319	
		★	Wood	20	2.50	1.60	14	ATB	25.4	25	-	1	D-50544
			Wood	40	2.50	1.60	12	ATB	25.4	25	-	1	D-50550
			Wood	48	2.50	1.60	12	ATB	25.4	25	-	1	D-59128
			Wood	60	2.50	1.60	12	ATB	25.4	25	-	1	D-50566
	260	★★★★★	Wood	24	2.15	1.50	23	ATAFR	25	-	EFFICUT	1	E-07733
★★★★		Wood	24	2.30	1.60	20	ATB	25.4	-	-	1	B-10584	
270	★★★★	Wood	18	2.60	1.80	20	ATB	30	-	-	1	B-12859	
		Wood	24	2.60	1.80	23	ATB	30	25	-	1	A-81804	
		Wood	40	2.60	1.80	18	ATB	30	25	-	1	A-81816	
		Wood	60	2.60	1.80	18	ATB	30	25	-	1	A-81826	
335	★★★★	Wood	60	3.00	2.20	20	ATB	25	-	-	1	B-12603	
355	★★★★	Wood	20	3.00	2.20	27	ATAF	30	-	-	1	A-80014	
		Wood	24	3.00	2.20	23	ATB	30	-	-	1	A-81832	
		Wood	40	3.00	2.20	23	ATB	30	-	-	1	A-81848	
		Wood	60	3.00	2.20	18	ATB	30	-	-	1	A-81854	
415	★★★★	Wood	60	2.60	1.80	20	ATAF	25	-	-	1	792118-8	




(Cordless Metal Cutter)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
150	★★★★★	Wood	25	1.40	1.00	23	ATAFR	20	-	EFFICUT	1	E-06937



(Slide Compound Saw / Miter Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.		
165	★★★★★	Wood	60	1.85	1.35	10	ATBR	20	-	EFFICUT	1	B-69892		
	★★★★	Wood	64	1.90	1.40	10	ATAF	20	-		1	B-56487		
190	★★★★	Wood	24	2.00	1.40	-5	ATB	20	-	-	1	B-03866		
		Wood	24	2.20	1.60	5	ATB	20	-	-	1	B-03850		
		Wood	24	2.20	1.60	5	ATB	20	-	-	1	B-04298		
		Wood	40	1.90	1.40	10	ATB	20	-	for Cordless Slide Compound Saw	1	A-86147		
		Wood	40	2.00	1.40	10	ATAF	20	-	-	1	A-86751		
		Wood	60	2.00	1.40	-5	ATB	20	-	-	1	B-03981		
		Wood	60	2.00	1.40	5	ATB	20	-	-	1	B-04008		
		Wood	72	2.00	1.40	10	ATAF	20	-	-	1	A-86359		
210	★★★★	Wood	18	1.90	1.40	25	ATB	30	25	-	1	A-81767		
216	★★★★★	Wood	45	2.00	1.50	10	ATBR	25.4	-	EFFICUT	1	E-07010		
		Wood	60	2.00	1.50	10	ATBR	25.4	-	EFFICUT	1	E-08969		
		Wood	80	2.00	1.50	10	ATBR	25.4	-	EFFICUT	1	E-08975		
	★★★★	Wood	40	2.10	1.60	10	ATB	25.4	25	-	-	1	A-86153	
		Wood	48	2.40	1.60	5	ATAF	25.4	-	-	-	1	B-39497	
		Wood	80	2.20	1.60	10	ATAF	25.4	-	-	-	1	B-45593	
		Wood	100	2.20	1.60	10	ATAF	25.4	-	-	-	1	B-51390	
255	★★★★	Wood	32	2.30	1.80	5	ATAF	25.4	-	-	1	A-83696		
		Wood	40	2.20	1.70	10	ATAF	25.4	-	-	1	B-10322		
		Wood	40	2.30	1.80	5	ATB	25.4	-	-	1	B-03626		
		Wood	50	2.3	1.80	15	ATAF	30	15.88	-	-	1	A-80977	
		Wood	60	2.30	1.80	5	ATB	25.4	-	-	-	1	B-03632	
		Wood	80	2.30	1.80	5	ATB	25.4	-	-	-	1	B-03648	
		Wood	120	2.30	1.80	10	ATAF	25.4	-	-	-	1	B-45646	
	★★	Wood	80	2.60	1.80	12	ATB	30	25.4	-	-	1	D-34388	
260	★★★★★	Wood	45	2.15	1.65	10	ATBR	25.4	-	EFFICUT	1	B-64668		
		Wood	60	2.15	1.65	10	ATBR	25.4	-	EFFICUT	1	B-67430		
		Wood	80	2.15	1.65	10	ATBR	25.4	-	EFFICUT	1	B-67446		
	★★★★	Wood	60	2.3	1.80	5	ATAF	30	15.88	-	-	1	B-11019	
		Wood	64	2.30	1.80	5	ATAF	25	-	-	-	1	792695-0	
		Wood	70	2.30	1.80	5	ATAF	30	15.88	-	-	1	B-04597	
	★★	Wood	100	2.60	2.00	12	ATB	25.4	15.88	-	-	1	D-34394	
		★	Wood	40	2.60	1.80	15	ATB	25.4	-	-	-	1	D-65414
			Wood	60	2.60	1.80	15	ATB	25.4	-	-	-	1	D-65420
			Wood	80	2.60	1.80	12	ATB	25.4	-	-	-	1	D-65436
305	★★★★★	Wood	100	2.60	1.80	12	ATB	25.4	-	-	1	D-65442		
		Wood	60	2.15	1.65	10	ATBR	25.4	-	EFFICUT	1	B-67452		
		Wood	80	2.15	1.65	10	ATBR	25.4	-	EFFICUT	1	B-67468		
	★★★★	Wood	100	2.15	1.65	10	ATBR	25.4	-	EFFICUT	1	B-67474		
		Wood	40	2.30	1.80	5	ATB	25.4	-	-	-	1	B-03660	
		Wood	60	2.30	1.80	5	ATAF	25.4	-	-	-	1	B-02808	
		Wood	60	2.30	1.80	5	ATB	25.4	-	-	-	1	B-03676	
		Wood	60	2.60	2.00	10	ATAF	25.4	-	-	-	1	A-85472	
		Wood	70	2.50	1.90	0	ATAF	25.4	-	-	-	1	B-57560	
		Wood	80	2.30	1.80	5	ATB	25.4	-	-	-	1	B-03682	
		Wood	96	2.30	1.80	5	ATAF	25.4	-	-	-	1	B-02814	
		Wood	100	2.30	1.80	5	ATB	25.4	-	-	-	1	B-03698	
	★★	Wood	100	3.20	2.40	15	ATB	25.4	-	-	-	1	D-34403	
		★	Wood	60	2.80	2.00	15	ATB	25.4	-	-	-	1	D-72366
Wood			80	2.80	2.00	15	ATB	25.4	-	-	-	1	D-72372	
Wood			100	2.80	2.00	15	ATB	25.4	-	-	-	1	D-72388	
355		★★★★	Wood	60	2.60	2.00	10	ATB	25.4	-	-	1	A-85488	
	Wood		60	3.00	2.20	20	ATB	25	-	-	1	A-02618		




(Table Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
203	★★★★	Wood	24	2.00	1.40	25	ATAF	25.4	25	Economy	1	B-17099
		Wood	24	2.40	1.60	25	ATB	25.4	-	-	1	A-81941
		Wood	30	2.00	1.40	25	ATB	25.4	25	Economy	1	B-17108
		Wood	30	2.40	1.60	25	ATB	25.4	25	-	1	A-81957
		Wood	36	2.00	1.40	20	ATB	25.4	25	Economy	1	B-17114
		Wood	36	2.40	1.60	20	ATAF	25.4	-	-	1	A-81963
		Wood	40	2.00	1.40	20	ATAF	25.4	25	Economy	1	B-17120
		Wood	40	2.00	1.40	20	ATAF	25.4	25	-	1	A-82498
		Wood	40	2.40	1.60	20	ATAF	25.4	25	-	1	A-81430
		Wood	48	2.00	1.40	20	ATAF	25.4	25	Economy	1	B-17136
		Wood	48	2.40	1.60	20	ATAF	25.4	25	-	1	A-81979
		Wood	60	2.00	1.40	15	ATAF	25.4	25	Economy	1	B-17142
		Wood	60	2.00	1.40	15	ATAF	25.4	25	-	1	A-82507
		Wood	60	2.20	1.60	15	ATAF	25.4	25	-	1	A-82703
		Wood	60	2.40	1.60	15	ATAF	25.4	25	-	1	A-81446
		Wood	80	2.00	1.40	15	ATAF	25.4	25	Economy	1	B-17158
Wood	80	2.40	1.60	15	ATB	25.4	25	-	1	A-81452		
210	★★★★	Wood	80	2.00	1.40	8	FTG	25	-	-	1	792438-0
255	★★★★	Wood	24	2.30	1.60	20	ATB	25.4	-	-	1	B-05000
		Wood	24	2.40	1.80	25	ATAF	25.4	25	-	1	A-82513
		Wood	24	2.40	1.80	25	ATAF	25.4	-	-	1	A-87890
		Wood	24	2.80	2.00	25	ATAF	25.4	25	Economy	1	B-17239
		Wood	24	3.20	2.20	25	ATB	25.4	25	-	1	A-82024
		Wood	30	2.80	2.00	25	ATB	25.4	25	Economy	1	B-17245
		Wood	30	3.20	2.20	25	ATB	25.4	25	-	1	A-82030
		Wood	36	2.80	2.00	25	ATB	25.4	25	Economy	1	B-17251
		Wood	36	3.20	2.20	25	ATB	25.4	-	-	1	A-82046
		Wood	40	2.30	1.60	20	ATB	25.4	-	-	1	B-05088
		Wood	40	2.40	1.80	20	ATAF	25.4	25	-	1	A-82529
		Wood	40	2.80	2.00	25	ATB	25.4	25	Economy	1	B-17267
		Wood	40	2.80	2.00	25	ATB	25.4	25	-	1	A-81496
		Wood	40	3.20	2.20	25	ATB	25.4	25	-	1	A-82725
		Wood	48	2.80	2.00	20	ATB	25.4	25	Economy	1	B-17273
		Wood	48	3.20	2.20	20	ATAF	25.4	25	-	1	A-82052
		Wood	60	2.40	1.80	20	ATAF	25.4	25	Economy	1	B-17289
		Wood	60	2.80	2.00	20	ATAF	25.4	25	-	1	A-81505
		Wood	80	2.40	1.80	15	ATAF	25.4	25	Economy	1	B-17295
		Wood	80	2.80	2.00	15	ATAF	25.4	25	-	1	A-82286
Wood	80	2.80	2.00	15	ATB	25.4	25	-	1	A-81511		
Wood	100	2.60	2.00	15	ATAF	25.4	25	-	1	A-82292		
Wood	120	2.60	2.00	15	ATAF	25.4	25	-	1	A-82301		
305	★★★★	Wood	30	3.00	2.20	25	ATB	25.4	25	Economy	1	B-17332
		Wood	30	3.40	2.40	25	ATAF	25.4	25	-	1	A-82068
		Wood	36	3.00	2.20	25	ATB	25.4	25	Economy	1	B-17348
		Wood	36	3.40	2.40	25	ATB	25.4	25	-	1	A-82074
		Wood	40	3.00	2.20	25	ATB	25.4	25	Economy	1	B-17354
		Wood	40	3.40	2.40	25	ATB	25.4	25	-	1	A-82080
		Wood	48	3.00	2.20	20	ATB	25.4	25	Economy	1	B-17360
		Wood	48	3.40	2.40	20	ATB	25.4	25	-	1	A-82096
		Wood	60	2.80	2.00	20	ATAF	25.4	25	Economy	1	B-17376
		Wood	60	3.00	2.00	20	ATAF	25.4	25	-	1	A-82105
		Wood	80	2.60	2.00	15	ATAF	25.4	25	Economy	1	B-17382
		Wood	80	3.20	2.20	15	ATAF	25.4	25	-	1	A-82317
		Wood	100	3.00	2.20	15	ATAF	25.4	25	-	1	A-82323
Wood	120	3.00	2.20	15	ATAF	25.4	25	-	1	A-82339		

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
355	★★★★	Wood	30	3.20	2.40	25	ATB	25.4	25	Economy	1	B-17413
		Wood	30	3.60	2.60	25	ATB	25.4	25	-	1	A-82111
		Wood	36	3.20	2.40	25	ATB	25.4	25	Economy	1	B-17429
		Wood	36	3.60	2.60	25	ATB	25.4	25	-	1	A-82127
		Wood	40	3.20	2.40	25	ATB	25.4	25	Economy	1	B-17435
		Wood	40	3.60	2.60	25	ATB	25.4	25	-	1	A-82133
		Wood	48	3.00	2.20	25	ATB	25.4	25	Economy	1	B-17441
		Wood	48	3.40	2.40	25	ATAF	25.4	25	-	1	A-81527
		Wood	48	3.60	2.60	25	ATB	25.4	25	-	1	A-82731
		Wood	60	3.00	2.20	20	ATB	25.4	25	Economy	1	B-17457
		Wood	60	3.40	2.40	20	ATAF	25.4	25	-	1	A-82149
		Wood	80	3.00	2.20	20	ATAF	25.4	25	Economy	1	B-17463
		Wood	80	3.40	2.40	15	ATAF	25.4	25	-	1	A-82345
		Wood	80	3.40	2.40	20	ATAF	25.4	25	-	1	A-81533
		Wood	100	3.40	2.40	15	ATAF	25.4	25	-	1	A-82351
		Wood	100	3.40	2.40	15	ATB	25.4	-	-	1	A-81549
Wood	120	3.40	2.40	15	ATAF	25.4	25	-	1	A-82367		
405	★★★★	Wood	30	3.20	2.40	25	ATAF	25.4	25	Economy	1	B-17479
		Wood	30	3.80	2.60	25	ATAF	25.4	25	-	1	A-82155
		Wood	36	3.20	2.40	25	ATB	25.4	25	Economy	1	B-17485
		Wood	36	3.60	2.60	25	ATAF	25.4	-	-	1	A-82161
		Wood	40	3.20	2.40	25	ATB	25.4	25	Economy	1	B-17491
		Wood	40	3.60	2.60	25	ATAF	25.4	25	-	1	A-82177
		Wood	48	3.20	2.40	25	ATB	25.4	25	Economy	1	B-17500
		Wood	48	3.60	2.60	25	ATB	25.4	-	-	1	A-81555
		Wood	60	3.00	2.20	20	ATB	25.4	25	Economy	1	B-17516
		Wood	60	3.40	2.40	20	ATAF	25.4	25	-	1	A-82183
		Wood	80	3.00	2.20	20	ATAF	25.4	25	Economy	1	B-17522
		Wood	80	3.60	2.60	20	ATAF	25.4	25	-	1	A-81561
		Wood	100	3.60	2.60	15	ATAF	25.4	25	-	1	A-82395
510	★★★★	Wood	52	4.20	3.00	25	ATB	25.4	-	-	1	A-81583
		Wood	80	4.20	3.00	20	ATAF	25.4	-	-	1	A-81599
		Wood	120	4.20	3.00	15	ATAF	25.4	-	-	1	A-81608

for MDF



(Circular Saw) & (Plunge Cut Circular Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
165	★★★★★	Wood/MDF/Laminate	56	1.45	1.00	23	ATAFR	20	-	EFFICUT	1	B-57364
	★★★★	Wood/MDF/Laminate	44	1.45	1.00	23	ATAFR	20	-	Coated / Laser Slit Specialized for cordlee saws	1	B-53279
		Wood/MDF/Laminate	55	1.60	1.10	20	ATAFR	20	-	Coated / Laser Slit Specialized for cordlee saws	1	B-57059
		MDF/Laminate	60	2.00	1.40	5	TCG	20	-	Coated / Laser Slit for Plunge Cut Circular Saw	1	B-56677
		MDF/Laminate	60	2.00	1.40	5	Hi-ATB	20	-	Clean cut Coated / Laser Slit for Plunge Cut Circular Saw	1	B-56661
	★	MDF/Laminate	52	2.20	1.40	-5	TCG	20	15.88	-	1	D-62474
185	★★★	MDF/Laminate	60	2.20	1.50	-5	TCG	20	-	-	1	D-59427
		MDF	60	2.40	1.50	12	TCG	30	20/16	-	1	D-17902
		MDF	60	2.40	1.50	12	ATB	30	20/15.88	Economy	1	D-38934
		MDF	60	2.40	1.50	14	TCG	20	15.88	-	1	D-21381
190	★★★★	MDF/Laminate	60	2.20	1.40	-5	TCG	20	15.88	-	1	D-61466
		Wood/MDF/Laminate	44	1.45	1.00	23	ATAFR	20	-	Coated / Laser Slit	1	B-54508



(Slide Compound Saw / Miter Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
255	★★★	MDF/Laminate	84	2.60	1.80	-5	TCG	25.4	-	-	1	D-62452
		MDF/Laminate	100	3.00	2.00	12	ATB	30	15.88	Economy	1	D-38940
		MDF/Laminate	100	3.20	2.40	10	TCG	30	15.88	-	1	D-19071
	★	MDF/Laminate	84	2.80	1.80	10	TCG	25.4	-	-	1	D-62480
		MDF/Laminate	100	2.80	1.80	10	TCG	25.4	15.88	-	1	D-72279
260	★	MDF/Laminate	84	2.80	1.80	10	TCG	25.4	15.88	-	1	D-72285
305	★★★	MDF/Laminate	96	3.20	2.20	-5	TCG	25.4	-	-	1	D-62468
		MDF/Laminate	120	3.20	2.20	12	ATB	30	15.88	Economy	1	D-38956
		MDF/Laminate	120	3.20	2.40	10	TCG	30	15.88	-	1	D-19087
	★	MDF/Laminate	96	3.00	2.00	10	TCG	25.4	-	-	1	D-62496

for Metal

Cutting

(Metal Cutter)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
136	★★★★★	Metal	30	1.10	0.95	0	SMTCG	20	-	EFFICUT Metal	1	B-69428
		Metal/SUS	45	1.10	0.95	0	SMTCG	20	-	EFFICUT Metal	1	B-69434
	★★★★	Thin sheet metal	50	1.40	1.10	-15	ATB	20	-	-	1	B-07325
		Metal	30	1.50	1.20	0	MTCG	20	-	-	1	B-07319
		Metal/SUS	56	1.10	0.95	0	FTG	20	-	Laser Slit	1	B-23117
150	★★★★★	Metal	33	1.10	0.95	0	SMTCG	20	-	EFFICUT Metal	1	B-69440
		Metal/SUS	48	1.10	0.95	0	SMTCG	20	-	EFFICUT Metal	1	B-69456
	★★★★	Thin sheet metal	52	1.40	1.10	-15	ATB	20	-	-	1	B-47008
		Metal	32	1.50	1.20	0	MTCG	20	-	-	1	B-46296
		Thick metal	32	1.10	0.95	0	TCG	20	-	Laser Slit	1	B-68301
		Metal/SUS	60	1.10	1.00	0	SMTCG	20	-	Laser Slit	1	B-47014
185	★★★★	Thin metal	48	1.85	1.50	0	SMTCG	20	-	Long Life	1	B-23357
		Metal	36	1.90	1.50	0	ATB	20	-	-	1	B-04628
		Metal	38	2.00	1.60	0	MTCG	20	-	-	1	A-85438
		Metal	48	2.00	1.60	0	MTCG	20	-	-	1	A-83967
		Metal	56	1.80	1.50	0	SMTCG	20	-	Long Life	1	B-23391
		Metal	70	1.70	1.30	-10	FTG	20	-	-	1	A-86446
	Metal/SUS	64	1.60	1.30	0	FTG	20	-	Long Life	1	B-31697	



(Metal Cutting Saw)


Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
305	★★★★	Metal	60	2.10	1.70	0	TCG	25.4	-	Economy	1	A-87242
		Metal	60	2.40	2.00	0	TCG	25.4	-	Laser Slit	1	A-86723
		Metal	60	2.50	2.20	0	TCG	25.4	-	-	1	A-81860
		Metal	78	2.30	2.00	0	MTCG	25.4	-	Laser Slit	1	A-87127
		Metal/SUS	100	1.95	1.65	-3	SMTCG	25.4	-	-	1	B-23151
	★★	Metal	60	2.40	2.00	0	TCG	25.4	-	-	1	D-71364

for Aluminum



(Circular Saw) & (Plunge Cut Circular Saw) & (Metal Cutter)


Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
136	★★★★	Aluminum	50	1.60	1.00	0	ATB	20	-	-	1	B-40331
150	★★★★	Aluminum	52	1.60	1.00	0	ATB	20	-	-	1	B-47020
165	★★★★★	Aluminum	56	2.00	1.40	-3	TCG	20	-	for Plunge Cut Circular Saw	1	B-56655
	★★★★	Aluminum	56	2.40	1.70	-3	TCG	20	-	for Plunge Cut Circular Saw	1	B-07440
185	★	Aluminum	40	2.20	1.40	5	TCG	20	-	-	1	D-62119



(Slide Compound Saw / Miter Saw) & (Metal Cutting Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
165	★★★★	Aluminum	60	1.80	1.20	5	TCG	20	-	Laser Slit	1	B-56530
190	★★★★	Aluminum	60	2.00	1.40	-5	TCG	20	-	-	1	B-03997
255	★★★★	Aluminum	100	2.30	1.80	-5	TCG	25.4	25	-	1	B-04204
		Aluminum	100	2.60	2.00	0	ATB	25.4	25	Clean cut	1	A-81614
		Aluminum	120	2.60	2.00	0	ATB	25.4	25	Clean cut	1	A-81620
260	★★★★★	Aluminum	81	1.85	1.50	-3	SMTTCG	25.4	-	EFFICUT Aluminum	1	E-06345
	★★	Aluminum	70	3.00	2.00	5	TCG	25.4	-	-	1	D-03408
		Aluminum	100	3.00	2.00	5	TCG	25.4	-	-	1	D-03414
	★	Aluminum	100	2.60	1.80	5	TCG	25.4	-	-	1	D-59162
		Aluminum	120	2.60	1.80	5	TCG	25.4	-	-	1	D-61058
305	★★★★	Aluminum	100	2.40	1.80	5	FTG	25.4	-	-	1	B-02820
	★★	Aluminum	80	3.00	2.20	5	TCG	30	15.88	-	1	D-16520
		Aluminum	100	3.00	2.00	5	TCG	25.4	15.88	-	1	D-34419
355	★★★★	Aluminum	80	3.00	2.20	5	TCG	25	-	-	1	A-02602
	★★	Aluminum	120	3.30	2.35	8	TCG	30	25	-	1	D-16592

for Multi-purpose



(Circular Saw)


Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
160	★	wood,MDF,aluminum,PVC	60	2.20	1.40	5	TCG	30	20/19/16/15.88	-	1	D-63600
165	★	wood,MDF,aluminum,PVC	60	2.20	1.40	5	TCG	30	20/19/16/15.88	-	1	D-63616
185	★	wood,MDF,aluminum,PVC	60	2.20	1.40	5	TCG	30	20/16/15.88	-	1	D-63622
190	★	wood,MDF,aluminum,PVC	60	2.20	1.40	5	TCG	30	20/16/15.88	-	1	D-63638
210	★	wood,MDF,aluminum,PVC	60	2.40	1.60	5	TCG	30	25.4/25/20/16	-	1	D-63644
235	★	wood,MDF,aluminum,PVC	60	2.40	1.60	5	TCG	30	25.4/25/20/16	-	1	D-63557



(Slide Compound Saw / Miter Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
216	★	wood,MDF,aluminum,PVC	60	2.40	1.60	5	TCG	30	25.4/25/20/16	-	1	D-63650
		wood,MDF,aluminum,PVC	80	2.40	1.60	5	TCG	30	25.4/25/20/16	-	1	D-63878
260	★	wood,MDF,aluminum,PVC	80	2.60	1.80	5	TCG	30	25.4/25/20/16	-	1	D-63563
		wood,MDF,aluminum,PVC	100	2.60	1.80	5	TCG	30	25.4/25/20/16	-	1	D-62234
		wood,MDF,aluminum,PVC	120	2.60	1.80	5	TCG	30	25.4/25/20/16	-	1	D-62240
305	★	wood,MDF,aluminum,PVC	80	2.80	2.00	5	TCG	30	25.4/25/20/16	-	1	D-63579
		wood,MDF,aluminum,PVC	100	2.80	2.00	5	TCG	30	25.4/25/20/16	-	1	D-63585
		wood,MDF,aluminum,PVC	120	2.80	2.00	5	TCG	30	25.4/25/20/16	-	1	D-63591
355	★	wood,MDF,aluminum,PVC	100	3.00	2.20	5	TCG	30	25.4/25/20/16	-	1	D-63884

for Other



(Circular Saw) & (Plunge Cut Circular Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
165	★★★★★	CORIAN®	48	2.00	1.40	5	TCG	20	-	-	1	B-56683
	★★★★	Sandwichpanel	42	1.75	1.40	0	SMTCG	20	-	-	1	B-63161
		CORIAN®	48	2.40	1.70	5	TCG	20	-	-	1	B-10344
	★★★	Fiber Cement Board	4	1.80	1.40	12	FTG	20	15.88	-	1	D-72104
185	★★★★★	Composite deck	40	1.50	1.00	15	ATAFR	20	15.88	EFFICUT Composite decking	1	E-07250*
	★★★	Fiber Cement Board	4	1.80	1.40	12	FTG	20	15.88	-	1	D-72110

*MAU design package



(Slide Compound Saw / Miter Saw)

Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
260	★★★★★	Composite deck	75	2.15	1.65	8	ATAFR	30	25.4	EFFICUT Composite decking	1	E-07266*
	★★★	Fiber Cement Board	6	2.20	1.60	12	FTG	25.4	15.88	-	1	D-72126
305	★★★	Fiber Cement Board	8	2.40	1.80	12	FTG	25.4	-	-	1	D-72132

*MAU design package

Specialized for Aluminum Groove Cutter (CA5000)



Outer dia (mm)	Range	Material	No. of teeth	Kerf (mm)	Plate (mm)	Rake	Tooth shape	Bore (mm)	Ring (mm)	Note	Per pkg	Part No.
118	Specialized	Aluminium composite panel	6	14.00	6.00	5	TCG	20	-	Grooving 90 degrees for Aluminum Groove Cutter	1	B-48832
		Aluminium composite panel	6	18.00	6.00	5	TCG	20	-	Grooving 135 degrees for Aluminum Groove Cutter	1	B-48860