


Accessories


BiM holesaw




BiM holesaw for sheet metal



Multi purpose TCT holesaw




TCT holesaw




TC grit holesaw




Vacuum brazed diamond holesaw



Diamond wet holesaw



Carbon steel holesaw


























Accessories

Material chart

Drilling
(Wood/Metal)

AA : Recommended A : Acceptable

Application		Steel	Inox Stainless	Aluminum	Non ferrous Metal	Wood	MDF	Plaster board	PVC	FRP	Soft tile	Brick	Lime stone	Marble
														
BiM	<i>Ezychange</i> Bi-Metal HSS 8%Co 	AA	A	AA	AA	AA			AA					
	BiM 	AA		A	A	AA			AA					
	BiM for sheet metal 	AA	AA	A	A									
Tungsten carbide	<i>Ezychange</i> TCT 	AA	AA	AA	AA	AA			AA		A	A	A	
	Multi purpose TCT 					AA	AA	AA	AA	AA	A		A	
	TCT 	AA	AA	A	A				AA	AA				
	TC grit 										AA	AA		
Diamond	Vacuum brazed diamond 										AA	AA	AA	AA
	Diamond wet holesaw 										AA			AA
Carbon Steel	Carbon steel 					A		A	A					

Ezychange BiM holesaw

Tool-less change of pilot drill and holesaw (dia.16-152mm) in the Ezychange adapter.



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
16	44	E-03632	56	44	E-03850
17	44	E-03648	57	44	E-03866
19	44	E-03654	60	44	E-03872
20	44	E-03660	64	44	E-03888
22	44	E-03676	65	44	E-03894
24	44	E-03682	68	44	E-03903
25	44	E-03698	70	44	E-03919
27	44	E-03707	73	44	E-03925
29	44	E-03713	76	44	E-03931
30	44	E-03729	79	44	E-03947
32	44	E-03735	83	44	E-03953
35	44	E-03741	86	44	E-03969
37	44	E-03757	92	44	E-03975
38	44	E-03763	95	44	E-03981
40	44	E-03779	102	44	E-03997
41	44	E-03785	105	44	E-04008
44	44	E-03791	111	44	E-04014
46	44	E-03800	114	44	E-04020
48	44	E-03816	121	44	E-04036
51	44	E-03822	127	44	E-04042
52	44	E-03838	140	44	E-04058
54	44	E-03844	152	44	E-04064

Pilot drill



Adapter



Description	Part No.
Ezychange adapter 3/8" shanke + HSS-G pilot drill bit 85mm	E-04070
HSS-G pilot drill bit 85mm	E-04086
HSS-Co pilot drill bit 85mm	E-04092

Ezychange TCT holesaw

Tool-less change of pilot drill and holesaw (dia.20-127mm) in the Ezychange adapter.



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
20	60	E-06644	60	60	E-06747
22	60	E-06650	64	60	E-06753
25	60	E-06666	67	60	E-06769
32	60	E-06672	68	60	E-06775
35	60	E-06688	70	60	E-06781
38	60	E-06694	73	60	E-06797
40	60	E-06703	76	60	E-06806
44	60	E-06719	83	60	E-06812
51	60	E-06725	102	60	E-06828
54	60	E-06731	127	60	E-06834

Pilot drill



Adapter



Description	Part No.
Ezychange adapter 3/8" shank + TCT pilot drill bit 105mm	E-06959
HSS-G pilot drill bit 105mm	E-06840
HSS-Co pilot drill bit 105mm	E-06856
TCT pilot drill bit 105mm	E-06862

Extension bar for Ezychange holesaw

7/16" (11mm) Hex shank (For 13mm drill)

Description	Part No.
Ezychange extension bar (150mm)	E-06878
Ezychange extension bar (300mm)	E-06884

BiM holesaw

Holesaws have 4/6 variable pitch tooth design and are recommended for cutting, steel plates, aluminium, copper, brass, wood and plastic.



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
14	38	D-35368	57	38	D-17099
16	38	D-16994	59	38	D-35499
17	38	D-35374	60	38	D-25688
19	38	D-17005	64	38	D-30140
20	38	D-17251	65	38	D-24882
21	38	D-35380	67	38	D-35508
22	38	D-17011	68	38	D-17108
24	38	D-17027	70	38	D-25694
25	38	D-17033	73	38	D-35514
27	38	D-35396	76	38	D-17114
29	38	D-17267	79	38	D-35520
30	38	D-35405	80	38	D-33869
32	38	D-17049	83	38	D-17120
33	38	D-35411	86	38	D-35536
35	38	D-17055	89	38	D-35542
37	38	D-35427	92	38	D-17136
38	38	D-17061	95	38	D-35558
40	38	D-17273	98	38	D-35564
41	38	D-35433	102	38	D-35570
43	38	D-35449	105	38	D-17142
44	38	D-17077	108	38	D-35586
46	38	D-35455	111	38	D-35592
48	38	D-35461	114	38	D-35601
51	38	D-17083	121	38	D-35617
52	38	D-35477	127	38	D-17158
54	38	D-24876	140	38	D-35623
56	38	D-35483	152	38	D-17164

Pilot drill



Adapter



Application	Fits holesaws	Part No.
Adapter with pilot drill		
For 10mm drill	14 - 29mm	D-17170

Application	Fits holesaws	Part No.
For 13mm drill	32 - 152mm	D-17186
For SDS-PLUS Hammer	14 - 29mm	D-17603
For SDS-PLUS Hammer	32 - 76mm	D-17619

Pilot drill

Length 71mm	All	D-17192
-------------	-----	---------

BiM holesaw assortment

Most six common sizes for Plumber & Electrician.

A: 11 mm (*7/16")
Adapter with pilot drill

B: 9.5mm (*3/8")
Adapter with pilot drill

C: Ejector spring



Suitable for	Included holesaws (1 each)	Part No.
For Plumber	19,22,29,38,44,57mm,adapter A, adapter B, ejector spring	D-47117
For Electrician	16,20,25,32,40,51mm,adapter A, adapter B, ejector spring	D-47123
For Electrician	20,25,32,40,51,65mm,adapter A, adapter B, ejector spring	D-47139



Suitable for	Included holesaws (1 each)	Part No.
For Plumber	19,22,25,29,35,38, 44,51,57,68,75mm, adapter A, adapter B, ejector spring	D-47298
For Plumber	19,22,25,29,35,38, 44,51,57,65,75mm, adapter A, adapter B, ejector spring	D-50572
For Electrician	19,22,29,35,38,51,54,57,68mm, adapter A, adapter B, ejector spring	D-47282
For General Use	16,19,22,25,32,35,37,44,51,57,64,68,76mm, adapter A, adapter B, ejector spring	D-47307



Suitable for	Included holesaws (1 each)	Part No.
For Plumber	19,22,29,38,44,57mm,adapter A, adapter B, ejector spring	D-63965
For Plumber	19,22,25,29,35,38, 44,51,57,65,75mm, adapter A, adapter B, ejector spring	D-63971
For Electrician	19,22,29,35,38,51,54,57,68mm, adapter A, adapter B, ejector spring	D-63987
For General Use	16,19,22,25,32,35,37,44,51,57,64,68,76mm, adapter A, adapter B, ejector spring	D-63993

BiM holesaw for sheet metal

Use with adapter with HSS pilot drill



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
16	20	B-29670	51	20	B-29854
17	20	B-29686	54	20	B-29860
19	20	B-29692	57	20	B-29876
20	20	B-29701	60	20	B-29882
21	20	B-29717	64	20	B-29898
22	20	B-29723	65	20	B-35994
25	20	B-29739	67	20	B-36005
27	20	B-29745	68	20	B-36011
29	20	B-29751	70	20	B-36027
30	20	B-29767	73	20	B-36033
32	20	B-29773	76	20	B-36049
33	20	B-29789	79	20	B-36055
35	20	B-29795	83	20	B-36061
38	20	B-29804	86	20	B-36077
40	20	B-29810	89	20	B-36083
41	20	B-29826	102	20	B-36099
44	20	B-29832	127	20	B-36108
48	20	B-29848	152	20	B-36114

Adapter with HSS pilot drill



Pilot drill

Application	Fits holesaws	Part No.
Adapter with pilot drill		
For 10mm drill	16 - 35mm	B-36120
For 13mm drill	38 - 152mm	B-36136
Pilot drill		
Length 60mm	All	B-36142

BiM holesaw for sheet metal assortment



Suitable for	Included Hole saws (1 each)	Part No.
For Plumber	19,22,29,38,44,57mm holesaws 9.5/11mm adapters with drill 1pc. of pilot drill	B-38663
For Electrician	20,25,32,38,51,64mm Holesaw 9.5/11mm adapters with drill 1pc. Of pilot drill	B-38679

Multi purpose TCT holesaw

Use with adapter with pilot drill



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
19	50	D-42678	60	60	D-42830
22	60	D-42684	64	60	D-42846
25	60	D-42690	65	60	D-42852
29	60	D-42709	67	60	D-42868
30	60	D-42715	68	60	D-42874
32	60	D-42721	70	60	D-42880
35	60	D-42737	73	60	D-45026
38	60	D-42743	76	60	D-45032
40	60	D-42759	79	60	D-45048
45	60	D-42765	80	60	D-45331
48	60	D-42771	83	60	D-45347
50	60	D-42787	85	60	D-45353
51	60	D-42793	89	60	D-45369
54	60	D-42802	95	60	D-50304
55	60	D-42818	102	60	D-50310
57	60	D-42824	105	60	D-50326

For 13mm drill



For SDS-PLUS Hummer

Application	Type of pilot drill	Fits holesaws	Part No.
Adapter with pilot drill			

Adapter with pilot drill

For 13mm drill	TCT	22-105mm	D-50332
For SDS-PLUS Hummer	TCT	22-32mm	D-50348
For 13mm drill	TCT	19mm	D-50354
For SDS-PLUS Hummer	TCT	19mm	D-50360
For 13mm drill	HSS	22-105mm	D-50376
For SDS-PLUS Hummer	HSS	22-32mm	D-50382
For 13mm drill	HSS	19mm	D-50398
For SDS-PLUS Hummer	HSS	19mm	D-50407

Pilot drill

HSS pilot drill $\phi 8\text{mm} \times 100\text{mm}$	HSS	22-105mm	D-50413
TCT pilot drill $\phi 10 \times 100\text{mm}$	TCT	22-105mm	D-50429
HSS pilot drill $\phi 6.35 \times 90\text{mm}$	HSS	19mm	D-50435
TCT pilot drill $\phi 8 \times 90\text{mm}$	TCT	19mm	D-50441

Multi purpose TCT holesaw assortment



Suitable for	Included TCT holesaw (1 each)	Part No.
For Electrician	22,25,29,35,38,45,51mm, adapter : 11mm (7/16") hex, T.C.T pilot drill, HSS pilot drill	D-51281
For General Use	22,35,51,57,64,76mm, Adapter : 11mm (7/16") hex, T.C.T pilot drill, HSS pilot drill	D-51297

TC grit holesaw

Use with adapter with pilot drill



Size	Working length (mm)	Part No.
33mm (1-5/16")	64	D-51188
43mm (1-11/16")	64	D-51194
53mm (2-3/32")	64	D-51203
63mm (2-1/2")	64	D-51219
67mm (2-5/8")	64	D-51225
73mm (2-7/8")	64	D-51231
83mm (3-1/4")	64	D-51247

Adapter with TCT pilot drill



TCT pilot drill



Application	Fits hole saws	Part No.
Adapter with Pilot Drill	All	D-51253
Pilot drill	All	D-51269

TCT holesaw

High quality carbide tips brazed on to the cutting edge enable high speed drilling of material up to 4mm in thickness with no coolant required. Carbide tips are random-spaced to reduce chattering noise. Not for percussion / hammering applications.



Size (mm)	Shank dia. (mm)	Part No.	Size (mm)	Shank dia. (mm)	Part No.
16	6	B-00898	50	10	B-01046
18	6	B-00907	55	10	B-01052
20	6	B-00913	60	13	B-01068
21	6	B-00929	65	13	B-01074
22	6	B-00935	68	13	B-02652
25	10	B-00941	70	13	B-01080
27	10	B-00957	75	13	B-01096
28	10	B-00963	80	13	B-01105
30	10	B-00979	85	13	B-01111
32	10	B-00985	90	13	B-01127
35	10	B-00991	95	13	B-01133
38	10	B-01002	100	13	B-01149
40	10	B-01018	110	13	B-01155
45	10	B-01024	120	13	B-01161
48	10	B-01030			

Center drill



Application	Fits holesaws	Part No.
Steel, etc.	16-55mm	B-01177
Steel etc.	60-120mm	B-01183
FRP, resin, etc	16-55mm	B-01199
FRP, resin, etc	60-120mm	B-01208

Carbon steel holesaw



Suitable for	Included Hole saws (1 each)	Part No.
For Soft Materials	32,38,48,54,64mm, Adapter with pilot drill(10mm)	D-70203

Diamond wet holesaw



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
19	38	D-61210	54	38	D-61329
20	38	D-61226	57	38	D-61335
22	38	D-61232	60	38	D-61341
25	38	D-61248	64	38	D-61357
29	38	D-61254	65	38	D-61363
32	38	D-61260	67	38	D-61379
35	38	D-61276	68	38	D-61385
38	38	D-61282	70	38	D-61391
41	38	D-61298	76	38	D-61400
44	38	D-61307	79	38	D-61416
51	38	D-61313	83	38	D-61422

Adapter



Retractable starter pilot bit



Application	Type of pilot drill	Fits holesaws	Part No.
Adapter			
For 13mm drill	-	for 19-29mm	D-61438
For 13mm drill	-	32-83mm	D-61444
Retractable starter pilot bit			
For 13mm drill	TCT	All	D-61450

Vacuum brazed diamond holesaw

Use with shank with Pilot Drill



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
16	40	B-45995	38	40	B-46056
19	40	B-46006	45	40	B-46062
25	40	B-46012	50	40	B-46078
30	40	B-46028	53	40	B-46084
32	40	B-46034	57	40	B-46090
35	40	B-46040	64	40	B-46109

Holesaw with shank and pilot drill



Size (mm)	Working length (mm)	Part No.	Size (mm)	Working length (mm)	Part No.
16	40	B-45870	38	40	B-45939
19	40	B-45886	45	40	B-45945
25	40	B-45892	50	40	B-45951
30	40	B-45901	53	40	B-45967
32	40	B-45917	57	40	B-45973
35	40	B-45923	64	40	B-45989

Shank with pilot drill



Shank



Pilot drill



Application	Type of pilot drill	Fits holesaws	Part No.
Shank with pilot drill			
For 13mm drill	TCT	All	B-46115
Shank			
For 13mm drill	-	All	B-46137
Pilot drill			
For 13mm drill	TCT	All	B-46121

