



Cordless Cleaner
DCL280F / DCL281F / DCL282F



More advanced features for professional use!

High power

+

High durability



BL MOTOR

18V LITHIUM-ION

DCL280F

Capsule type



Trigger switch + slide switch



DCL281F

Capsule type



One-touch push button switch



DCL282F

Paper dust bag



One-touch push button switch



BL motor provides high power and high durability.

Max Air Flow

1.5 m³/min

Max Sealed Suction

6.0 kPa



Quiet cleaning & Low vibration

- 1 achieved by noise absorbing sponge attached inside housing.
- 2 Using softer elastomer for the part that fixes fan cover, the vibration of housing is reduced, increasing comfort even in long continuous cleaning.



Trigger switch + Sliding lock-on switch

DCL280F only

allows for long continuous cleaning with less fatigue.



By moving ① sliding lock-on switch to ON position, ② interlocking trigger switch can be locked on for continuous cleaning.

LED job light

- illuminates the work area.
- also function as a battery capacity warning lamp

photo: DCL280F

BL MOTOR

New internal construction prevents loose installation of filter/paper dust bag to protect the motor room from dust.


Pipe lock

Pipe is fixed with the locking mechanism to prevent it from accidentally coming off.



Pipe with beveled end


Cleaning of tight places can be done without nozzle by using the beveled end of pipe as a nozzle.



Paper dust bag (DCL282F)



Moving stopper prevents front cover from closing if paper dust bag is not installed tight.




HEPA filter is available (DCL280F / DCL281F)

HEPA filter



Capsule type (DCL280F / DCL281F)



When capsule is installed securely, two ribs inside capsule press the inside frame of filter to hold the filter tight.



DCL280F

Max Air Flow

1.5m³/min

Max Sealed Suction

6.0kPa


Continuous use*

20min



Dust capacity
750
mL

Lightweight
1.4
kg
BL1815N



+



DCL281F

Max Air Flow

1.5m³/min

Max Sealed Suction

6.0kPa


Continuous use*

Max : **15**min
High : **20**min
Normal : **50**min



Dust capacity
750
mL

Lightweight
1.4
kg
BL1815N



+



DCL282F

Max Air Flow

1.5m³/min

Max Sealed Suction

6.0kPa

Continuous use*

Max : **15**min
High : **20**min
Normal : **50**min



Dust capacity
with dust bag
500
mL
Paper filter 330mL

Lightweight
1.5
kg
BL1815N



+



Accessories

*Battery : BL1830B (3.0Ah)

Nozzle assembly

For rug / carpet



Sheet Nozzle



Flexible hose



Corner nozzle



Round brush



Shelf brush



Part No.

White	198525-7	199037-3	198867-9	198918-8	198877-6	198872-6
Blue	198523-1	199040-4	198541-9	198989-5	198549-3	198534-6

DCL280F, DCL281F only

Filter set

10pcs /set
Part No.
198914-6



Pre-filter

Part No.
198750-0



Easy shake off filter B set

Part No.
199966-0



Filter H set

HEPA
filter
Part No.
199989-8



DCL282F only

Dust bag set

(cloth)
Part No.
198746-1



Paper filter set

5pcs/set
Part No.
194566-1



Easy shake off dust bag set

Part No.
198748-7



Valve stay complete

Part No.
143677-9



Tool bag set

Part No.
199901-8



Cleaner body, battery, charger and accessories can be stored together.
(LxWxH: 600x210x190mm)



Holder Set

Part No.
199971-7



Cordless Cleaner

DCL280F / DCL281F / DCL282F

	DCL280F	DCL281F	DCL282F
Capacity	800 mL	800 mL	Dust Bag: 500 mL Paper Dust Bag: 330 L
Continuous Use (min.)	20	Max: 15 / High: 20 / Low: 50	Max: 15 / High: 20 / Low: 50
Max Air Flow	1.5 m ³ /min	1.5 m ³ /min	1.5 m ³ /min
Max Sealed Suction (water column)	6.0 kPa (600 mmH ₂ O)	6.0 kPa (600 mmH ₂ O)	6.0 kPa (600 mmH ₂ O)
Suction Power	45 W	Max / High / Low : 60 / 45 15 W	Max / High / Low : 60 / 45 15 W
Dimensions (L x W x H)	1,018x113x155 mm (40"x4-7/16"x6-1/8")	1,018x113x154 mm (40"x4-7/16"x6-1/8")	1,018x113x154 mm (40"x4-7/16"x6-1/8")
Net weight	1.3 - 1.6 kg (2.9 - 3.6 lbs.)	1.4 - 1.7 kg (3.0 - 3.7 lbs.)	1.4 - 1.7 kg (3.0 - 3.7 lbs.)

Standard Equipment : Floor Nozzle, Sash Nozzle, Sash Nozzle Holder, Pipe, Filter, Prefilter, Efficient Collection Filter, Hand Strap, Battery, Charger



Built-in Job Light



Electronic 3-Speed (DCL281F / DCL282F)

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.
Items of standard equipment and specifications may vary by country or area.

Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201905